


STANDARD TRAFFIC DIVIDERS



⊙ Unless otherwise shown in the plans.

NOTES


CONCRETE MEDIAN PAVEMENT 612

JOINTS: - 1/4 inch Contraction Joints shall be constructed at 10 foot intervals in accordance with pertinent provisions of 609.04.


PRECAST CONCRETE TRAFFIC DIVIDERS 613

METHOD OF INSTALLATION: - Precast concrete traffic dividers shall be set in a 1:2 cement mortar bed when necessary to assure a uniformly firm foundation for the dividers.


CONCRETE MEDIANS



SPACING



PLAN PRECAST CONCRETE TRAFFIC DIVIDER



ENLARGED SECTION A-A


BUREAU OF LOCATION AND DESIGN
OHIO DEPARTMENT OF HIGHWAYS

DATE
6-1-65

TRAFFIC DIVIDERS

STANDARD CONSTRUCTION DRAWING
MC-6
APPROVED *R. R. RIKTEL*, ENGR. L. & D.

STANDARD TRAFFIC DIVIDERS



⊗ Unless otherwise shown in the plans.

NOTES

CONCRETE MEDIAN PAVEMENT 612

JOINTS: - 1/4 inch Contraction Joints shall be constructed at 10 foot intervals in accordance with pertinent provisions of 609.04.

PRECAST CONCRETE TRAFFIC DIVIDERS

METHOD OF INSTALLATION: - When the traffic dividers are to be placed in bituminous concrete, they shall not be placed until the bituminous concrete surface has been completed.


When the traffic dividers are to be placed in portland cement concrete, the openings into which the traffic dividers are to be set shall be formed at the time the portland cement concrete pavement is being placed and by a method acceptable to the Engineer.

The opening remaining between the pavement and the traffic dividers and the lifting hole void shall be filled with 1:2 cement mortar or 705.01 or 705.02 joint sealer.


BASIS OF PAYMENT: - Payment for each traffic divider measured and complete in place will be at the contract unit price bid for "Item Special, Precast Concrete Traffic Divider". This price shall constitute full compensation for furnishing, preparing and installing traffic dividers as specified.

MATERIALS: - Cement shall conform to 701.04. In addition it shall be white without tint and shall have a minimum luminous (daylight) reflectance of 75.


CONCRETE MEDIANS



SPACING



PLAN PRECAST CONCRETE TRAFFIC DIVIDER



ENLARGED SECTION A-A

BUREAU OF LOCATION AND DESIGN
OHIO DEPARTMENT OF TRANSPORTATION

TRAFFIC DIVIDERS

DATE
6-1-65
1-30-84

STANDARD
CONSTRUCTION
DRAWING
APPROVED *E. J. [Signature]* ENGR, L. & D.

MC-6