

Patching Concrete Structures with Trowelable Mortar

Qualified Product List **Specification - Requirements**

ODOT Construction and Materials SS-843

Requirements for inclusion on the Qualified Product List

Submit to the Office of Materials Management the following information:

1. Manufacturer's letter certifying trowelable mortar for patching concrete structures supplied to the project will meet or exceed Departmental specifications and include:
 - A Conform to the requirements of SS-843
 - B Provide certified test data on the patching concrete structures with trowelable mortar showing compliance to materials requirements.
 - C Typical markings on the packaging and any date markings
 - D Application instructions and temperature limitations.
 - E Effective product life
 - F Agreement to notify the Department on any changes in formulation or materials
 - G A 1 bag sample, or enough material to produce a 0.5 cu ft sample.
 - H Application type (horizontal, vertical or overhead surfaces)
2. Provide the Department a contact name, number and e-mail address.
3. Provide recertification documentation by January 1 of each year.

Acceptance by the Department

The Office of Materials Management will review a manufacturer's submittal for compliance with specification requirements and will evaluate any prequalification samples.

Accepted products will be listed on the Department's qualified product list web page and will be loaded into the Department's Construction Management System for acceptance in the field through the OPL screen.

Field Documentation Requirements

Products on the QPL will be accepted if they can be identified by the field to a supplier/manufacturer listed on the Department's Qualified Product List.

