

GENERAL NOTES

DESCRIPTION: THE PURPOSE OF THIS DESIGN DATA SHEET IS:
 1. TO DETERMINE WHEN TEMPORARY VANDAL PROTECTION FENCING IS REQUIRED
 2. TO DETERMINE THE TYPE AND LOCATION OF PROTECTIVE FENCING THAT IS REQUIRED

PROCEDURE: USE FIGURE 1 TO DETERMINE IF TEMPORARY VANDAL PROTECTION FENCING (TVPF) IS REQUIRED.

IF TVPF IS REQUIRED ACCORDING TO FIGURE 1, USE FIGURE 2 TO DETERMINE THE TYPE AND LOCATION OF PROTECTIVE FENCING REQUIRED FOR EACH BRIDGE DECK EDGE.

DEFINITIONS:

DEFLECTOR PARAPET - ODOT STANDARD BARRIER SHAPES FROM THE FOLLOWING STANDARD BRIDGE DRAWINGS:

1. BR-1-67 (GM SHAPE)
2. BR-1 (NEW JERSEY SHAPE)
3. SBR-1-99 & SBR-1-13 (SINGLE SLOPE SHAPE)

FREEWAY - A DIVIDED MULTI-LANE HIGHWAY FOR THROUGH TRAFFIC WITH ALL CROSSROADS SEPARATED IN GRADE AND WITH FULL CONTROL OF ACCESS (ORC 4511.01)

PCB - PORTABLE CONCRETE BARRIER (PCB-91)

PEDESTRIAN FACILITY - SIDEWALK, BIKE PATH OR SHARED USE FACILITY

SAFETY CURB - ODOT STANDARD BARRIER SHAPES FROM THE FOLLOWING STANDARD BRIDGE DRAWINGS:

1. AR-1-57
2. BR-1-65

SIDEWALK BARRIER - ODOT STANDARD BARRIER SHAPES FROM THE FOLLOWING STANDARD BRIDGE DRAWINGS:

1. BR-2-67
2. BR-2-82
3. BR-2-98 (WITH OR WITHOUT RAISED WALK)
4. BR-2-15 (WITH OR WITHOUT RAISED WALK)

TVPF - TEMPORARY VANDAL PROTECTION FENCING

TYPE A TVPF - TEMPORARY VANDAL PROTECTION FENCING ANCHORED TO THE SURFACE OF THE DECK OR TOP SURFACE OF THE BARRIER. REFER TO TVPF-1-18 FOR MORE INFORMATION.

TYPE B TVPF - TEMPORARY VANDAL PROTECTION FENCING ANCHORED TO THE BACK FACE OF THE PCB. REFER TO TVPF-1-18 FOR MORE INFORMATION.

TYPE C TVPF - TEMPORARY VANDAL PROTECTION FENCING ANCHORED TO THE EDGE OF A NEW BRIDGE DECK. REFER TO TVPF-1-18 FOR MORE INFORMATION.

VPF - PERMANENT VANDAL PROTECTION FENCING

