

COU	C	M RTE	LOG	LENG	D SURFACE SUMMARY				SYS CL CD	COMBINATION-OR-DIVIDED			SHOULDER			F YR A	N H O H P / S M U	MUNICIPALITY	A C S N	L N S I	D FC	CONTRL AC											
					I	TYP	BS	BPR		SW	RW	---	LEFT	---	MED								---	RIGHT	LEFT	RIGHT	IN	OT					
MAH	2	007P	00.000	02.900											15	Y	O YOUNGSTOWN	N	04	3	97831												
MAH		007P		2.900	ROUTE MILEAGE																												
MAH	1	007R	00.000	00.320	G	X	I	24	32	G	G	L	20	G	N	04	04	04	14	Y	N	02	04	4	99999								
MAH	1	007R	00.320	00.700	G	X	I	24	32	G	G	L	20	G	N	04	04	04	14	Y	N	02	04	4	99999								
MAH	1	007R	01.020	00.070	G	X	I	24	32	G	G	L	20	G	N	04	04	04	14	Y	N	02	04	4	99999								
MAH	1	007R	01.090	00.270	G	L	I	24	44	G						10	10	14	Y	N	02	04	4	99999									
MAH	1	007R	01.360	00.710	G	X	I	24	32	G	G	L	20	G	N	04	04	04	14	Y	N	02	04	4	99999								
MAH	1	007R	02.070	00.880	G	X	I	24	32	G	G	L	20	G	N	04	04	04	14	Y	N	02	04	4	99999								
MAH	1	007R	02.950	00.200	G	X	I	24	32	G	G	L	20	G	N	04	04	04	14	Y	N	02	04	4	99999								
MAH	1	007R	03.150	00.280	G	N	I	20	32	G						06	06	14	Y	N	02	04	4	99999									
MAH	1	007R	03.430	00.160	G	X	I	36	36	G	G	N	30	G	L	06	00	14	Y	N	02	04	4	99999									
MAH	1	007R	03.590	00.260	G	T	I	30	42	G						06	06	14	Y	N	02	04	4	99999									
MAH	1	007R	03.850	00.310	G	T	I	30	42	G						06	06	14	Y	N	02	04	4	99999									
MAH	1	007R	04.160	00.380	G	X	I	52	68	G	G	T	30	G	L	22	08	08	14	Y	N	04	04	4	99999								
MAH	1	007R	04.540	00.460	G	X	I	52	68	G	G	T	30	G	L	22	08	08	14	Y	N	04	04	3	97831								
MAH	1	007R	05.000	00.160	G	X	I	52	68	G	G	T	30	G	L	22	08	08	14	Y	N	04	04	3	97831								
MAH	1	007R	05.160	00.020	G	X	I	52	68	G	G	T	30	G	L	22	08	08	14	Y	N	04	04	3	97831								
MAH	1	007R	05.180	00.770	G	X	I	52	68	G	G	T	30	G	L	22	08	08	15	Y	N	04	04	3	97831								
MAH	1	007R	05.950	00.250	G	X	I	54	68	G	G	T	32	G	L	22	07	07	15	Y	N	04	04	3	97831								
MAH	1	007R	06.200	00.010	G	X	I	54	58	G	G	T	32	G	L	22	02	02	15	Y	N	04	04	3	97831								
MAH	1	007R	06.210	01.990	G	X	I	52	68	G	G	T	30	G	L	22	08	08	15	Y	N	04	04	3	97831								
MAH	1	007R	08.200	00.260	G	Z	I	56	56	G	G	N	28	G	T	28	00	00	15	Y	N	04	04	3	97831								
MAH	1	007R	08.460	00.210	G	Z	I	56	56	G	G	N	28	G	T	28	00	00	15	Y	N	04	04	3	97831								
MAH	1	007R	08.670	00.050	G	Z	I	68	68	G	G	N	40	G	T	28	00	00	15	Y	N	04	04	3	97831								
MAH	1	007R	08.720	00.130	G	Z	I	56	56	G	G	N	28	G	T	28	00	00	15	Y	*	N	04	04	3	97831							
MAH	1	007R	08.850	01.890	G	Z	I	56	56	G	G	N	28	G	T	28	00	00	15	Y	*	N	04	04	3	97831							
MAH	4	007R	10.740	00.520	G	Z	I	56	56	G	G	N	28	G	T	28	00	00	15	Y	*	N	04	04	3	97831							
MAH	2	007R	11.260	00.730	G	Z	I	56	56	U	G	P	32	G	N	24	00	00	15	Y		O YOUNGSTOWN	N	04	04	3	97831						
MAH	2	007R	11.990	00.130	G	P	I	68	68	U						00	00	15	Y			O YOUNGSTOWN	N	04	04	3	97831						
MAH		007R		12.120	ROUTE MILEAGE																												
MAH	1	011R	00.000	00.850	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N	*	F	04	04	2	99999
MAH	1	011R	00.850	01.090	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N	*	F	04	04	2	99999
MAH	1	011R	01.940	01.110	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N	*	F	04	04	2	99999
MAH	1	011R	03.050	05.260	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N	*	F	04	04	2	99999
MAH	1	011R	08.310	00.300	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N	*	F	04	04	2	97831
MAH	1	011R	08.610	00.250	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N	*	F	04	04	2	97831
MAH	1	011R	08.860	00.550	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N	*	F	04	04	2	97831
MAH	1	011R	09.410	00.700	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N		F	04	04	2	97831
MAH	1	011R	10.110	02.910	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N		F	04	04	2	97831
MAH	1	011R	13.020	00.830	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N		F	04	04	2	97831
MAH	1	011R	13.850	00.270	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N		F	04	04	2	97831
MAH	1	011R	14.120	01.080	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N		F	04	04	2	97831
MAH	1	011R	15.200	00.700	*	G	P	I	48	76	P	G	P	I	24	76	G	P	I	24	10	04	04	10	14	Y	N		F	04	04	2	97831
MAH	1	011R	15.900	00.110	*	G	P	I	32	60	P	G	P	I	16	99	G	P	I	16	10	04	04	10	14	Y	N		F	02	04	2	97831
MAH	1	011R	16.010	00.180	*	G	P	I	32	60	P	G	P	I	16	99	G	P	I	16	10	04	04	10	14	Y	N		F	02	04	2	97831
MAH		011R		16.190	ROUTE MILEAGE																												
MAH	1	014R	00.000	00.330	G	N	I	20	32	G						06		06	14	Y	N	02	04	4	99999								
MAH	1	014R	00.330	00.580	G	N	I	18	30	G						06		06	14	Y	N	02	04	4	99999								
MAH	1	014R	00.910	01.730	G	N	I	18	30	G						06		06	14	Y	N	02	04	4	99999								
MAH	1	014R	02.640	01.930	G	N	I	18	30	G						06		06	14	Y	N	02	04	4	99999								
MAH	1	014R	04.570	00.080	G	L	I	24	32	G						04		04	14	Y	N	02	04	4	99999								

COU	M C L	RTE	LOG	LENG	D I V	SURFACE SUMMARY			SYS CL CD	COMBINATION-OR-DIVIDED			SHOULDER		F YR A	N H P / S M U	H O MUNICIPALITY	A L D C N I S S S	CONTRL FC AC							
						TYP	BS	BPR		SW	RW	---LEFT---	---MED---	---RIGHT---						LEFT OT	RIGHT IN OT					
MAH	1	014R	04.650	02.120	G	N	I	18	30	G			06	06	14	Y		N 02 04 4 99999								
MAH	1	014R	06.770	00.290	G	N	I	18	30	G			06	06	14	N		N 02 04 4 99999								
MAH	1	014R	07.060	00.200	G	N	I	20	20	G			00	00	14	N		N 02 04 4 99999								
MAH	1	014R	07.260	00.130	G	N	I	18	30	G			06	06	14	N		N 02 04 4 99999								
MAH	1	014R	07.390	00.530	G	N	I	18	30	G			06	06	14	N		N 02 04 4 99999								
MAH	2	014R	07.920	00.030	G	E	I	60	60	U	G R	16	G L	44	00	00	14	N	O SALEM N 03 04 5 99765							
MAH	2	014R	07.950	00.070	G	E	I	60	60	U	G R	16	G L	44	00	00	14	N	O SALEM N 03 04 5 99765							
MAH	2	014R	08.020	00.130	G	E	I	24	36	U	G R	16	G L	08	06	06	14	N	O SALEM N 02 04 5 99765							
MAH	4	014R	08.150	00.040	G	E	I	24	36	G	G R	16	G L	08	06	06	14	N	N 02 04 5 99765							
MAH	1	014R	08.190	00.360	G	E	I	24	36	G	G R	16	G L	08	06	06	14	N	N 02 04 5 99765							
MAH	1	014R	08.550	00.370	G	L	I	24	44	G			10	10	14	N		N 02 04 5 99765								
MAH	1	014R	08.920	00.100	G	L	I	24	44	G			10	10	14	N	*	N 02 04 5 99765								
MAH	1	014R	09.020	00.930	G	T	I	20	28	G			04	04	14	N	*	N 02 04 5 99765								
MAH	1	014R	09.950	00.050	G	T	I	20	28	G			04	04	14	N		N 02 04 5 99765								
MAH		014R		10.000															ROUTE MILEAGE							
MAH	1	014T	00.000	00.910	*	G	N	I	48	72	G	G N I	24	32	G N I	24	08	04	04	08	15	Y	*		F 04 04 3 99999	
MAH		014T		.910																						ROUTE MILEAGE
MAH	1	045R	00.000	00.560	G	X	I	24	34	G	G N	06	G K	18	05	05	14	Y		N 02 04 4 99765						
MAH	1	045R	00.560	00.430	G	X	I	24	34	G	G N	06	G K	18	05	05	14	Y		N 02 04 4 99765						
MAH	1	045R	00.990	01.980	G	X	I	24	34	G	G N	06	G K	18	05	05	14	Y		N 02 04 4 99999						
MAH	1	045R	02.970	01.060	G	X	I	24	34	G	G N	06	G K	18	05	05	14	Y		N 02 04 4 99999						
MAH	1	045R	04.030	00.770	G	X	I	24	34	G	G N	06	G K	18	05	05	14	Y		N 02 04 4 99999						
MAH	1	045R	04.800	00.370	G	L	I	24	32	G			04	04	14	Y		N 02 04 4 99999								
MAH	1	045R	05.170	00.820	G	X	I	24	34	G	G N	06	G K	18	05	05	14	Y		N 02 04 4 99999						
MAH	1	045R	05.990	00.550	G	X	I	24	34	G	G N	06	G K	18	05	05	14	Y		N 02 04 4 99999						
MAH	1	045R	06.540	00.550	G	E	I	24	28	G	G K	20	G L	04	02	02	14	Y		N 02 04 4 99999						
MAH	1	045R	07.090	02.560	G	E	I	24	28	G	G K	20	G L	04	02	02	14	Y		N 02 04 4 99999						
MAH	1	045R	09.650	01.630	G	X	I	24	28	G	G N	06	G K	18	02	02	14	Y		N 02 04 4 99999						
MAH	1	045R	11.280	00.490	G	X	I	24	28	G	G N	06	G K	18	02	02	14	Y		N 02 04 4 99999						
MAH	1	045R	11.770	00.430	G	E	I	48	48	G	G K	20	G L	28	00	00	14	Y		N 04 04 4 99999						
MAH	1	045R	12.200	00.070	G	E	I	48	48	G	G K	20	G L	28	00	00	14	Y		N 04 04 4 99999						
MAH	1	045R	12.270	00.050	*	G	E	I	50	70	G	G L I	25	04	G K I	25	08	00	00	08	14	Y		N 04 04 4 99999		
MAH	1	045R	12.320	00.100	*	G	E	I	50	70	G	G L I	25	04	G K I	25	08	00	00	08	14	Y		N 04 04 4 99999		
MAH	1	045R	12.420	00.600	G	E	I	50	70	G	G L	30	G K	20	10	10	14	Y		N 04 04 4 99999						
MAH	1	045R	13.020	00.240	G	L	I	50	70	G			10	10	14	Y		N 04 04 4 99999								
MAH	1	045R	13.260	00.530	G	E	I	50	70	G	G L	30	G K	20	10	10	14	Y		N 04 04 4 99999						
MAH	1	045R	13.790	00.070	G	E	I	50	70	G	G L	30	G K	20	10	10	14	Y		N 04 04 4 99999						
MAH	1	045R	13.860	00.290	G	E	I	50	70	G	G L	30	G K	20	10	10	14	Y		N 04 04 4 99999						
MAH		045R		14.150																					ROUTE MILEAGE	
MAH	2	046D	00.290	00.080	G	T	I	36	46	U			04	04	14	N		O CANFIELD		N 02 04 5 97831						
MAH		046D		.080																					ROUTE MILEAGE	
MAH	2	046R	00.000	00.120	G	X	I	48	48	U	G L	24	G P	24	00	00	14	N		O COLUMBIANA		N 02 04 5 99789				
MAH	2	046R	00.120	00.020	G	P	I	24	44	U			02	02	14	N		O COLUMBIANA		N 02 04 5 99789						
MAH	4	046R	00.140	00.080	G	P	I	24	44	G			02	02	14	N				N 02 04 5 99789						
MAH	4	046R	00.220	00.230	G	P	I	24	44	G			02	02	14	N				N 02 04 5 99789						
MAH	1	046R	00.450	00.290	G	P	I	24	44	G			02	02	14	N				N 02 04 5 99789						
MAH	1	046R	00.740	03.680	G	P	I	24	44	G			02	02	14	N				N 02 04 5 99999						
MAH	1	046R	04.420	00.070	G	P	I	24	36	G			04	04	14	N				N 02 04 5 99999						
MAH	1	046R	04.490	00.060	G	X	I	47	59	G	G P	24	G L	23	04	04	14	N		N 02 04 5 99999						
MAH	1	046R	04.550	00.060	G	X	I	36	48	G	G P	24	G L	12	04	04	14	N		N 02 04 5 99999						

COU	C	M RTE	LOG	LENG	D I	SURFACE SUMMARY				SYS CL CD	COMBINATION-OR-DIVIDED				SHOULDER		F YR A	N H P /	H O P /	MUNICIPALITY	A C	L N I	D FC	CONTRL AC	
						TYP	BS	BPR	SW		RW	---LEFT---	---MED---	---RIGHT---	LEFT OT	RIGHT IN OT									
MAH	1	046R	04.610	00.080	G	P	I	24	36	G					04	04	14	N			N	02	04	5	99999
MAH	1	046R	04.690	00.120	G	P	I	24	44	G					02	02	14	N			N	02	04	5	99999
MAH	1	046R	04.810	00.020	G	P	I	24	44	G					02	02	14	N			N	02	04	5	99999
MAH	1	046R	04.830	00.990	G	P	I	24	44	G					02	02	14	N			N	02	04	5	99999
MAH	1	046R	05.820	00.230	G	E	I	24	44	G	G L	18	G K	06	02	02	14	N			N	02	04	5	99999
MAH	1	046R	06.050	00.400	G	K	I	24	44	G					02	02	14	N			N	02	04	5	99999
MAH	1	046R	06.450	00.500	G	E	I	24	44	G	G L	18	G K	06	02	02	14	N			N	02	04	5	99999
MAH	1	046R	06.950	00.870	G	E	I	24	44	G	G L	18	G K	06	02	02	14	N			N	02	04	5	99999
MAH	1	046R	07.820	00.440	G	E	I	24	44	G	G L	18	G K	06	02	02	14	N			N	02	04	5	99999
MAH	1	046R	08.260	00.280	G	E	I	24	44	G	G L	20	G K	04	10	10	14	N			N	02	04	5	99999
MAH	1	046R	08.540	00.100	G	E	I	24	36	G	G K	20	G L	04	06	06	14	N			N	02	04	5	99999
MAH	1	046R	08.640	00.130	G	E	I	24	36	G	G K	20	G L	04	06	06	14	N			N	02	04	5	97831
MAH	1	046R	08.770	00.030	G	E	I	24	24	G	G K	20	G L	04	00	00	14	N			N	02	04	5	97831
MAH	2	046R	08.800	00.190	G	E	I	24	24	U	G K	20	G L	04	00	00	14	N		O CANFIELD	N	02	04	5	97831
MAH	2	046R	08.990	00.300	G	X	I	24	24	U	G N	18	G L	06	00	00	14	N		O CANFIELD	N	02	04	5	97831
MAH	2	046R	09.290	00.100	G	X	I	24	30	U	G N	18	G L	06	03	03	14	N		O CANFIELD	N	02	04	5	97831
MAH	1	046R	10.830	00.110	G	E	I	32	32	G	G K	20	G L	12	00	00	14	N			N	02	04	4	97831
MAH	1	046R	10.940	00.670	G	E	I	24	36	G	G K	20	G L	04	06	06	14	N			N	02	04	4	97831
MAH	1	046R	11.610	00.430	G	E	I	24	36	G	G K	20	G L	04	06	06	14	N			N	02	04	4	97831
MAH	1	046R	12.040	00.270	G	X	I	24	36	G	G N	04	G L	20	06	06	14	N			N	02	04	4	97831
MAH	1	046R	12.310	00.150	G	X	I	34	46	G	G N	04	G L	30	06	06	14	N			N	02	04	4	97831
MAH	1	046R	12.460	01.020	G	X	I	24	36	G	G N	04	G L	20	06	06	14	N			N	02	04	4	97831
MAH	1	046R	13.480	00.130	G	X	I	60	60	G	G N	04	G L	56	00	00	14	N			N	04	04	4	97831
MAH	1	046R	13.610	01.020	G	X	I	60	60	G	G N	04	G L	56	00	00	14	N		*	N	04	04	4	97831
MAH	1	046R	14.630	00.040	G	E	I	52	52	G	G I	28	G L	24	00	00	14	N			N	04	04	4	97831
MAH	1	046R	14.670	00.140	G	E	I	52	52	G	G I	28	G L	24	00	00	15	N			N	04	04	3	97831
MAH	1	046R	14.810	00.360	G	L	I	60	60	G				00	00	15	N			N	04	04	3	97831	
MAH	1	046R	15.170	00.570	G	L	I	48	48	G				00	00	15	N			N	04	04	3	97831	
MAH	1	046R	15.740	00.610	G	L	I	60	60	G				00	00	15	N			N	04	04	3	97831	
MAH	1	046R	16.350	00.250	G	L	I	60	60	G				00	00	15	N			N	04	04	3	97831	
MAH	1	046R	16.600	00.270	G	L	I	60	60	G				00	00	15	N			N	04	04	3	97831	
MAH	1	046R	16.870	00.110	G	L	I	22	34	G				06	06	15	N			N	02	04	3	97831	
MAH	1	046R	16.980	00.100	G	L	I	22	34	G				06	06	15	N			N	02	04	3	97831	
MAH		046R		15.640																					
MAH	2	062D	00.000	00.160	G	L	I	48	76	P				04		10	14	N	N	O YOUNGSTOWN	L	02	04	2	97831
MAH	2	062D	00.160	00.190	G	L	I	24	38	P				07		07	14	N	N	O YOUNGSTOWN	L	02	04	2	97831
MAH	2	062D	00.350	00.100	G	L	I	24	38	P				07		07	14	N	N	* O YOUNGSTOWN	L	02	04	2	97831
MAH	2	062D	00.450	00.150	G	L	I	16	22	P				03		03	14	N	*	O YOUNGSTOWN	L	02	04	2	97831
MAH	2	062D	00.600	00.040	G	L	I	24	30	P				03		03	14	N	*	O YOUNGSTOWN	L	02	04	2	97831
MAH		062D		.640																					
MAH	2	062F	00.000	00.200	G	K	I	20	32	U				06		06	14	N		O CANFIELD	N	02	04	4	97831
MAH	2	062F	00.200	00.090	G	T	I	36	48	U				06		06	14	N		O CANFIELD	N	02	04	4	97831
MAH		062F		.290																					
MAH	1	062R	00.000	00.110	G	E	I	24	36	G	G K	20	G L	04	06	06	14	N			N	02	04	4	99765
MAH	4	062R	00.110	00.040	G	E	I	24	36	G	G K	20	G L	04	06	06	14	N			N	02	04	4	99765
MAH	1	062R	00.150	00.130	G	E	I	24	36	G	G K	20	G L	04	06	06	14	N			N	02	04	4	99765
MAH	1	062R	00.280	00.730	G	X	I	24	28	G	G P	22	G L	02	02	02	14	N			N	02	04	4	99765
MAH	1	062R	01.010	00.400	G	X	I	24	28	G	G P	22	G L	02	02	02	14	N			N	02	04	4	99999
MAH	1	062R	01.410	03.620	G	L	I	24	28	G				02		02	14	N			N	02	04	4	99999
MAH	1	062R	05.030	00.130	G	L	I	24	28	G				02		02	14	N			N	02	04	4	99999
MAH	1	062R	05.160	01.200	G	E	I	24	28	G	G K	20	G L	04	02	02	14	N			N	02	04	4	99999

COU	C	M RTE	LOG	LENG	D I	SURFACE SUMMARY				SYS CL CD	COMBINATION-OR-DIVIDED			SHOULDER		F YR A	N H P /	H O M U	MUNICIPALITY	A C	L N I	D FC	CONTRL AC						
						TYP	BS	BPR	SW		RW	---	LEFT	---	MED									---	RIGHT	---	LEFT	RIGHT	
MAH	1	062R	06.360	01.050	G	E	I	24	28	G	G	K	20	G	L	04	02	02	14	N				N 02 04 4 99999					
MAH	1	062R	07.410	00.190	G	E	I	24	28	G	G	K	20	G	L	04	02	02	14	N				N 02 04 4 97831					
MAH	1	062R	07.600	00.010	G	E	I	24	28	G	G	K	20	G	L	04	02	02	14	N				N 02 04 4 97831					
MAH	2	062R	07.610	00.750	G	R	I	21	33	U						06	06	14	N	* O	CANFIELD		N 02 04 4 97831						
MAH	2	062R	08.360	00.040	G	P	I	40	40	U						00	00	14	N	O	CANFIELD		N 04 04 4 97831						
MAH	2	062R	08.400	00.090	G	X	I	24	24	U	G	P	18	G	L	06	00	00	14	N	O	CANFIELD		N 02 04 4 97831					
MAH	2	062R	08.490	00.200	G	P	I	18	30	U						06	06	14	N	O	CANFIELD		N 02 04 4 97831						
MAH	2	062R	08.690	00.440	G	L	I	21	23	U						01	01	14	N	O	CANFIELD		N 02 04 4 97831						
MAH	2	062R	09.130	00.500	G	L	I	21	39	U						01	01	14	N	O	CANFIELD		N 02 04 4 97831						
MAH	2	062R	09.630	00.040	G	L	I	21	33	U						01	01	14	N	O	CANFIELD		N 02 04 4 97831						
MAH	1	062R	09.670	00.020	G	L	I	21	33	G						06	06	14	N				N 02 04 4 97831						
MAH	1	062R	09.690	00.110	G	L	I	24	36	G						06	06	14	N				N 02 04 4 97831						
MAH	1	062R	09.800	00.040	G	E	I	36	36	G	G	K	21	G	L	15	00	00	14	N				N 02 04 4 97831					
MAH	1	062R	09.840	00.070	G	E	I	36	36	G	G	K	21	G	L	15	00	00	14	N				N 02 04 4 97831					
MAH	1	062R	09.910	00.030	G	E	I	36	36	G	G	K	21	G	L	15	00	00	14	N				N 02 04 4 97831					
MAH	1	062R	09.940	00.810	G	K	I	21	27	G						03	03	14	N				N 02 04 4 97831						
MAH	1	062R	10.750	00.360	G	K	I	21	27	G						03	03	14	N				N 02 04 4 97831						
MAH	1	062R	11.110	00.140	G	E	I	24	28	G	G	K	20	G	L	04	02	02	14	N				N 02 04 4 97831					
MAH	1	062R	11.250	00.120	G	E	I	24	28	G	G	K	20	G	L	04	02	02	14	N				N 02 04 4 97831					
MAH	1	062R	11.370	01.600	G	K	I	20	28	G						04	04	14	N				N 02 04 4 97831						
MAH	1	062R	12.970	00.190	G	P	I	30	30	G						00	00	14	N				N 02 04 4 97831						
MAH	2	062R	13.160	00.060	G	X	I	46	46	U	G	P	30	G	L	16	00	00	14	N	O	YOUNGSTOWN		N 04 04 4 97831					
MAH	2	062R	13.220	00.720	G	P	I	30	30	U						00	00	14	N	O	YOUNGSTOWN		N 02 04 4 97831						
MAH	2	062R	13.940	00.660	G	P	I	30	30	U						00	00	14	N	O	YOUNGSTOWN		N 02 04 4 97831						
MAH	2	062R	14.600	00.600	G	T	I	30	30	U						00	00	14	N	O	YOUNGSTOWN		N 02 04 4 97831						
MAH	2	062R	15.200	00.070	G	T	I	45	45	U						00	00	14	N	O	YOUNGSTOWN		N 02 04 4 97831						
MAH	2	062R	15.270	00.890	G	T	I	30	30	U						00	00	14	N	O	YOUNGSTOWN		N 02 04 4 97831						
MAH	2	062R	16.160	00.050	G	T	I	48	48	U						00	00	14	N	O	YOUNGSTOWN		N 02 04 4 97831						
MAH	2	062R	16.210	00.480	G	P	I	68	68	U						00	00	15	Y	O	YOUNGSTOWN		F 02 04 3 97831						
MAH	2	062R	16.690	00.120	G	P	I	56	56	U						00	00	15	Y	O	YOUNGSTOWN		F 02 04 3 97831						
MAH	2	062R	16.810	00.240	G	P	I	69	69	U						00	00	15	Y	O	YOUNGSTOWN		F 02 04 3 97831						
MAH	2	062R	17.050	00.130	G	P	I	72	72	U						00	00	15	Y	O	YOUNGSTOWN		F 02 04 3 97831						
MAH	2	062R	17.180	00.200	G	Z	I	44	44	U	G	T	30	G	N	14	00	00	14	N	* O	YOUNGSTOWN		F 02 04 4 97831					
MAH	2	062R	17.380	00.110	G	Z	I	44	44	U	G	T	30	G	N	14	00	00	14	N	* O	YOUNGSTOWN		F 02 04 4 97831					
MAH	2	062R	17.490	00.020	G	Z	I	44	44	U	G	T	30	G	N	14	00	00	14	N	* O	YOUNGSTOWN		F 02 04 4 97831					
MAH	2	062R	17.510	00.220	G	Z	I	44	44	U	G	T	30	G	N	14	00	00	14	N	* O	YOUNGSTOWN		F 02 04 4 97831					
MAH	2	062R	17.730	00.020	* G	Z	I	52	52	U	G	N	I	26	02	G	T	I	26	00	00	00	14	N	O	YOUNGSTOWN		F 02 04 4 97831	
MAH	2	062R	17.750	00.220	* G	Z	I	52	52	U	G	N	I	26	02	G	T	I	26	00	00	00	14	N	O	YOUNGSTOWN		F 02 04 4 97831	
MAH	2	062R	17.970	00.140	G	T	I	54	54	U						00	00	14	N	O	YOUNGSTOWN		F 02 04 4 97831						
MAH	2	062R	18.110	00.080	D	J		16	22	U						03	03	14	N	O	YOUNGSTOWN		F 01 04 4 97831						
MAH	2	062R	18.190	00.410	* D	J		48	64	P	D	J	24	16	D	J	24	08	00	08	14	Y	N	O	YOUNGSTOWN		F 04 04 2 97831		
MAH	2	062R	18.600	00.440	* D	J		48	64	P	D	J	24	16	D	J	24	08	00	08	14	Y	N	* O	YOUNGSTOWN		F 04 04 2 97831		
MAH	2	062R	19.040	00.030	* D	J		48	64	P	D	J	24	16	D	J	24	08	00	08	14	Y	N	O	YOUNGSTOWN		F 04 04 2 97831		
MAH	2	062R	19.070	00.140	* D	J		48	64	P	D	J	24	16	D	J	24	08	00	08	14	Y	N	O	YOUNGSTOWN		F 04 04 2 97831		
MAH	2	062R	19.210	00.080	* D	J		48	64	P	D	J	24	16	D	J	24	08	00	08	14	Y	N	* O	YOUNGSTOWN		F 04 04 2 97831		
MAH	2	062R	19.290	00.070	* D	J		48	64	P	D	J	24	16	D	J	24	08	00	08	14	Y	N	* O	YOUNGSTOWN		F 04 04 2 97831		
MAH	2	062R	19.360	00.080	* G	L	I	48	64	P	G	L	I	24	16	G	L	I	24	08	00	08	14	Y	N	* O	YOUNGSTOWN		F 04 04 2 97831
MAH	2	062R	19.440	00.130	* G	L	I	48	64	P	G	L	I	24	16	G	L	I	24	08	00	08	15	Y	* O	YOUNGSTOWN		F 04 04 2 97831	
MAH	2	062R	19.570	00.290	G	T	I	36	36	U						00	00	14	N	O	YOUNGSTOWN		N 02 04 4 97831						
MAH	2	062R	19.860	00.930	G	T	I	36	36	U						00	00	14	N	O	YOUNGSTOWN		N 02 04 4 97831						
MAH	2	062R	20.790	00.820	G	T	I	30	30	U						00	00	14	N	O	YOUNGSTOWN		N 02 04 4 97831						
MAH	062R		21.610					ROUTE MILEAGE																					
MAH	1	076K	00.000	02.290	* G	P	I	48	80		G	P	I	24	48	G	P	I	24	10	04	04	10	14	N	N	F 04 04 1 99999		

M COU C L	RTE	LOG	LENG	D I V	SURFACE TYP	SUMMARY BS-BPR-SW-RW	SYS CL CD	COMBINATION-OR-DIVIDED				SHOULDER		F YR A	N H P / S M U	MUNICIPALITY	A C S S	L N I FC	D CONTRL FC AC		
								---	LEFT	---	MED	---	RIGHT							---	LEFT
MAH	1	076K	02.290	01.100	*	G P I	48 80	G P I	24	48	G P I	24	10	04	04	10	14	N N *	F 04 04 1	97831	
MAH	1	076K	03.390	00.320	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	97831	
MAH	1	076K	03.710	00.210	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	97831	
MAH	1	076K	03.920	01.710	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N *	F 04 04 1	97831	
MAH	1	076K	05.630	00.590	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N *	F 04 04 1	97831	
MAH	1	076K	06.220	01.250	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N *	F 04 04 1	97831	
MAH	1	076K	07.470	00.190	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	97831	
MAH	1	076K	07.660	00.550	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	97831	
MAH	1	076K	08.210	00.330	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	97831	
MAH	1	076K	08.540	00.030	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	97831	
MAH	1	076K	08.570	03.100	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	97831	
MAH	1	076K	11.670	01.343	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	076K	13.013	00.547	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	97831	
MAH	1	076K	13.560	00.210	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N *	F 04 04 1	97831	
MAH	1	076K	13.770	00.140	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N *	F 04 04 1	97831	
MAH	1	076K	13.910	00.200	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N *	F 04 04 1	97831	
MAH	1	076K	14.110	00.710	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	076K	14.820	00.290	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	076K	15.110	00.360	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	076K	15.470	04.640	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	076K	20.110	01.270	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	076K	21.380	00.890	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH		076K		22.270		ROUTE MILEAGE															
MAH	1	076R	00.000	00.790	*	G P I	48 76	P G P I	24	50	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	076R	00.790	00.110	*	G P I	48 99	P G P I	24	22	G P I	24	14	14	14	14	14	N N	F 04 04 1	99999	
MAH	1	076R	00.900	00.410	*	G P I	48 99	P G P I	24	22	G P I	24	14	14	14	14	14	N N	F 04 04 1	99999	
MAH	1	076R	01.310	00.120	*	G P I	48 99	P G P I	24	22	G P I	24	14	14	14	14	14	N N	F 04 04 1	99999	
MAH	1	076R	01.430	01.650	*	G P I	48 76	P G P I	24	50	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	076R	03.080	00.100	*	D J	48 76	P D J	24	76	D J	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	076R	03.180	02.690	*	D J	48 76	P D J	24	76	D J	24	10	04	04	10	14	N N *	F 04 04 1	99999	
MAH	1	076R	05.870	00.170	*	D J	48 76	P D J	24	76	D J	24	10	04	04	10	14	N N *	F 04 04 1	99999	
MAH	1	076R	06.040	00.910	*	D J	48 76	P D J	24	76	D J	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	076R	06.950	00.660	*	E J	48 82	P E J	24	76	E J	24	10	07	07	10	14	N N	F 04 04 1	99999	
MAH	1	076R	07.610	00.660	*	E J	48 82	P E J	24	76	E J	24	10	07	07	10	14	N N	F 04 04 1	99999	
MAH	1	076R	08.270	00.380	*	E J	48 82	P E J	24	76	E J	24	10	07	07	10	14	N N	F 04 04 1	99999	
MAH		076R		8.650		ROUTE MILEAGE															
MAH	1	080K	00.000	00.020	*	G X I	72 99	G L I	24	04	G P I	48	10	14	14	10	14	N N	F 06 04 1	99999	
MAH	1	080K	00.020	00.510	*	G X I	72 99	G L I	24	04	G P I	48	10	14	14	10	14	N N	F 06 04 1	99999	
MAH	1	080K	00.530	00.790	*	G X I	72 99	G L I	24	04	G P I	48	10	14	14	10	14	N N *	F 06 04 1	99999	
MAH	1	080K	01.320	00.230	*	G X I	72 99	G P I	48	04	G L I	24	10	14	14	10	14	N N *	F 06 04 1	99999	
MAH	1	080K	01.550	00.170	*	G X I	72 99	G P I	60	04	G L I	12	10	14	14	10	14	N N *	F 06 04 1	99999	
MAH	1	080K	01.720	00.230	*	G P I	72 99	G P I	60	04	G P I	12	10	14	14	10	14	N N *	F 06 04 1	99999	
MAH	1	080K	01.950	00.260	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH	1	080K	02.210	00.030	*	G P I	48 84	G P I	24	48	G P I	24	10	04	04	10	14	N N	F 04 04 1	99999	
MAH		080K		2.240		ROUTE MILEAGE															
MAH	1	080R	00.000	00.540	*	G P I	48 82	P G P I	24	76	G P I	24	10	07	07	10	14	N N	F 04 04 1	99999	
MAH	1	080R	00.540	00.100	*	E J	72 99	P E J	36	30	E J	36	10	12	12	10	14	N N	F 06 04 1	99999	
MAH	1	080R	00.640	00.330	*	E J	72 99	P E J	36	30	E J	36	10	12	12	10	14	N N	F 06 04 1	99999	
MAH	1	080R	00.970	00.280	*	E J	72 99	P E J	36	30	E J	36	10	12	12	10	14	N N	F 06 04 1	99999	
MAH	1	080R	01.250	00.440	*	E J	72 99	P E J	36	30	E J	36	10	12	12	10	14	N N	F 06 04 1	99999	
MAH	1	080R	01.690	00.760	*	E J	72 99	P E J	36	30	E J	36	10	12	12	10	14	N N	F 06 04 1	97831	

COU	M C	RTE	LOG	LENG	D SURFACE SUMMARY				SYS CL CD	COMBINATION-OR-DIVIDED			SHOULDER		F YR A	N H O H P / S M U	MUNICIPALITY	A L D C N I S S	CONTRL FC AC	
					I TYP	BS	BPR	SW		RW	---LEFT---	---MED---	---RIGHT---	LEFT OT						RIGHT IN OT
MAH	1	165R	11.100	00.180	G	P	I	20	30	G			05	05	14	N		N 02 04 5 99999		
MAH	1	165R	11.280	01.970	G	E	I	18	22	G	G K	16	G I	02	02	02	14	N	N 02 04 5 99999	
MAH	1	165R	13.250	01.040	G	E	I	18	22	G	G K	16	G I	02	02	02	14	N	N 02 04 5 99999	
MAH	1	165R	14.290	01.740	G	E	I	18	22	G	G K	16	G I	02	02	02	14	N	N 02 04 5 99999	
MAH	1	165R	16.030	00.610	G	E	I	18	22	G	G K	16	G I	02	02	02	14	N	N 02 04 5 99999	
MAH	1	165R	16.640	00.520	G	X	I	18	22	G	G T	14	G K	04	02	02	14	N	N 02 04 5 99999	
MAH	1	165R	17.160	00.280	G	I	I	24	40	G				08	08	14	N	N 02 04 5 99999		
MAH	1	165R	17.440	00.810	G	X	I	18	22	G	G T	14	G K	04	02	02	14	N	N 02 04 5 99999	
MAH	1	165R	18.250	00.660	G	X	I	18	22	G	G T	14	G K	04	02	02	14	N	N 02 04 5 99999	
MAH	1	165R	18.910	00.900	G	X	I	18	22	G	G T	14	G K	04	02	02	14	N	N 02 04 5 99999	
MAH	1	165R	19.810	00.520	G	X	I	18	22	G	G T	14	G K	04	02	02	14	N	N 02 04 5 99999	
MAH	1	165R	20.330	00.290	G	X	I	18	22	G	G T	14	G K	04	02	02	14	N	N 02 04 5 99999	
MAH	1	165R	20.620	00.470	G	X	I	20	26	G	G T	15	G L	05	03	03	14	N	N 02 04 5 99999	
MAH	1	165R	21.090	00.710	G	X	I	20	26	G	G T	15	G L	05	03	03	14	N	N 02 04 5 99999	
MAH	1	165R	21.800	00.300	G	X	I	22	24	G	G T	15	G L	07	01	01	14	N	N 02 04 5 99999	
MAH	1	165R	22.100	00.130	G	X	I	22	24	G	G T	15	G L	07	01	01	14	N	N 02 04 5 99999	
MAH	1	165R	22.230	01.390	G	X	I	22	24	G	G T	15	G L	07	01	01	14	N	N 02 04 5 99999	
MAH	1	165R	23.620	00.050	G	P	I	24	28	G				02	02	14	N	N 02 04 5 99999		
MAH	1	165R	23.670	00.590	G	P	I	24	28	G				02	02	14	N	N 02 04 5 99999		
MAH	1	165R	24.260	00.280	G	K	I	24	28	G				02	02	14	N	N 02 04 5 99999		
MAH	1	165R	24.540	00.070	G	K	I	24	28	G				02	02	14	N	N 02 04 5 99999		
MAH	1	165R	24.610	01.340	G	E	I	22	26	G	G K	17	G I	05	02	02	14	N	N 02 04 5 99999	
MAH		165R		25.950	ROUTE MILEAGE															
MAH	1	170R	00.000	00.610	G	I	I	18	24	G				03	03	14	N		N 02 04 5 99999	
MAH	1	170R	00.610	00.270	G	I	I	18	24	G				03	03	14	N		N 02 04 5 99999	
MAH	1	170R	00.880	00.070	G	I	I	30	30	G				00	00	14	N		N 02 04 5 99999	
MAH	1	170R	00.950	00.210	G	P	I	30	30	G				00	00	14	N		N 02 04 5 99999	
MAH	1	170R	01.160	00.110	G	X	I	30	30	G	G P	24	G I	06	00	00	14	N	N 02 04 5 99999	
MAH	1	170R	01.270	00.020	G	P	I	24	40	G				08	08	14	N		N 02 04 5 99999	
MAH	1	170R	01.290	00.200	G	P	I	24	40	G				08	08	14	N		N 02 04 5 99999	
MAH	1	170R	01.490	02.760	G	X	I	24	32	G	G P	20	G I	04	04	04	14	N	N 02 04 5 99999	
MAH	1	170R	04.250	00.040	G	X	I	24	32	G	G P	20	G I	04	04	04	14	N	N 02 04 5 97831	
MAH	2	170R	04.290	00.020	G	X	I	24	32	G	G P	20	G I	04	04	04	14	N	U NEW MIDDLETOWN N 02 04 5 97831	
MAH	2	170R	04.310	00.280	G	X	I	24	28	G	G P	20	G L	04	02	02	14	N	U NEW MIDDLETOWN N 02 04 5 97831	
MAH	2	170R	04.590	00.110	G	X	I	28	28	G	G T	16	G K	12	00	00	14	N	U NEW MIDDLETOWN N 02 04 5 97831	
MAH	2	170R	04.700	00.470	G	X	I	28	28	G	G T	16	G K	12	00	00	14	N	U NEW MIDDLETOWN N 02 04 4 97831	
MAH	2	170R	05.170	00.040	G	X	I	28	28	G	G T	16	G K	12	00	00	14	N	U NEW MIDDLETOWN N 02 04 4 97831	
MAH	2	170R	05.210	00.390	G	X	I	24	28	G	G T	20	G L	04	02	02	14	N	U NEW MIDDLETOWN N 02 04 4 97831	
MAH	1	170R	05.600	00.070	G	T	I	20	32	G				06	06	14	N		N 02 04 4 97831	
MAH	1	170R	05.670	00.250	G	T	I	20	32	G				06	06	14	N		N 02 04 4 97831	
MAH	1	170R	05.920	01.010	G	T	I	20	32	G				06	06	14	N		N 02 04 4 97831	
MAH	1	170R	06.930	00.130	G	K	I	21	33	G				06	06	14	N		N 02 04 4 97831	
MAH	1	170R	07.060	00.060	G	K	I	21	33	G				06	06	14	N		N 02 04 4 97831	
MAH	1	170R	07.120	00.730	G	K	I	21	33	G				06	06	14	N		N 02 04 4 97831	
MAH	1	170R	07.850	00.940	G	L	I	24	44	G				10	10	14	N		N 02 04 4 97831	
MAH	1	170R	08.790	00.610	G	E	I	24	36	G	G K	20	G I	04	06	06	14	N	N 02 04 4 97831	
MAH	2	170R	09.400	00.090	G	X	I	36	36	G	G T	31	G L	05	00	00	14	N	U POLAND N 02 04 4 97831	
MAH	2	170R	09.490	00.200	G	X	I	36	36	G	G T	31	G L	05	00	00	14	N	U POLAND N 02 04 4 97831	
MAH	2	170R	09.690	00.270	G	T	I	36	36	G				00	00	14	N		U POLAND N 02 04 4 97831	
MAH	2	170R	09.960	00.060	G	X	I	44	44	G	G T	36	G L	08	00	00	14	N	U POLAND N 03 04 4 97831	
MAH	2	170R	10.020	00.060	G	X	I	44	44	G	G T	36	G L	08	00	00	14	N	U POLAND N 03 04 4 97831	
MAH	2	170R	10.080	00.440	G	E	I	30	34	G	G K	24	G L	06	02	02	14	N	U POLAND N 02 04 4 97831	
MAH	2	170R	10.520	00.420	G	T	I	33	45	G				06	06	14	N		U POLAND N 02 04 4 97831	

COU	C	MTE	LOG	LENG	D I V	SURFACE SUMMARY					SYS CL CD	COMBINATION-OR-DIVIDED					SHOULDER			F YR A	N H O			MUNICIPALITY			A C	L D	CONTRL						
						TYP	BS	BPR	SW	RW		---LEFT---	---MED---	---RIGHT---	LEFT	RIGHT	OT	IN	IN		OT	H P / S M U	P	FC	AC										
MAH	1	170R	10.940	00.460	G	T	I	33	33	G						00	00	14	N				N	02	04	4	97831								
MAH	4	170R	11.400	00.110	G	T	I	33	33	G						00	00	14	N				N	02	04	4	97831								
MAH	1	170R	11.510	00.020	G	T	I	33	33	G						00	00	14	N				N	02	04	4	97831								
MAH	4	170R	11.530	00.040	G	T	I	33	33	G						00	00	14	N				N	02	04	4	97831								
MAH	4	170R	11.570	00.260	G	T	I	33	33	G						00	00	14	N				N	02	04	4	97831								
MAH	3	170R	11.830	00.730	G	T	I	33	33	U						00	00	14	N			O	YOUNGSTOWN	N	02	04	4	97831							
MAH	2	170R	12.560	00.090	G	X	I	44	44	U	G	K	15	G	N	29	00	00	14	N		O	YOUNGSTOWN	N	04	04	4	97831							
MAH	2	170R	12.650	00.460	G	X	I	44	44	U	G	K	15	G	N	29	00	00	14	N		O	YOUNGSTOWN	N	04	04	4	97831							
MAH	2	170R	13.110	00.110	*	A	X	I	57	57	U	D	J	34	03	G	K	I	23	00	00	00	00	14	N		O	YOUNGSTOWN	N	04	04	4	97831		
MAH	4	170R	13.220	00.120	*	A	X	I	45	45	G	D	J	22	03	G	K	I	23	00	00	00	00	14	N										
MAH	4	170R	13.340	00.660	G	X	I	44	44	G	G	K	15	G	N	29	00	00	14	N				N	04	04	4	97831							
MAH	2	170R	14.000	00.020	G	X	I	44	44	U	G	K	15	G	N	29	00	00	14	N		O	YOUNGSTOWN	N	04	04	4	97831							
MAH	4	170R	14.020	00.200	G	X	I	44	44	G	G	K	15	G	N	29	00	00	14	N				N	04	04	4	97831							
MAH	2	170R	14.220	00.740	G	X	I	44	44	U	G	K	36	G	N	08	00	00	14	N		O	YOUNGSTOWN	N	04	04	4	97831							
MAH	4	170R	14.960	00.580	G	X	I	44	44	G	G	K	36	G	N	08	00	00	14	N				N	04	04	4	97831							
MAH	2	170R	15.540	00.010	G	T	I	36	36	U						00	00	14	N			O	YOUNGSTOWN	N	02	04	4	97831							
MAH	2	170R	15.550	00.720	G	T	I	36	36	U						00	00	14	N			O	YOUNGSTOWN	N	02	04	4	97831							
				16.270	ROUTE MILEAGE																														
MAH	2	193R	00.000	00.170	*	G	P	I	32	48	P	G	P	I	16	99	G	P	I	16	04	04	04	04	14	Y	N	O	YOUNGSTOWN	F	02	04	2	97831	
MAH	2	193R	00.170	00.140	*	G	P	I	32	48	P	G	P	I	16	02	G	P	I	16	04	04	04	04	14	Y	N	O	YOUNGSTOWN	F	02	04	2	97831	
MAH	2	193R	00.310	00.230	*	G	L	I	48	64	P	G	L	I	24	02	G	L	I	24	04	04	04	04	14	Y	N	*	O	YOUNGSTOWN	F	04	04	2	97831
MAH	2	193R	00.540	00.310	*	G	L	I	48	76	P	G	L	I	24	02	G	L	I	24	10	04	04	10	14	Y	N	O	YOUNGSTOWN	F	04	04	2	97831	
MAH	2	193R	00.850	00.140	*	G	L	I	32	40	P	G	L	I	16	99	G	L	I	16	02	02	02	14	Y	N	*	O	YOUNGSTOWN	F	02	04	2	97831	
MAH	2	193R	01.030	00.100	*	G	L	I	56	56	U	G	L	I	28	99	G	L	I	28	00	00	00	00	14	N		O	YOUNGSTOWN	F	04	04	4	97831	
MAH	2	193R	01.130	00.100	*	G	L	I	54	54	U	G	L	I	27	03	G	L	I	27	00	00	00	00	14	N		O	YOUNGSTOWN	F	04	04	4	97831	
MAH	2	193R	01.230	00.110	*	G	L	I	34	34	U	G	L	I	17	17	G	L	I	17	00	00	00	00	14	N		O	YOUNGSTOWN	N	02	04	4	97831	
MAH	2	193R	01.340	00.540	G	L	I	44	44	U						00	00	14	N			O	YOUNGSTOWN	N	04	04	4	97831							
MAH	2	193R	01.880	00.050	G	L	I	44	44	U						00	00	14	N			O	YOUNGSTOWN	N	04	04	4	97831							
MAH	2	193R	01.930	00.010	G	L	I	44	44	U						00	00	14	N		*	O	YOUNGSTOWN	N	04	04	4	97831							
MAH	2	193R	01.940	00.300	G	L	I	55	55	U						00	00	14	N		*	O	YOUNGSTOWN	N	04	04	4	97831							
MAH	2	193R	02.240	00.260	G	Z	I	55	55	U	G	T	40	G	N	15	00	00	14	N		*	O	YOUNGSTOWN	N	04	04	4	97831						
MAH	2	193R	02.500	00.070	G	Z	I	66	66	U	G	T	40	G	N	26	00	00	14	N		*	O	YOUNGSTOWN	N	04	04	4	97831						
				2.530	ROUTE MILEAGE																														
MAH	1	224R	00.000	01.200	G	N	I	24	40	G						08		08	14	Y				N	02	04	4	99999							
MAH	1	224R	01.200	01.280	G	L	I	24	30	G						03		03	14	Y				N	02	04	4	99999							
MAH	1	224R	02.480	00.800	G	L	I	24	30	G						03		03	14	Y				N	02	04	4	99999							
MAH	1	224R	03.280	01.790	G	L	I	24	30	G						03		03	14	Y				N	02	04	4	99999							
MAH	1	224R	05.070	02.230	G	L	I	24	30	G						03		03	14	Y				N	02	04	4	99999							
MAH	1	224R	07.300	00.300	G	L	I	24	30	G						03		03	14	Y				N	02	04	4	99999							
MAH	1	224R	07.600	00.400	G	P	I	24	30	G						03		03	14	Y				N	02	04	4	99999							
MAH	1	224R	08.000	00.960	G	P	I	24	30	G						03		03	14	Y				N	02	04	4	99999							
MAH	1	224R	08.960	01.170	G	L	I	24	38	G						07		07	14	Y				N	02	04	4	99999							
MAH	1	224R	10.130	01.010	G	L	I	24	38	G						07		07	14	Y				N	02	04	4	99999							
MAH	1	224R	11.140	00.120	G	K	I	24	34	G						05		05	14	Y				N	02	04	4	99999							
MAH	1	224R	11.260	00.010	G	K	I	24	34	G						05		05	15	Y				N	02	04	3	97831							
MAH	1	224R	11.270	00.010	G	K	I	24	34	G						05		05	15	Y				N	02	04	3	97831							
MAH	1	224R	11.280	00.130	G	L	I	24	38	G						07		07	15	Y				N	02	04	3	97831							
MAH	2	224R	11.410	00.680	G	L	I	24	38	U						07		07	15	Y			O	CANFIELD	N	02	04	3	97831						
MAH	2	224R	12.090	00.570	G	E	I	24	36	U	G	L	20	G	K	04	06	06	15	Y			O	CANFIELD	N	02	04	3	97831						
MAH	2	224R	12.660	00.040	G	E	I	24	36	U	G	L	20	G	K	04	06	06	15	Y			O	CANFIELD	N	02	04	3	97831						
MAH	2	224R	12.700	00.580	G	E	I	24	36	U	G	L	20	G	K	04	06	06	15	Y			O	CANFIELD	N	02	04	3	97831						
MAH	2	224R	13.280	00.360	G	L	I	24	40	U						08		08	15	Y			O	CANFIELD	N	02	04	3	97831						

M	COU	C	RTE	LOG	LENG	SURFACE SUMMARY				SYS	COMBINATION-OR-DIVIDED				SHOULDER			F	N H O	MUNICIPALITY	A	L	D	CONTRL											
						I	TYP	BS	BPR		SW	RW	CL	CD	---	LEFT	---								MED	---	RIGHT	---	LEFT	RIGHT	YR	A	H	P	C
MAH	2	289R	00.000	00.390	G	T	I	40	40	U									00	00	14	N	O	YOUNGSTOWN	N	04	04	4	97831						
MAH	2	289R	00.390	00.250	G	T	I	30	30	U									00	00	14	N	O	YOUNGSTOWN	N	02	04	4	97831						
MAH	2	289R	00.640	00.640	G	P	I	40	40	U									00	00	14	N	O	YOUNGSTOWN	N	04	04	4	97831						
MAH	2	289R	01.280	00.180	G	P	I	52	52	U									00	00	14	N	O	YOUNGSTOWN	N	04	04	4	97831						
MAH	2	289R	01.460	00.290	G	N	I	52	52	U									00	00	14	N	O	YOUNGSTOWN	N	04	04	4	97831						
MAH	2	289R	01.750	00.300	G	X	I	34	34	U	G	T	28	G	L	06			00	00	14	N	*	O	YOUNGSTOWN	N	02	04	4	97831					
MAH	2	289R	02.050	00.070	D	J	63	63		U									00	00	14	N	O	YOUNGSTOWN	N	06	04	4	97831						
MAH	2	289R	02.120	00.040	D	J	54	54		U									00	00	14	N	O	YOUNGSTOWN	N	06	04	4	97831						
MAH	2	289R	02.160	00.090	G	Z	I	38	38	U	G	T	24	G	P	14			00	00	14	N	O	YOUNGSTOWN	N	02	04	4	97831						
MAH	2	289R	02.250	00.010	G	Z	I	38	38	U	G	T	24	G	P	14			00	00	14	N	O	YOUNGSTOWN	N	02	04	4	97831						
MAH	2	289R	02.260	00.420	G	Z	I	38	38	U	G	T	24	G	P	14			00	00	14	N	O	YOUNGSTOWN	N	02	04	4	97831						
MAH	2	289R	02.680	00.980	G	Z	I	38	38	U	G	T	24	G	P	14			00	00	14	N	O	YOUNGSTOWN	N	02	04	4	97831						
MAH	3	289R	03.660	00.050	G	Z	I	38	40	U	G	T	24	G	P	14	01		01	14	N	O	YOUNGSTOWN	N	02	04	4	97831							
MAH	2	289R	03.710	00.120	G	T	I	40	40	U									00	00	14	N	O	CAMPBELL	N	04	04	4	97831						
MAH	2	289R	03.830	00.030	G	T	I	33	33	U									00	00	14	N	O	CAMPBELL	N	02	04	4	97831						
MAH	2	289R	03.860	00.090	G	N	I	40	40	U									00	00	14	N	O	CAMPBELL	N	04	04	4	97831						
MAH	2	289R	03.950	00.250	G	T	I	33	33	U									00	00	14	N	O	CAMPBELL	N	02	04	4	97831						
MAH	2	289R	04.200	00.750	G	Z	I	40	40	U	G	T	32	G	P	08			00	00	14	N	O	CAMPBELL	N	04	04	4	97831						
MAH	2	289R	04.950	00.110	G	T	I	37	37	U									00	00	14	N	O	CAMPBELL	N	02	04	4	97831						
MAH	2	289R	05.060	00.060	G	T	I	37	37	U									00	00	14	N	O	CAMPBELL	N	02	04	4	97831						
MAH	2	289R	05.120	00.160	G	X	I	52	52	U	G	T	34	G	K	18			00	00	14	N	O	CAMPBELL	N	04	04	4	97831						
MAH	2	289R	05.280	00.180	G	X	I	45	45	U	G	T	34	G	K	11			00	00	14	N	O	CAMPBELL	N	04	04	4	97831						
MAH	2	289R	05.460	00.230	G	R	I	30	30	U									00	00	14	N	O	CAMPBELL	N	02	04	4	97831						
MAH	2	289R	05.690	00.060	G	T	I	33	33	U									00	00	14	N	O	STRUTHERS	N	02	04	4	97831						
MAH	2	289R	05.750	00.210	E	J	40	40		U									00	00	14	N	O	STRUTHERS	N	02	04	4	97831						
MAH	2	289R	05.960	00.130	E	J	40	40		U									00	00	14	N	O	STRUTHERS	N	02	04	4	97831						
MAH	2	289R	06.090	00.460	G	T	I	33	33	U									00	00	14	N	O	STRUTHERS	N	02	04	4	97831						
MAH	2	289R	06.550	00.090	G	K	I	22	28	U									03	03	14	N	O	STRUTHERS	N	02	04	4	97831						
MAH	2	289R	06.640	00.640	G	X	I	20	26	U	G	T	16	G	L	04	03		03	14	N	O	STRUTHERS	N	02	04	4	97831							
MAH	2	289R	07.280	00.810	G	X	I	20	26	G	G	T	16	G	L	04	03		03	14	N	U	LOWELLVILLE	N	02	04	4	97831							
MAH	2	289R	08.090	00.240	G	E	I	22	30	G	G	R	16	G	L	06	04		04	14	N	U	LOWELLVILLE	N	02	04	4	97831							
MAH	2	289R	08.330	00.800	G	T	I	24	24	G									00	00	14	N	U	LOWELLVILLE	N	02	04	4	97831						
MAH	2	289R	09.130	00.440	G	X	I	22	22	G	G	T	16	G	L	06	00		00	14	N	U	LOWELLVILLE	N	02	04	4	97831							
MAH	1	289R	09.570	00.360	G	X	I	20	32	G	G	T	14	G	L	06	03		03	14	N	*	O	LOWELLVILLE	N	02	04	4	97831						
MAH		289R		9.930	ROUTE MILEAGE																														
MAH	2	422I	00.000	00.340	*	G	L	I	48	76	P	G	L	I	24	02	G	L	I	24	10	04	04	10	15	N	N	O	YOUNGSTOWN	F	04	04	2	97831	
MAH		422I		.340	ROUTE MILEAGE																														
MAH	2	422R	00.000	00.220	G	P	I	56	56	U									00	00	14	Y	N	O	YOUNGSTOWN	L	04	04	3	97831					
MAH	2	422R	00.220	00.360	*	G	P	I	56	56	U	G	P	I	28	38	G	P	I	28	00	00	00	00	14	Y	N	O	YOUNGSTOWN	L	04	04	3	97831	
MAH	2	422R	00.580	00.050	G	P	I	56	56	U									00	00	14	Y	N	O	YOUNGSTOWN	L	04	04	3	97831					
MAH	2	422R	00.630	00.080	G	P	I	56	56	U									00	00	14	Y	N	O	YOUNGSTOWN	L	04	04	3	97831					
MAH	2	422R	00.710	00.080	G	P	I	56	56	U									00	00	14	Y	N	O	YOUNGSTOWN	L	04	04	3	97831					
MAH	2	422R	00.790	00.060	G	P	I	56	56	U									00	00	14	Y	N	O	YOUNGSTOWN	L	04	04	3	97831					
MAH	2	422R	00.850	00.910	G	P	I	56	56	U									00	00	14	Y	N	*	O	YOUNGSTOWN	L	04	04	3	97831				
MAH	2	422R	01.760	00.140	G	P	I	56	56	U									00	00	14	Y	N	O	YOUNGSTOWN	L	04	04	3	97831					
MAH	2	422R	01.900	00.040	*	G	L	I	34	50	U	G	L	I	16	99	G	L	I	18	03	05	05	03	14	Y	N	O	YOUNGSTOWN	L	02	04	3	97831	
MAH	2	422R	01.940	00.150	*	G	L	I	32	44	P	G	L	I	16	99	G	L	I	16	03	03	03	03	14	Y	N	*	O	YOUNGSTOWN	F	02	04	2	97831
MAH	2	422R	02.090	00.080	*	G	L	I	48	76	P	G	L	I	24	04	G	L	I	24	10	04	04	10	14	Y	N	*	O	YOUNGSTOWN	F	04	04	2	97831
MAH	2	422R	02.170	00.960	*	G	L	I	48	76	P	G	L	I	24	04	G	L	I	24	10	04	04	10	14	Y	N	*	O	YOUNGSTOWN	F	04	04	2	97831
MAH	2	422R	03.130	00.160	*	G	L	I	48	76	P	G	L	I	24	04	G	L	I	24	10	04	04	10	14	Y	N	O	YOUNGSTOWN	F	04	04	2	97831	
MAH	2	422R	03.290	00.050	*	G	L	I	48	76	P	G	L	I	24	04	G	L	I	24	10	04	04	10	14	Y	N	*	O	YOUNGSTOWN	F	04	04	2	97831
MAH	2	422R	03.340	00.270	*	G	L	I	48	76	P	G	L	I	24	04	G	L	I	24	10														

COU	C	M RTE	LOG	LENG	D I	SURFACE TYP-BS-BPR-SW-RW	SUMMARY CL CD	SYS	COMBINATION-OR-DIVIDED			SHOULDER		F YR	N A	H P /	O M U	MUNICIPALITY	A C	L N I	D FC	CONTRL AC			
									---	LEFT	---	MED	---										RIGHT	---	LEFT
MAH	2	616R	03.330	00.170	G	N I	30 30	U				00	00	14	N	N	*	O STRUTHERS	N	02	04	3	97831		
MAH	2	616R	03.500	00.060	G	T I	29 29	U				00	00	14	N	N	*	O STRUTHERS	N	02	04	3	97831		
MAH	2	616R	03.560	00.250	G	X I	29 29	U	G N	04	G K	25	00	00	14	N	N	O STRUTHERS	N	02	04	3	97831		
MAH	2	616R	03.810	00.030	G	K I	20 30	U				05	05	14	N	N	O	CAMPBELL	N	02	04	3	97831		
MAH	2	616R	03.840	00.020	G	K I	20 30	U				05	05	14	N	N	O	CAMPBELL	N	02	04	3	97831		
MAH	1	616R	03.860	00.640	G	K I	20 28	G				03	03	14	N	N	*	O CAMPBELL	N	02	04	3	97831		
MAH	4	616R	04.500	00.040	G	K I	20 28	G				02	02	14	N	N			N	02	04	3	97831		
MAH	2	616R	04.540	00.350	G	K I	20 28	U				02	02	14	N	N	*	O CAMPBELL	N	02	04	3	97831		
MAH	4	616R	04.890	00.450	G	K I	20 28	G				02	02	14	N	N			N	02	04	3	97831		
MAH	4	616R	05.340	00.070	G	K I	20 28	G				02	02	14	N	N	*		N	02	04	3	97831		
MAH	4	616R	05.410	00.510	G	K I	20 28	G				02	02	14	N	N	*		N	02	04	3	97831		
MAH	4	616R	05.920	00.210	G	K I	36 40	G				02	02	14	N	N			N	02	04	3	97831		
MAH	4	616R	06.130	00.070	G	K I	36 40	G				02	02	14	N	N			N	02	04	3	97831		
MAH	4	616R	06.200	02.680	G	K I	20 24	G				02	02	14	N	N			N	02	04	3	97831		
MAH		616R		8.880																					
MAH	1	617R	00.000	00.450	G	E I	18 24	G	G K	16	G I	02	03	03	14	N			N	02	04	5	99999		
MAH	1	617R	00.450	00.340	G	L I	24 28	G				02	02	14	N				N	02	04	5	99999		
MAH	1	617R	00.790	02.640	G	E I	18 24	G	G K	16	G I	02	03	03	14	N			N	02	04	5	99999		
MAH	1	617R	03.430	00.250	G	E I	18 24	G	G K	16	G I	02	03	03	14	N			N	02	04	5	99999		
MAH	1	617R	03.770	00.040	G	L I	30 30	G				00	00	14	N				N	02	04	5	99999		
MAH	1	617R	03.810	00.190	G	X I	28 40	G	G N	16	G L	12	06	06	14	N			N	02	04	5	99999		
MAH	1	617R	04.000	00.150	G	K I	24 36	G				06	06	14	N				N	02	04	5	99999		
MAH	1	617R	04.150	00.590	G	K I	24 36	G				06	06	14	N				N	02	04	5	99999		
MAH		617R		4.650																					
MAH	1	625R	00.000	00.060	G	L I	60 60	G				00	00	14	N				N	04	04	4	97831		
MAH	1	625R	00.060	00.210	G	L I	60 60	G				00	00	14	N				N	04	04	4	97831		
MAH	1	625R	00.270	02.320	G	K I	24 34	G				05	05	14	N				N	02	04	4	97831		
MAH	1	625R	02.590	00.450	G	E I	24 32	G	G K	20	G I	04	03	03	14	N		*		N	02	04	4	97831	
MAH	2	625R	03.040	00.320	G	K I	20 28	U				04	04	14	N			O	YOUNGSTOWN	N	02	04	4	97831	
MAH		625R		3.360																					
MAH	1	626R	00.000	01.090	G	E I	22 24	G	G K	20	G L	02	01	01	14	N			N	02	04	5	99999		
MAH	1	626R	01.180	00.980	G	E I	22 24	G	G K	20	G L	02	01	01	14	N			N	02	04	5	99999		
MAH	1	626R	02.160	00.100	G	E I	22 24	G	G K	20	G L	02	01	01	14	N			N	02	04	5	99999		
MAH	1	626R	02.260	00.790	G	E I	22 30	G	G K	20	G L	02	01	01	14	N		*		N	02	04	5	97831	
MAH	1	626R	03.050	00.200	G	E I	22 30	G	G K	20	G L	02	01	01	14	N			N	02	04	5	97831		
MAH	1	626R	03.250	00.050	G	I I	24 32	G				04	04	14	N				N	02	04	5	97831		
MAH	1	626R	03.300	00.100	G	I I	28 36	G				04	04	14	N				N	02	04	5	97831		
MAH	1	626R	03.400	00.060	G	I I	24 32	G				04	04	14	N				N	02	04	5	97831		
MAH		626R		3.370																					
MAH	2	630R	00.000	00.230	G	E I	24 36	G	G K	22	G L	02	04	04	14	N		U	NEW MIDDLETOWN	N	02	04	5	97831	
MAH	2	630R	00.230	00.460	G	X I	24 36	G	G N	16	G K	08	04	04	14	N		*	U	NEW MIDDLETOWN	N	02	04	5	97831
MAH	1	630R	00.690	00.185	G	X I	24 32	G	G N	16	G K	08	04	04	14	N				N	02	04	5	97831	
MAH	1	630R	00.875	00.785	G	X I	24 32	G	G N	16	G K	08	04	04	14	N				N	02	04	5	99999	
MAH	1	630R	01.660	00.150	G	E I	24 32	G	G K	22	G L	02	04	04	14	N				N	02	04	5	99999	
MAH	1	630R	01.810	00.750	G	E I	24 32	G	G K	22	G L	02	04	04	14	N				N	02	04	5	99999	
MAH		630R		2.560																					
MAH	1	680R	00.000	00.070	*	G P I	48 76	P	G P I	24 84	G P I	24	10	04	04	10	14	N	N	*	F	04	04	1	97831
MAH	1	680R	00.070	00.180	*	G P I	48 76	P	G P I	24 84	G P I	24	10	04	04	10	14	N	N	*	F	04	04	1	97831
MAH	1	680R	00.250	01.640	*	G P I	48 76	P	G P I	24 84	G P I	24	10	04	04	10	14	N	N	*	F	04	04	1	97831

