

TRAFFIC SURVEY REPORT

OF THE
STATE HIGHWAY SYSTEM

BELMONT



OHIO

DEPARTMENT OF TRANSPORTATION

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-7					
U 00.00	MONROE CO. LINE S. CORP. POWHATAN PT.	.79	6130	570	6700
U 00.77	GERMAN HILL RD.	.24	7400	680	8080
U 01.01	SR 148 (FRONT ST.)	1.02	6200	600	6800
U 02.03	SR 148 (MAIN ST.)	.20	6580	620	7200
U 02.23	N. CORP. POWHATAN POINT	9.78	6060	600	6660
U 12.01	S. CORP. SHADYSIDE	.03	6060	600	6660
U 12.04	WEGEE RD.	.19	8100	660	8760
U 12.23	CHARLES ST.	.43	11000	660	11660
U 12.66	E. 44TH ST.	.62	13900	660	14560
U 13.28	N. CORP. SHADYSIDE	1.04	13900	660	14560
U 14.32	S. CORP. BELLAIRE	1.14	13900	660	14560
U 15.46	SR 147 (23RD. ST.)	.29	14960	750	15710
U 15.75	SR 147 ENTER CRESENT ST.	.37	6640	660	7300
U 16.12	GUERNSEY ST. ENTER 34TH ST.	.08	5450	620	6070
U 16.20	34TH ST. ENTER NOBLE ST.	.22	7370	700	8070
U 16.42	37TH ST.	.39	14740	1000	15740
U 16.81	SR 7DA ENTER 43RD ST.	.46	7560	480	8040
U 17.27	SR 7DA (48TH ST.)	.32	13430	850	14280
U 17.59	NO NAME ST. NO. 5	.27	15420	2480	17900
U 17.86	N. CORP. BELLAIRE	1.88	15420	2480	17900
U 19.74	S. CORP. BRIDGEPORT	.32	15420	2480	17900
U 20.06	SR 767 (RAMP TO LINCOLN AVE.)	.13	5360	280	5640
U 20.19	IR 70	.08	5360	280	5640
U 20.27	US 40 (NATIONAL RD.)	.49	22950	2520	25470
U 20.76	LINCOLN AVE. EXT.	.46	17970	2150	20120
U 21.22	S. CORP. MARTINS FERRY	.97	17970	2150	20120
U 22.19	SR 647 (HANOVER ST.)	1.45	13740	1830	15570
U 23.64	LEAVE MARTINS FERRY	.02	12900	1760	14660
U 23.66	RE-ENTER MARTINS FERRY	.02	12900	1760	14660
U 23.68	LEAVE MARTINS FERRY	.01	12900	1760	14660
U 23.69	RE-ENTER MARTINS FERRY	.22	12900	1760	14660
U 23.91	LEAVE MARTINS FERRY	.03	12900	1760	14660
U 23.94	SR 798	1.33	11940	1740	13680
U 25.27	RE-ENTER MARTINS FERRY	.05	11940	1740	13680
U 25.32	N. CORP. MARTINS FERRY	.09	11940	1740	13680
U 25.49	TWP. RD. 469 CONNECTOR	1.24	10320	1620	11940
U 26.73	EQUALS STA. 0.00 IN JEFFERSON CO.	.00			
SR-7 ALTERNATE					
U 00.00	SR 767 (LINCOLN AVE.) IN BRIDGEPORT	.27	8900	1760	10660
U 00.27	HOWARD ST. ENTER MARION ST.	.04	10500	2150	12650
U 00.31	IR 70	.15	14820	1280	16100
U 00.46	US 40 ENTER NATIONAL RD.	.26	SEE PREFERRED ROUTE		
U 00.72	ROUTE ENDS AT US 250 IN BRIDGEPORT	.00			
SR-7 DIRECTIONAL ALTERNATE					
U 00.00	SR 7 (43RD. ST.) IN BELLAIRE	.46	7000	480	7480
U 00.46	ROUTE ENDS AT SR 7 IN BELLAIRE	.00			
SR-9					
U 00.00	SR 148	4.83	450	20	470

BELMONT COUNTY

AVERAGE 24-HR TRAFFIC VOLU

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOT VE
SR-9					
	04.83 TWP. RD. 116	1.07	640	40	680
	05.90 TWP. RD. 118	.10	800	50	830
	06.00 SR 147	.77	1330	100	1430
	06.77 SR 147	3.43	660	40	700
	10.20 TWP. RD. 251	.44	1000	60	1060
	10.64 CO. RD. 3	2.47	1360	70	1430
	13.11 C-5 (GLENCOE. ST. CLAIRSVILLE RD.)	.71	3240	160	3400
	13.82 TWP. RD. 279	.92	5140	260	5400
U	14.74 IR 70	.09	7800	200	8000
U	14.83 S. CORP. ST. CLAIRSVILLE	.75	6830	220	7030
	15.58 US 40 (MAIN ST.)	.68	4180	120	4300
	16.26 N. CORP. ST. CLAIRSVILLE	1.58	3100	100	3200
	17.84 C-56 (MAYNARD RD.)	2.20	1750	80	1830
	20.04 C-10 CRABAPPLE RD.	3.62	1160	60	1220
	23.66 EQUALS STA. 0.00 IN HARRISON CO.	.00			
SR-26					
	00.00 MONROE CO. LINE				
	02.46 C-92 (NEW CASTLE RD.)	2.46	470	30	500
	07.25 ROUTE ENDS AT SR 148	4.79	180	20	200
US-40					
	00.00 GUERNSEY CO. LINE IN FAIRVIEW	6.11	SEE PREFERRED ROUTE		
	06.11 IR 70 ENTER RAMP	.34	500	70	570
	06.45 C-100 (MC MILLAN RD.)	.03	640	100	740
	06.48 IR 70	.33	640	100	740
	06.81 RAMP TO IR 70WB	2.20	1140	160	1300
U	09.01 W. CORP. MORRISTOWN	.20	1140	160	1300
U	09.21 WEST ST.	.49	1600	170	1770
U	09.70 MAIN ST.	.31	2930	280	3210
	10.01 E. CORP. MORRISTOWN SR 149	.06	3720	460	4180
	10.07 SR 149	3.37	3040	360	3400
	13.44 C-78 (PLAINFIELD RD.)	1.27	3550	380	3930
	14.71 C-80 (POGUE RD.)	.20	4060	400	4460
	14.91 IR 70	.17	5000	530	5530
	15.08 SR 331	2.05	5360	340	5700
U	17.13 IR 70	.95	6080	300	6380
U	18.08 W. CORP. ST. CLAIRSVILLE	.50	9020	300	9320
U	18.58 SR 9 (MARIETTA ST.)	.29	9080	250	9330
	18.87 SUGAR ST.	.85	11380	300	11680
	19.72 E. CORP. ST. CLAIRSVILLE	.63	11380	300	11680
	20.35 C-28 (MALL RD.)	.79	9060	320	9380
	21.14 C-28B (BANFIELD RD.)	1.10	6400	240	6640
	22.24 RAMP TO IR 70WB	.24	7880	340	8220
	22.48 CO. RD. 214	1.10	6200	330	6530
	23.58 CO. RD. 10	1.66	7470	330	7800
	25.24 C-18 (LANSGING CHEERMONT RD.)	1.82	8770	330	9100
U	27.06 CO. RD. 138	.10	10150	470	10620
U	27.16 W. CORP. BROOKSIDE	.26	11530	600	12130
U	27.42 BROOKSIDE AVE.	.12	12900	760	13660
U	27.54 W. CORP. BRIDGEPORT	.63	15120	760	15880

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-40					
U 28.17	SR 7ALT. (MARION ST.)	.26	13740	1220	14960
U 28.43	US 250 (LINCOLN AVE.)	.01	10500	840	11340
U 28.44	SR 7	.06	14170	1230	15400
U 28.50	E. CORP. BRIDGEPORT ENT. W. VA.	.00			
IR-70					
U 00.00	GUERNSEY CO. LINE IN FAIRVIEW	.04	13500	4750	18250
00.04	E. CORP. FAIRVIEW	.01	13500	4750	18250
00.05	CO. RD. 114	3.86	13500	4750	18250
03.91	SR 800	2.01	14470	4830	19300
05.92	US 40	3.71	13860	4680	18540
09.63	SR 149	4.65	16240	4860	21100
14.28	US 40	.17	15070	4630	19700
14.45	SR 331	2.15	19970	5660	25630
16.60	US 40	1.57	18970	5730	24700
18.17	SR 9	1.83	23880	5720	29600
20.00	C-28 (MALL RD.)	.37	22230	5600	27830
20.37	T-314 (BANFIELD RD.)	1.28	29970	5800	35770
21.65	CO. RD. 214	4.19	26700	5740	32440
U 25.84	W. CORP. BROOKSIDE	.27	26700	5740	32440
U 26.11	W. CORP. BRIDGEPORT	.52	26700	5740	32440
U 26.63	SR 7ALT. (MARION ST.)	.21	28800	4660	33460
U 26.84	SR 767	.07	28800	4660	33460
U 26.91	SR 7	.06	28800	4660	33460
U 26.97	E. CORP. BRIDGEPORT ENT. W. VA.	.00			
SR-145					
00.00	MONROE CO. LINE	.55	1130	50	1180
00.55	TWP. RD. 103	4.15	860	40	900
04.70	ROUTE ENDS AT SR 148	.00			
SR-147					
00.00	NOBLE CO. LINE	.02	600	20	620
00.02	SR 379	.78	800	20	820
00.80	TWP. RD. 6	.34	1320	30	1350
01.14	SR 265	3.05	2020	80	2100
U 04.18	S.W. CORP. BARNESVILLE	.27	2440	100	2540
U 04.45	BROADWAY ST.	.06	1970	80	2050
U 04.51	SR 800 ENTER CHESTNUT ST.	.37	4680	250	4930
U 04.88	SOUTH ST.	.07	6360	420	6780
U 04.95	SR 800 ENTER MAIN ST.	.94	8300	300	8600
U 05.89	SHAMROCK DR.	.37	6670	230	6900
06.26	E. CORP. BARNESVILLE	.72	5120	230	5350
06.98	TWP. RD. 184	4.42	3570	230	3800
U 11.78	W. CORP. BETHESDA	.28	4480	320	4800
U 12.06	MAIN ST. ENTER BELMONT RD.	.23	3950	320	4270
12.29	N.E. CORP. BETHESDA	1.25	3980	320	4300
13.54	SR 149	.13	1900	240	2140
U 13.67	W. CORP. BELMONT	.10	1900	240	2140
U 13.77	RAILROAD ST. ENTER BRIDGE ST.	.61	1400	200	1600
14.38	S. CORP. BELMONT	1.67	850	120	970

BELMONT COUNTY

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH
SR-147					
	16.05 TWP. RD. 199	3.94	670	60	730
	19.99 SR 9	.77	SEE PREFERRED ROUTE		
	20.76 SR 9	9.00	1000	60	1060
	29.76 CO. RD. 4	5.57	1440	60	1500
	35.33 C-42 (FULTON HILL RD.)	.17	2140	60	2200
U	35.50 W. CORP. BELLAIRE	1.12	2600	100	2700
	36.62 SR 7 ENTER BELMONT ST.	.29	SEE PREFERRED ROUTE		
U	36.91 SR 7 (CRESENT ST.)	.16	8200	160	8360
	37.07 ROUTE ENDS AT 32ND ST. IN BELLAIRE	.00			
SR-148					
	00.00 SR 800	5.58	800	60	860
	05.58 SR 26	6.27	920	80	1000
	11.85 SR 145	3.88	1220	100	1320
	15.75 SR 9	8.45	1230	100	1330
	24.29 C-56 (CATS RUN RD.)	1.12	1920	180	2100
U	25.41 W. CORP. POWHATAN POINT	.68	2640	260	2900
U	26.09 SR 7 (OHIO RIVER HGWY)	.32	2000	100	2100
U	26.41 TAYLOR ST.	.17	1400	50	1450
U	26.58 FILLMORE ST. ENTER MAIN ST.	.18	2440	120	2560
U	26.76 MELLOTT ST.	.59	1640	30	1670
	27.35 ROUTE ENDS AT SR 7 IN POWHATAN POINT	.00			
SR-149					
	00.00 SR 147	.46	3400	450	3850
	00.46 TWP. RD. 206	1.22	4000	520	4520
	01.68 CO. RD. 92	.74	4600	580	5180
	02.42 IR 70	.60	2700	380	3080
	03.02 US 40	.06	SEE PREFERRED ROUTE		
	03.13 US 40	1.85	2040	260	2300
	04.98 C-72 (MT. HOPE RD.)	2.76	1650	120	1770
	07.74 C-72 (BELMONT RIDGE RD.)	1.84	1340	100	1440
U	09.58 S. CORP. FLUSHING	.40	1720	120	1840
U	09.78 MILL ST.	.20	2100	150	2250
U	09.98 SR 331 ENTER HIGH ST.	1.39	3280	180	3460
	11.37 E. CORP. FLUSHING	.31	2920	180	3100
	11.68 SR 331	1.96	1860	340	2200
	13.64 EQUALS STA. 0.00 IN HARRISON CO.	.00			
US-250					
	00.00 JEFFERSON CO. LINE	.51	2620	400	3020
	00.51 TWP. RD. 452	2.94	3580	400	3980
	03.46 TWP. RD. 475	.07	4540	400	4940
	03.53 C-4 (MARTINS FERRY COLERAIN RD.)	3.88	3140	330	3470
	07.41 C-22 (FERRYVIEW RD.)	1.77	3660	400	4060
U	09.18 N.W. CORP. BRIDGEPORT	.38	4180	840	5020
U	09.56 SR 7 OFF RAMP ENTER LINCOLN AVE.	.09	16220	2480	18700
	09.65 US 40 ENTER NATIONAL RD.	.07	SEE PREFERRED ROUTE		
	09.72 E. CORP. BRIDGEPORT ENT. W. VA.	.00			
SR-265					
	00.00 GUERNSEY CO. LINE	.41	940	60	1000

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-265					
00.41	ROUTE ENDS AT SR 147	.00			
SR-331					
	00.00 HARRISON CO. LINE	.78	740	100	840
U	00.78 N.W. CORP. HOLLOWAY	1.38	900	100	1000
	02.43 S.E. CORP. HOLLOWAY	3.19	830	100	930
U	05.62 S.W. CORP. FLUSHING	.48	1260	100	1360
U	06.10 STATION ST. ENTER MORRISTOWN ST.	.08	2120	120	2240
	06.18 SR 149	1.70	SEE PREFERRED ROUTE		
	07.88 SR 149	4.81	2200	300	2500
	12.69 C-10 (CRABAPPLE RD.)	1.62	2720	380	3100
	14.31 TWP. RD. 336	.98	5880	650	6530
	15.29 IR 70	.14	3720	1000	4720
	15.43 ROUTE ENDS AT US 40	.00			
SR-379					
	00.00 MONROE CO. LINE	2.44	130	10	140
	02.44 TWP. RD. 1	4.22	170	10	180
	06.66 ROUTE ENDS AT SR 147	.00			
SR-647					
U	00.00R SR 7 IN MARTINS FERRY	.10	6830	340	7170
U	00.10B 4TH ST.	.06	5200	230	5430
U	00.16B 5TH ST.	.06	3570	110	3680
U	00.22B HANOVER ST. ENTER 6TH ST.	.05	6000	160	6160
U	00.00 6TH ST. ENTER CARLISLE ST.	.20	2160	80	2240
U	00.20 10TH ST.	.22	3880	140	4020
U	00.42 L.A. DARRAN RD.	.93	2700	130	2830
	01.35 N.W. CORP. MARTINS FERRY	1.04	2600	130	2730
	02.39 C-4 (MARTINS FERRY COLERAIN RD.)	5.00	370	30	400
	07.39 SR 798	.51	400	40	440
	07.90 EQUALS STA. 0.00 IN JEFFERSON CO.	.00			
SR-767					
U	00.00 SR 7 IN BRIDGEPORT	.11	5000	1100	6100
U	00.11 SR 7ALT. ENTER LINCOLN AVE.	.10	6000	750	6750
U	00.21 IR 70	.09	6000	750	6750
U	00.30 ROUTE ENDS AT US 40 IN BRIDGEPORT	.00			
SR-798					
	00.00 SR 647	4.73	520	40	560
	04.73 CO. RD. 4	.38	2050	120	2170
U	05.11 N.E. CORP. MARTINS FERRY	.14	2050	120	2170
	05.25 E. CORP. MARTINS FERRY	.04	2050	120	2170
	05.29 ROUTE ENDS AT SR 7	.00			
SR-800					
	00.00 MONROE CO. LINE	7.53	1700	120	1820
	07.53 SR 148	1.96	2280	150	2430
	09.49 TWP. RD. 155	.10	3060	180	3240
U	09.59 S. CORP. BARNESVILLE	.30	3450	200	3650

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
	SR-800				
U 09.89	SR 147	.44			
U 10.33	SR 147	.08			
U 10.41	WALNUT ST.	.31	6460	400	6860
U 10.72	CHESTNUT ST. ENTER BOND ST.	.39	5030	380	5410
11.11	N. CORP. BARNESVILLE	4.92	4500	360	4860
16.08	IR 70	.28	2900	360	3260
16.36	T-807 (APPROACH TO OLD US 40)	8.89	1550	150	1700
25.25	EQUALS STA. 0.00 IN GUERNSEY CO.	.00	800	100	900

SEE PREFERRED ROUTE