

# TRAFFIC SURVEY REPORT

OF THE  
STATE HIGHWAY SYSTEM



OHIO

DEPARTMENT OF TRANSPORTATION

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-3					
00.00	DELAWARE CO. LINE	17.82	SEE PREFERRED ROUTE		
U 17.82	US 36DA (PUBLIC SQ.) IN MT. VERNON	.02	5520	200	5720
U 17.84	SR 13 (CHESTNUT ST.)	.15	5140	220	5360
U 17.99	HAMTRAMK ST.	.25	6260	370	6630
U 18.24	MAIN ST. ENTER WOOSTER RD.	.71	4880	280	5160
18.95	N.E. CORP. MT. VERNON	.59	3680	220	3900
19.54	CO. RD. 72	1.04	2480	170	2650
20.58	SR 768	.33	3300	200	3500
20.91	TWP. RD. 263	1.36	2200	160	2360
22.27	TWP. RD. 274	10.03	1100	130	1230
32.30	SR 205	2.41	1340	180	1520
34.71	EQUALS STA. 0.00 IN ASHLAND CO.	.00			
SR-13					
00.00	LICKING CO. LINE N. CORP. UTICA	8.28	2340	160	2500
08.28	TWP. RD. 131	.12	4460	200	4660
U 08.40	S. CORP. MT. VERNON	.08	5500	220	5720
08.48	LEAVE MT. VERNON	.12	5500	220	5720
08.60	COMMERCE DR.	.56	6420	260	6680
U 09.16	RE-ENTER MT. VERNON	.70	6420	260	6680
U 09.86	SR 586 ENTER MARTINSBURG RD.	.15	11540	440	11980
U 10.01	MT. VERNON AVE.	.06	13660	640	14300
U 10.07	SR 661 ENTER MAIN ST.	.17	18360	940	19300
U 10.24	COLUMBUS RD.	.07	22900	950	23850
U 10.31	SR 13DA (PHILLIPS DR.) ENTER GAY ST.	.23	5500	300	5800
U 10.54	SR 229 (GAMBIER ST.)	.12	6000	330	6330
10.66	US 36 (HIGH ST.)	.07	5450	250	5700
U 10.73	GAY ST. ENTER CHESTNUT ST.	.06	8120	330	8450
U 10.79	SR 3 (MAIN ST.)	.07	7850	350	8200
U 10.86	MULBERRY ST.	.12	6280	300	6580
U 10.96	SR 13DA ENTER SANDUSKY ST.	.58	9920	800	10720
U 11.54	MADISON ST.	.23	8100	680	8780
11.77	N. CORP. MT. VERNON	.35	7200	620	7820
12.12	C-6 (UPPER FREDERICKTOWN RD.)	3.81	5200	600	5800
15.93	OLD SR 13	1.75	4460	600	5060
U 17.68	S. CORP. FREDERICKTOWN	.04	4460	600	5060
17.72	LEAVE FREDERICKTOWN	.22	4460	600	5060
17.94	SR 95	.62	3840	420	4260
U 18.56	RE-ENTER FREDERICKTOWN	.16	3840	420	4260
18.72	N. CORP. FREDERICKTOWN	.14	3840	420	4260
18.86	CO. RD. 6	2.30	3250	400	3650
21.16	SR 546	1.90	2280	350	2630
23.06	EQUALS STA. 0.00 IN RICHLAND CO.	.00			
SR-13 DIRECTIONAL ALTERNATE					
U 00.00	SR 13 (MAIN ST.) IN MT. VERNON	.13	6630	350	6980
U 00.13	RIVER ST.	.07	4600	350	4950
U 00.20	SR 229 (GAMBIER AVE.)	.12	5600	340	5940
00.32	US 36 ENTER W. HIGH ST.	.12	SEE PREFERRED ROUTE		

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-13 DIRECTIONAL ALTERNATE					
U	00.44 US 36 ENTER SANDUSKY ST.	.07	8000	650	8650
	00.51 ROUTE ENDS AT SR 13 IN MT. VERNON	.00			
US-36					
	00.00 DELAWARE CO. LINE	3.08	3580	420	4000
U	03.08 S.W. CORP. CENTERBURG	.68	5170	430	5600
	03.76 N.E. CORP. CENTERBURG	.03	4640	430	5070
	03.79 SR 314	1.09	3660	400	4060
	04.88 SR 657	3.07	3250	350	3600
	07.95 CO. RD. 25	4.31	4000	400	4400
	12.26 C-19 (JOHNSTOWN RD.)	2.48	5000	500	5500
	14.74 TWP. RD. 362	.30	5720	580	6300
	15.04 C-80 (OLD COLUMBUS RD.)	.71	4270	480	4750
	15.75 TWP. RD. 1077	.61	6100	530	6630
	16.36 C-2 (NEW DELAWARE RD.)	.24	7920	580	8500
	16.60 SR 229	.20	8630	580	9210
U	16.80 W. CORP. MT. VERNON	.71	8630	580	9210
U	17.51 SR 13DA (SANDUSKY ST.)	.12	8540	640	9180
U	17.63 SR 13DA (MULBERRY ST.)	.04	8350	520	8870
U	17.67 US 360A ENTER PUBLIC SQ	.05	9070	380	9450
U	17.72 MAIN ST.	.05	9960	360	10320
U	17.77 US 360A ENTER HIGH ST.	.04	6760	400	7160
U	17.81 SR 13 (GAY ST.)	.26	7860	460	8320
U	18.07 HIGH ST. ENTER PARK ST.	.09	6600	400	7000
U	18.16 PARK ST. ENTER COSHOCTON AVE.	1.19	15230	550	15780
U	19.35 ENT. TO SHOPPING CENTER	.01	12270	460	12730
U	19.36 SR 768 (VERNON VIEW)	.04	12730	500	13230
U	19.40 ENT. TO SHOPPING CENTER	.52	9570	480	10050
	19.92 F. CORP. MT. VERNON	.53	8000	480	8480
	20.45 CO. RD. 68	1.47	6440	480	6920
	21.92 SR 308	.42	4900	400	5300
	22.34 C-46 (VINCENT RD.)	4.28	3680	350	4030
	26.62 CO. RD. 35	2.83	2250	330	2580
	29.45 TWP. RD. 605	.05	1330	300	1630
	29.50 US 62	1.20	1330	300	1630
	30.70 SR 715	1.62	1000	260	1260
	32.32 CO. RD. 36	3.55	530	200	730
	35.87 EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
US-36 DIRECTIONAL ALTERNATE					
U	00.00 US 36 IN MT. VERNON	.05	9070	380	9450
U	00.05 SR 3	.05	9960	380	10340
	00.10 ROUTE ENDS AT US 36 IN MT. VERNON	.00			
US-62					
	00.00 LICKING CO. LINE	4.09	1780	200	1980
U	04.09 W. CORP. MARTINSBURG	.19	1500	170	1670
U	04.46 SR 541 ENTER ZANESVILLE ST.	.13	1740	200	1940
U	04.59 SR 586 (MECHANIC ST.)	.11	1100	120	1220
	04.70 N. CORP. MARTINSBURG	5.95	1040	120	1160
	10.65 SR 229	3.98	920	150	1070

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. REGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-62					
	14.63 US 36	.28	920	150	1070
	14.91 ACCESS TO US 36	2.81	1750	300	2050
U	17.75 S. CORP. DANVILLE	.05	2480	320	2800
U	17.80 FLAT RUN RD.	.16	3200	350	3550
U	17.96 ROSS ST.	.48	3920	380	4300
U	18.44 SR 205 ENTER MAIN ST.	.06	2400	240	2640
U	18.50 CEDAR ST.	.25	1900	220	2120
	18.75 N.E. CORP. DANVILLE	1.66	1430	200	1630
	20.41 CO. RD. 41	1.77	1220	180	1400
U	22.18 W. CORP. BRINKHAVEN	.42	1220	180	1400
U	22.60 MAIN ST.	.27	960	180	1140
	22.87 EQUALS STA. 0.00 IN HOLMES CO.	.00			
SR-95					
	00.00 MORROW CO. LINE	4.37	2480	320	2800
	04.37 SR 13	.13	2180	280	2460
U	04.50 W. CORP. FREDERICKTOWN	.71	3280	280	3560
U	05.21 SANDUSKY ST. ENTER MAIN ST.	.17	4020	280	4300
U	05.38 DEPOT ST.	.31	2800	220	3020
U	05.69 MAIN ST. ENTER SALEM AVE.	.12	1900	300	2200
	05.81 N.E. CORP. FREDERICKTOWN	1.07	1240	140	1380
	06.88 TWP. RD. 379	2.84	920	100	1020
	09.72 C-5A (MANSFIELD RD.)	1.78	700	70	770
	11.50 EQUALS STA. 0.00 IN RICHLAND CO.	.00			
SR-205					
U	00.00 US 62 (MAIN ST.) IN DANVILLE	.11	2280	180	2460
	00.11 N. CORP. DANVILLE	.15	1770	130	1900
	00.26 SR 514	1.44	1080	80	1160
	01.70 CO. RD. 16	2.77	630	70	700
	04.47 TWP. RD. 334	2.47	400	70	470
	06.94 ROUTE ENDS AT SR 3	.00			
SR-229					
	00.00 MORROW CO. LINE	2.42	930	70	1000
	02.42 CO. RD. 1	4.48	1480	100	1580
	06.90 TWP. RD. 389	.43	2560	120	2680
	07.33 US 36	1.15	SEE PREFERRED ROUTE		
U	08.48 SR 13DA (MULBERRY ST.) IN MT. VERNON	.12	4430	220	4650
U	08.60 SR 13 (GAY ST.)	.61	4660	200	4860
U	09.21 GEORGE ST.	.30	5450	150	5600
	09.51 E. CORP. MT. VERNON	1.22	5450	150	5600
	10.73 TWP. RD. 278	2.33	3160	140	3300
U	13.06 W. CORP. GAMBIER	.07	3160	140	3300
U	13.13 SR 308	.51	1170	80	1250
	13.64 S.E. CORP. GAMBIER	2.16	1170	80	1250
	16.13 CO. RD. 31	3.47	850	50	900
	19.60 US 62	2.38	600	50	650
	21.98 CO. RD. 32	3.73	350	50	400
	25.71 EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
SR-229 DIRECTIONAL ALTERNATE					
	00.00 US 36 IN MT. VERNON	.30	SEE PREFERRED ROUTE		

AVERAGE 24-HR TRAFFIC VOLUME

SECT. REGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-229 DIRECTIONAL ALTERNATE					
00.30	ROUTE ENDS AT SR 13 IN MT. VERNON	.00			
SR-308					
U 00.00	SR 229 IN GAMBIER	.31	2150	70	2220
U 00.31	WIGGINS ST. ENTER CHASE AVE.	.66	1650	70	1720
00.97	N. CORP. GAMBIER	2.03	1780	100	1880
03.00	ROUTE ENDS AT US 36	.00			
SR-314					
00.00	US 36	.84	1300	100	1400
00.84	TWP. RD. 109	1.89	800	60	860
02.73	EQUALS STA. 0.00 IN MORROW CO.	.00			
SR-514					
00.00	US 62 (MAIN ST.) IN DANVILLE	.26	SEE PREFERRED ROUTE		
00.26	SR 205	.37	700	50	750
00.63	TWP. RD. 331	4.95	370	50	420
05.58	CO. RD. 43	2.35	260	40	300
07.93	EQUALS STA. 0.00 IN HOLMES CO.	.00			
SR-541					
U 00.00	US 62 (ZANESVILLE ST.) IN MARTINSBURG	.21	940	60	1000
00.21	E. CORP. MARTINSBURG	4.11	730	50	780
04.32	CO. RD. 17	1.88	540	40	580
06.20	TWP. RD. 180	2.72	200	30	230
08.92	EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
SR-546					
00.00	SR 13	2.15	1100	60	1160
02.15	EQUALS STA. 0.00 IN RICHLAND CO.	.00			
SR-586					
00.00	LICKING CO. LINE	2.97	850	100	950
U 02.97	S.E. CORP. MARTINSBURG	.20	980	100	1080
U 03.17	ZANESVILLE ST.	.11	1240	130	1370
03.28	US 62 (LIBERTY ST.)	.13	SEE PREFERRED ROUTE		
U 03.41	US 62 ENTER MECHANIC ST.	.06	820	100	920
03.47	N.W. CORP. MARTINSBURG	4.16	900	100	1000
07.63	C-27 (SYCAMORE RD.)	3.49	1540	140	1680
11.12	C-17 (HOPEWELL RD.)	1.53	2000	150	2150
12.65	TWP. RD. 257	.50	3120	160	3280
J 13.15	S.E. CORP. MT. VERNON	.47	4230	170	4400
J 13.62	PINE ST.	.38	5350	180	5530
14.00	SR 13 (NEWARK RD.)	.88	SEE PREFERRED ROUTE		
14.88	ROUTE ENDS AT US 36 IN MT. VERNON	.00			
SR-657					
00.00	LICKING CO. LINE	4.23	370	50	420
04.23	C-27 (SYCAMORE RD.)	.70	530	50	580
04.93	ROUTE ENDS AT US 36	.00			
SR-661					
00.00	LICKING CO. LINE	7.53	2260	180	2440

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-661					
U 07.53	S. CORP. MT. VERNON	.09	3500	240	3740
07.62	LEAVE MT. VERNON	.04	3500	240	3740
U 07.66	RE-ENTER MT. VERNON	.22	3500	240	3740
U 07.88	DELAND ST.	.67	4760	300	5060
08.55	SR 13 (MARTINSBURG RD.)	.66	SEE PREFERRED ROUTE		
09.21	ROUTE ENDS AT US 36 IN MT. VERNON	.00			
SR-715					
00.00	US 36	4.26	400	50	450
04.26	EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
SR-768					
U 00.00	US 36 (COSHOCTON AVE.) IN MT. VERNON	.05	5030	130	5160
U 00.05	ENTRANCE TO SHOPPING CENTER	.27	3500	100	3600
00.32	N. CORP. MT. VERNON	.68	2730	70	2800
01.00	CO. RD. 72	.74	1300	40	1340
01.74	ROUTE ENDS AT SR 3	.00			