

# TRAFFIC SURVEY REPORT

OF THE  
STATE HIGHWAY SYSTEM

MUSKINGUM CO.



OHIO

DEPARTMENT OF TRANSPORTATION

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. REGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-16					
	00.00 LICKING CO. LINE	1.30	3230	750	3980
	01.06 SR 586	2.78	3400	770	4170
U	03.84 W. CORP. FRAZEYSBURG	1.24	3400	770	4170
	05.08 E. CORP. FRAZEYSBURG	5.17	2640	770	3410
	10.25 SR 60	1.48	3220	1000	4220
	11.73 C-706 (N. DRESDEN RD.)	3.33	4550	1000	5550
	15.08 EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
US-22					
	00.00 PERRY CO. LINE	1.58	1740	530	2270
	01.58 T-273 (RITBERGER RD.)	.67	2000	550	2550
	02.25 SR 345	.85	3130	600	3730
	03.10 T-272 (TOWN RD.)	1.64	4400	670	5070
	04.74 T-128 (FOXFIRE DR.)	1.06	5360	700	6060
	05.80 C-652 (LIMESTONE VALLEY DR.)	.63	6320	730	7050
	06.43 SR 93	2.79	13550	980	14530
U	09.22 S.W. CORP. S. ZANESVILLE	.54	15700	1060	16760
U	09.85 S. CORP. ZANESVILLE	1.12	17700	1300	19000
U	10.97 MAYSVILLE AVE. ENTER PUTNAM AVE.	.71	19770	1370	21140
U	11.68 MUSKINGUM AVE.	.18	15850	1450	17300
U	11.86 US 22DA (MARIETTA ST.) ENTER 6TH ST.	.25	9400	960	10360
U	12.11 US 40 ENTER MAIN ST.	.06	6500	220	6720
U	12.17 US 22DA (7TH ST.)	.11	7700	340	8040
U	12.28 MAIN ST. ENTER UNDERWOOD AVE.	.10	6060	680	6740
U	12.38 UNDERWOOD AVE. ENTER GREENWOOD AVE.	.28	7080	200	7280
U	12.66 MARKET ST.	.18	16550	400	16950
U	12.84 HAMLINE AVE.	.52	13200	370	13570
	13.36 E. CORP. ZANESVILLE	.04	9860	340	10200
	13.40 C-604 (RICHARDS RD.)	1.27	6550	320	6870
	14.67 SR 93	1.24	5400	270	5670
	15.91 C-42 (OLD WHEELING RD.)	2.35	3700	220	3920
	18.26 SR 797	1.65	3500	200	3700
	19.91 C-5 (SPRY RD.)	1.84	1800	200	2000
	21.75 IR 70	4.95	3800	550	4350
U	26.78 W. CORP. NEW CONCORD	.29	4930	600	5530
U	27.07 SR 83 (ADAMSVILLE RD.)	.86	5250	650	5900
	27.93 EQUALS STA. 0.00 IN GUERNSEY CO.	.00			
US-22DA					
U	00.00 US 22 (6TH ST.) IN ZANESVILLE	.07	6030	940	6970
U	00.07 SR 60 (MARIETTA ST.) ENTER 7TH ST.	.25	7050	880	7930
U	00.32 ROUTE ENDS AT US 22 (MAIN ST.)	.00			
US-40					
	00.00 LICKING CO. LINE	1.09	1960	140	2100
	01.09 ENTER LIC. CO. STA. 29.36	.00			
	01.09 LEAVE LIC. CO. STA. 30.11 CO. RD. 412	5.92	2870	200	3070
	07.01 T-124 (KIMES RD.)	.91	3470	240	3710
	07.92 C-144 (JERSEY RIDGE RD.)	1.41	4680	300	4980

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-40					
	09.33 IR 70	.98	3000	350	3350
U	10.31 W. CORP. ZANESVILLE	.23	4300	420	4720
U	10.54 GRAHAM ST.	.41	6920	550	7470
U	10.95 RIDGE AVE.	.18	10600	620	11220
U	11.13 PINE ST.	.06	14550	450	15000
U	11.19 LINDEN AVE.	.33	11020	320	11340
U	11.52 3RD ST.	.14	8120	260	8380
U	11.66 5TH ST.	.07	6240	220	6460
	11.73 US 22 (6TH ST.)	15.74	SEE PREFERRED ROUTE		
	27.47 EQUALS STA. 0.00 IN GUERNSEY CO.	.00			
SR-60					
	00.00 MORGAN CO. LINE	3.15	1900	320	2220
	03.15 SR 376	4.40	2230	370	2600
	07.55 C-97 (MANNSFORK RD.)	.60	4000	500	4500
	08.15 C-32 (BRIDGE ST.)	6.46	7500	1000	8500
	14.61 SR 555	.40	6770	680	7450
U	15.01 S.E. CORP. ZANESVILLE	1.38	6770	680	7450
U	16.39 SR 146 ENTER MARIETTA ST.	.10	7320	780	8100
U	16.49 US 22DA ENTER 7TH ST.	.32	SEE PREFERRED ROUTE		
U	16.81 US 22 (MAIN ST.)	.12	8630	820	9450
U	16.93 6TH ST. ENTER MARKET ST.	.07	8050	350	8400
U	17.00 SR 60DA (7TH ST.)	.14	8370	430	8800
U	17.14 MARKET ST. ENTER UNDERWOOD ST.	.20	15720	600	16320
U	17.34 IR 70	.23	15280	500	15780
U	17.57 SR 666 (PRICE ST.)	.18	13550	530	14080
	17.75 LEAVE ZANESVILLE	.13	13550	530	14080
U	17.88 RE-ENTER ZANESVILLE	.19	13550	530	14080
U	18.07 LINDEN AVE.	.24	10820	440	11260
U	18.31 SR 60DA N (ADAIR AVE.) ENTER MAPLE AVE.	.47	25160	900	26060
U	18.78 DRESDEN AVE.	1.48	20700	680	21380
	19.93 LEAVE ZANESVILLE	.39	20700	680	21380
U	20.32 RE-ENTER ZANESVILLE ENT. SHP. CTR.	.45	13340	560	13900
	20.77 N. CORP. ZANESVILLE ENT. SHP. CTR.	3.31	6000	440	6440
	24.08 C-56 (CREAMERY RD.)	4.02	5440	440	5880
	28.10 C-48 (SHANNON RD.)	3.68	4000	400	4400
	31.78 C-706 (MAIN ST.)	.38	2550	350	2900
U	32.16 S. CORP. DRESDEN	.32	2550	350	2900
U	32.48 SR 208 (9TH ST.)	.47	2330	400	2730
	32.95 W. CORP. DRESDEN	1.90	2220	400	2620
	34.85 SR 16	.75	660	70	730
	35.60 EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
SR-60 DIRECTIONAL ALTERNATE					
U	00.00 US 22DA (MARIETTA AV.) IN ZANESVILLE	.25	SEE PREFERRED ROUTE		
U	00.25 US 22 (MAIN ST.)	.12	6600	820	7420
U	00.37 SR 60 (MARKET ST.)	.27	5800	700	6500
U	00.64 ROUTE ENDS AT IR 70 IN ZANESVILLE	.00			
SR-60 DIRECTIONAL ALTERNATE N					
U	00.00 IR 70 IN ZANESVILLE	.08	2850	230	3080

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-60 DIRECTIONAL ALTERNATE N					
U	00.08 RAMP ENTER JACKSON ST.	.08	2330	200	2530
U	00.16 JACKSON ST. ENTER STATE ST.	.09	11800	470	12270
U	00.25 IR 70	.41	12520	420	12940
U	00.66 SR 146 ENTER ADAIR AVE.	.35	10250	550	10800
U	01.01 ROUTE ENDS AT SR 60 IN ZANESVILLE	.00			
IR-70					
	00.00 LICKING CO. LINE	.58	14120	5650	19770
	00.58 C-30 (MT. PERRY RD.)	.85	14440	5680	20120
	01.43 ENTER LICKING CO. STA. 28.93	.00			
	01.43 LEAVE LICKING CO. STA. 29.42	8.15	14440	5680	20120
	09.58 US 40	1.33	17800	5860	23660
U	10.91 W. CORP. ZANESVILLE	.12	17800	5860	23660
U	11.03 SR 60DA N (LIBERTY ST.)	.11	18670	5950	24620
U	11.14 SR 60DA N (STATE ST.)	.26	19620	5980	25600
U	11.40 MAPLE ST.	.43	36840	6780	43620
U	11.83 5TH ST.	.07	29080	6570	35650
U	11.90 6TH ST.	.07	18360	5970	24330
U	11.97 SR 60DA (7TH ST.)	.13	14100	5530	19630
U	12.10 SR 60 (UNDERWOOD ST.)	.95	16000	5860	21860
	13.05 E. CORP. ZANESVILLE	1.31	16000	5860	21860
	14.36 SR 93	3.48	12340	5630	17970
	17.84 SR 797	3.56	10400	5500	15900
	21.40 US 22	5.62	8600	5100	13700
	27.02 SR 83	.32	8860	4960	13820
	27.34 EQUALS STA. 0.00 IN GUERNSEY CO.	.00			
SR-83					
	00.00 GUERNSEY CO. LINE	.16	900	150	1050
	00.16 T-443 (PLEASANT HILL RD.)	.28	1380	200	1580
	00.44 IR 70	.85	2330	320	2650
U	01.29 S. CORP. NEW CONCORD	.18	2330	320	2650
U	01.93 US 22 (MAIN ST.)	.35	2900	280	3180
	02.28 N.W. CORP. NEW CONCORD	1.42	2230	250	2480
	03.70 T-639 (BLACKSTONE LN.)	1.62	1120	230	1350
	05.32 C-64 (NORFIELD RD.)	1.30	950	200	1150
	06.62 SR 209	5.41	760	160	920
	12.03 SR 93	.30	820	200	1020
	12.33 SR 93	3.15	1100	220	1320
	15.48 EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
SR-93					
	00.00 PERRY CO. LINE	2.50	3740	280	4020
	02.50 C-127 (FULTONROSE RD.)	1.18	5800	340	6140
	03.68 C-41 (LAMBERT RD.)	1.01	7870	400	8270
	04.69 US 22	8.15	SEE PREFERRED ROUTE		
	12.84 US 22	.07	5150	380	5530
	12.91 IR 70	.25	4500	320	4820
	13.16 C-108 (ROGGS RD.)	.84	3200	250	3450
	14.14 CO. RD. 594	1.95	2600	220	2820
	16.09 C-110 (CHURCH HILL RD.)	4.60	2000	200	2200

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-93					
	20.69 CO. RD. C-154 (BIG B RD.)	2.59	1530	170	1700
U	23.28 S. CORP. ADAMSVILLE	.25	1600	180	1780
U	23.53 SR 208 ENTER CAMBRIDGE RD.	.07	950	100	1050
	23.60 E. CORP. ADAMSVILLE	1.38	900	100	1000
	24.98 C-18 (SALEM CHURCH RD.)	6.29	480	60	540
	31.27 SR 83	.30	SEE PREFERRED ROUTE		
	31.57 SR 83	.02	630	50	680
	31.59 C-15 (PARKS RD.)	3.28	430	40	470
	34.87 EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
SR-93 DIRECTIONAL ALTERNATE					
	00.00 US 22	.32	SEE PREFERRED ROUTE		
	00.32 ROUTE ENDS AT US 22	.00			
SR-146					
	00.00 LICKING CO. LINE	1.97	2820	250	3070
	01.97 SR 586	4.03	3450	370	3820
	06.07 T-47 (CLAY LITTICE RD.)	5.17	4430	370	4800
	11.26 C-660 (KEARNS RD.)	1.56	5820	400	6220
	13.10 T-279 (ADAMS LN.)	.38	7500	430	7930
U	13.48 W. CORP. ZANESVILLE	.17	8380	440	8820
U	13.65 SR 60DA N (STATE ST.)	2.13	SEE PREFERRED ROUTE		
U	15.92 SR 60 (WAYNE AVE.)	.84	4120	260	4380
	16.76 F. CORP. ZANESVILLE	.65	3630	170	3800
	17.41 C-604 (RICHARDS RD.)	.50	4200	220	4420
	17.92 C-73 (WAYNE RIDGE RD.)	3.00	2920	180	3100
	20.92 C-193 (MILLERS LN.)	5.49	1640	160	1800
	26.41 SR 313	.10	1460	140	1600
	26.51 SR 284	2.86	1300	120	1420
	29.37 C-63 (HIGH FREELAND RD.)	5.12	980	100	1080
	34.49 EQUALS STA. 0.00 IN GUERNSEY CO.	.00			
SR-146 DIRECTIONAL ALTERNATE					
	00.00 US 22DA (7TH ST.) IN ZANESVILLE	.51	SEE PREFERRED ROUTE		
	00.51 ROUTE ENDS AT US 22 (7TH ST.)	.00			
SR-208					
U	00.00B SR 60 IN DRESDEN	.30	1600	130	1730
U	00.30B 9TH ST. ENTER MAIN ST.	.14	2500	120	2620
U	00.00 MAIN ST. ENTER MUSKINGUM ST.	.44	1640	160	1800
	00.44 E. CORP. DRESDEN	.14	950	120	1070
	00.58 SR 666	7.92	600	100	700
	08.50 C-12 (EDGEMOOR RD.)	2.17	840	140	980
U	10.67 N. CORP. ADAMSVILLE	.14	900	140	1040
	10.81 ROUTE ENDS AT SR 93 IN ADAMSVILLE	.00			
SR-209					
	00.00 SR 83	1.70	400	50	450
	01.70 EQUALS STA. 0.00 IN GUERNSEY CO.	.00			
SR-284					
	00.00 MORGAN CO. LINE	1.68	100	20	120

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. REGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-284					
01.68	C-223 (RURAL DALE RD.)	1.95	280	40	320
03.63	SR 340	9.77	320	20	340
13.40	SR 146	.10	SEE PREFERRED ROUTE		
13.50	ROUTE ENDS AT SR 313	.00			
SR-313					
00.00	SR 146	.29	380	40	420
00.29	C-83 (GREEN VALLEY RD.)	7.03	270	30	300
07.32	EQUALS STA. 0.00 IN GUERNSEY CO.	.00			
SR-340					
00.00	SR 284	3.78	300	30	330
03.78	EQUALS STA. 0.00 IN NOBLE CO.	.00			
SR-345					
00.00	PERRY CO. LINE	.98	1550	200	1750
00.98	T-269 (PORTER RUN RD.)	1.51	1800	220	2020
02.49	ROUTE ENDS AT US 22	.00			
SR-376					
00.00	MORGAN CO. LINE	1.87	60		60
01.87	C-230 (TRIMBLE RD.)	.18	260	20	280
02.05	C-31 (RURAL DALE RD.)	3.26	450	50	500
05.31	ROUTE ENDS AT SR 60	.00			
SR-555					
00.00	MORGAN CO. LINE	2.56	220	40	260
02.56	T-135 (HAVER HILL RD.)	2.84	600	80	680
05.40	C-66 (VIRGINIA RIDGE RD.)	1.26	1080	150	1230
06.66	T-85 (FATTLER RIDGE RD.)	1.57	1400	180	1580
08.23	C-66 (SR 555 OVERLAPS C-6)	2.97	2300	280	2580
U 11.20	S. CORP. ZANESVILLE (OVERLAP ENDS)	.08	2600	300	2900
U 11.28	MOXAHALLA AVE. ENTER BRIDGE APPROACH	.13	4200	500	4700
11.41	S.E. CORP. ZANESVILLE	.07	4200	500	4700
11.48	ROUTE ENDS AT SR 60	.00			
SR-586					
00.00	SR 146	1.17	1350	150	1500
01.45	C-8 (CANAL RD.)	2.08	800	150	950
03.53	SR 16	1.40	1000	140	1140
04.93	EQUALS STA. 0.00 IN LICKING CO.	.00			
SR-662					
00.00	GUERNSEY CO. LINE	.37	180	20	200
00.37	EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
SR-666					
U 00.00	SR 60 (UNDERWOOD AV.) IN ZANESVILLE	.06	3300	200	3500
U 00.06	PRICE ST. ENTER MONROE ST.	.33	4240	60	4300
U 00.39	MELINDA ST. ENTER HALL ST.	.27	5180	80	5260
U 00.66	ADAMSVILLE RD. ENTER LEWIS DR.	.88	4360	70	4430

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-666					
01.54	N. CORP. ZANESVILLE	.24	3540	60	3600
01.78	T-112 (BATEMAN RD.)	2.51	1600	50	1650
04.29	T-190 (CULBERTSON RD.)	10.03	500	40	540
14.32	ROUTE ENDS AT SR 208	.00			
SR-797					
00.00	ZANESVILLE MUNICIPAL AIRPORT	.92	1230	70	1300
00.92	US 22	.08	3120	200	3320
01.00	C-52 (SONORA RD.) ENTER RAMP	.28	500	30	530
01.28	ROUTE ENDS AT IR 70	.00			