

TRAFFIC SURVEY REPORT

OF THE
STATE HIGHWAY SYSTEM



OHIO

DEPARTMENT OF TRANSPORTATION

AVERAGE 24-HR TRAFFIC VOLUME

SECT. REGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-21					
	00.00 TUSCARAWAS CO. LINE SR 212	3.81	3180	850	4030
	03.81 T-304 (GOODRICH RD.)	1.46	3630	920	4550
U	05.27 S. CORP. NAVARRE	.20	4070	970	5040
U	05.47 US 62 (CANAL ST.)	2.78	SEE PREFERRED ROUTE		
	08.25 US 30	.73	13380	1920	15300
	08.98 ERIE ACCESS RD.	.20	11000	1760	12760
U	09.18 S. CORP. MASSILLON	.74	11000	1760	12760
U	09.92 OBERLIN RD.	.24	10880	1720	12600
U	10.16 RAMP TO EDWIN AVE.	.32	11300	1660	12960
U	10.48 WALNUT RD.	.43	11880	1700	13580
U	10.91 SR 241 (TREMONT AVE.)	.06	11880	1700	13580
U	10.97 SR 241A (CHARLES AVE.)	.06	10960	1640	12600
U	11.03 SR 172 (LINCOLN WAY)	.36	10960	1640	12600
U	11.39 CHERRY RD.	.87	8370	1180	9550
U	12.26 SR 236 (LAKE AVE.)	.13	4560	960	5520
	12.39 N. CORP. MASSILLON	.48	4560	960	5520
	12.87 T-353 (EARL RD.)	5.62	3930	920	4850
	18.49 SR 93	1.31	4070	1020	5090
	19.80 C-365 (MARSHALLVILLE RD.)	1.64	4520	1060	5580
	21.44 EQUALS STA. 0.00 IN WAYNE CO.	.00			
US-30					
	00.00 WAYNE CO. LINE	.92	4260	1800	6060
	00.92 ALABAMA AVE.	1.72	4700	1850	6550
	02.64 SR 93	1.37	4700	1850	6550
	04.01 SR 241	3.67	5730	1910	7640
	07.68 SR 21	1.90	9520	2830	12350
	09.58 C-248 (RICHVILLE RD.)	2.89	10310	2830	13140
	12.42B ROUTE TEMP ENDS AT US62 (WHIPPLE AVE)	.00			
U	12.41 ROUTE RE-BEGINS AT SR 172 (RAFF RD.)	1.10	20660	800	21460
U	13.51 IR 77	.40	21030	1070	22100
U	13.91 US 30DA. ENTER SCHROYER AVE. S.W.	.07	4500	530	5030
U	13.98 SCHROYER AVE. S.W. ENTER 3RD ST.	.52	2300	300	2600
U	14.52 MC KINLEY AVE.	.30	3200	320	3520
U	14.82 SR 43DA (WALNUT AVE.)	.10	3300	300	3600
U	14.92 CHERRY ST.	.76	2020	300	2320
U	15.56 US 30DA ENTER TUSCARAWAS ST.	.51	10860	880	11740
U	16.07 SR 43 (BELDEN AVE.)	.54	10100	820	10920
	16.61 E. CORP. CANTON	1.03	10100	820	10920
	17.64 C-170 (TRUMP RD.)	1.17	11420	900	12320
U	18.81 W. CORP. EAST CANTON	.74	9370	800	10170
U	19.55 SR 172 ENTER CEDAR ST.	.14	5640	580	6220
U	19.69 CEDAR ST. ENTER WALNUT ST.	.08	4580	500	5080
U	19.77 SR 44 (WOOD ST.)	.30	6980	780	7760
	20.07 S.E. CORP. EAST CANTON	.54	6040	780	6820
	20.61 SR 44	4.36	4940	660	5600
	24.97 C-119 (PARIS ROBERSVILLE RD.)	5.03	4180	620	4800
	30.00 T-107 (TUNNEL HILL RD.)	.49	4940	640	5580
U	30.49 N.W. CORP. MINERVA	.17	5700	660	6360

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-30					
U 30.66	GRANT BLVD.	.10	4200	600	4800
U 30.76	LIBERTY ST.	.09	5480	600	6080
U 30.85	MAIN ST.	.05	6760	600	7360
U 30.90	SR 183 (MARKET ST.)	.56	6820	600	7420
U 31.46	LINDIMORE AVE.	.47	5360	570	5930
U 31.93	SR 183	.06	3900	530	4430
31.99	EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
US-30 DIRECTIONAL ALTERNATE					
U 00.00	BEGINS AT US30 (SCHROYER AVE) IN CANTON	.20	18870	600	19470
U 00.20	TUSCARAWAS ST. ENTER CONNECTOR	.08	3500	100	3600
U 00.28	SR 687 (SHORE AVE.)	.18	2900	100	3000
U 00.46	MC KINLEY AVE.	.30	4470	200	4670
U 00.76	SR 43DA (WALNUT AVE.)	.10	4980	340	5320
U 00.86	SR 43 (CHERRY AVE.)	.24	5940	430	6370
U 01.10	HERBRUCK ST. N.E.	.20	2660	100	2760
U 01.30	ROWLAND AVE. N.E.	.26	1900	80	1980
U 01.56	ROUTE ENDS AT US 30 IN CANTON	.00			
SR-43					
00.00	CARROLL CO. LINE	.31	5950	450	6400
00.31	MAPLE ST. EXT.	.84	4850	400	5250
02.01	SR 183	.19	7460	540	8000
02.20	SR 44	.61	6000	400	6400
02.81	T-153 (ELSTON ST.)	6.94	4630	340	4970
09.75	C-160 (WAYNESBURG RD.)	1.39	5920	380	6300
11.31	C-150 (ORCHARD RD.)	.63	2770	470	3240
U 11.94	S.E. CORP. CANTON	.30	2770	470	3240
U 12.24	3RD ST.	.10	4100	600	4700
12.34	US 30 ENTER TUSCARAWAS ST.	1.21	SEE PREFERRED ROUTE		
U 13.61	US 30DA ENTER CHERRY AVE.	.43	9160	700	9860
U 14.04	LAWRENCE RD.	.33	7000	330	7330
U 14.37	SR 153 (12TH ST.)	.73	5680	240	5920
U 15.23	SR 43DA ENTER MARKET AVE.	.70	17050	480	17530
U 15.93	US 62 (EXPRESSWAY)	.11	21200	500	21700
U 16.04	30TH ST.	2.02	19230	450	19680
18.06	N. CORP. CANTON	1.03	15300	420	15720
19.09	C-98 (EASTON ST.)	1.01	11360	370	11730
20.10	T-190 (APPLEGROVE ST.)	1.10	7430	320	7750
21.20	C-62 (MARKET ST.)	2.75	4440	160	4600
23.95	C-192 (MIDDLE BRANCH RD.)	.69	5700	280	5980
U 24.64	S. CORP. HARTVILLE	1.21	6140	300	6440
U 25.85	SR 619 ENTER MAPLE ST.	.50	8900	440	9340
U 26.35	SR 619 ENTER KENT AVE.	.30	4260	260	4520
26.65	N. CORP. HARTVILLE	1.41	4260	260	4520
28.06	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-43 DIRECTIONAL ALTERNATE					
U 00.00	BEGINS AT US 30 IN CANTON	.85	SEE PREFERRED ROUTE		
U 00.85	US 30 (3RD ST.) ENTER WALNUT ST.	.11	4730	500	5230
U 00.96	TUSCARAWAS ST.	.04	6500	600	7100

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-43 DIRECTIONAL ALTERNATE					
U 01.00	US 30DA (2ND ST.)	.10	5980	450	6430
U 01.10	4TH ST. N.E.	.32	5640	260	5900
U 01.42	9TH ST.	.28	5050	200	5250
U 01.70	SR 153 (12TH ST.)	.40	3300	130	3430
U 02.10	CONNECTOR ENTER MARKET AVE.	.34	13900	370	14270
U 02.44	RTE. ENDS AT SR 43 (CHERRY) IN CANTON	.00			
SR-44					
00.00	SR 43	7.84	1460	160	1620
07.84	US 30	.84	SEE PREFERRED ROUTE		
U 08.68	US 30 (WALNUT ST.) IN EAST CANTON	.16	3440	300	3740
U 08.84	SR 172 (NASSAU ST.)	.56	3970	460	4430
09.40	N. CORP. EAST CANTON	1.24	4740	460	5200
10.64	C-112 (HAWKINS RD.)	1.59	6120	700	6820
U 12.23	S. CORP. LOUISVILLE S. CHAPEL RD.	.44	7020	750	7770
U 12.67	GORGAS ST.	.08	7920	800	8720
U 12.75	SR 153 (MAIN ST.)	.95	8500	800	9300
13.70	N. CORP. LOUISVILLE	.69	9180	970	10150
14.39	US 62	.76	6450	700	7150
15.15	C-98 (EASTON ST.)	2.05	3100	670	3770
17.20	SR 173	3.50	2680	600	3280
20.72	SR 619	2.28	2800	540	3340
23.00	PONTIUS RD.	.24	3960	540	4500
23.24	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
US-62					
00.00	HOLMES CO. LINE	.62	1480	320	1800
U 00.62	W. CORP. WILMOT	.23	1700	350	2050
U 00.85	US 250 ENTER MAIN ST.	.06	3580	1000	4580
U 00.91	US 250 ENTER MASSILLON ST.	.20	1450	280	1730
01.11	N.E. CORP. WILMOT	2.58	1750	350	2100
03.69	SR 93	.34	3120	500	3620
04.03	SR 93	1.43	1450	220	1670
05.46	C-319 (KINGS HIGHWAY)	2.89	3200	270	3470
U 08.35	S.W. CORP. NAVARRE	.15	3200	270	3470
U 08.56	WILMOT RD. ENTER CANAL ST.	.26	2070	260	2330
U 08.82	SR 21 ENTER MAIN ST.	.08	5420	1200	6620
U 08.90	CENTER ST.	.26	7180	1320	8500
U 09.16	WOOSTER ST.	.20	8600	1280	9880
09.36	N. CORP. NAVARRE	.72	8600	1280	9880
10.08	C-77B (MARLAND AVE.)	.70	10260	1500	11760
10.78	OLD US 62	1.16	12320	1680	14000
11.94	US 30	4.44	SEE PREFERRED ROUTE		
16.38R	US 30 ENTER RAMP	.17	1050	300	1350
16.55R	RAMP ENTER WHIPPLE AVE.	.15	3950	650	4600
16.12	WHIPPLE AVE. ENTER NAVARRE RD.	.57	8660	1570	10230
16.69	SR 791	.10	6600	1340	7940
U 16.79	S.W. CORP. CANTON	1.06	6600	1340	7940
U 17.85	HARRISON AVE. S.W.	.57	7820	1400	9220
U 18.42	MARGARET ST.	.09	9040	1460	10500
U 18.51R	IR 77	.23	9040	1460	10500

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-62					
U	18.74B NAVARRE RD. ENT. MC KINLEY AVE.	.30	2440	300	2740
	18.47 IR 77	2.29	SEE PREFERRED ROUTE		
	21.33 IR 77	.12	49030	3670	52700
U	21.45 RE-ENTER CANTON	.57	49030	3670	52700
U	22.02 CLEVELAND AVE.	1.09	45500	3550	49050
U	23.11 SR 43 (MARKET AVE.)	.03	33480	3220	36700
	23.14 LEAVE CANTON	.28	33480	3220	36700
	23.42 30TH ST.	.64	36620	3370	39990
	24.06 30TH ST.	.48	28570	2700	31270
	24.54 C-67 (COLUMBUS RD.)	.22	25480	2550	28030
	24.76 REGENT AVE.	1.57	18240	1960	20200
U	26.33 RE-ENTER CANTON	.03	18240	1960	20200
	26.36 N.E. CORP. CANTON	.60	18240	1960	20200
	26.96 C-199 (BROADWAY RD.)	1.12	14220	1980	16200
	28.08 T-186 (CALIFORNIA AVE.)	.53	12700	1950	14650
U	28.61 W. CORP. LOUISVILLE	.26	12700	1950	14650
	28.87 E. CORP. LOUISVILLE	.45	12700	1950	14650
	29.32 SR 44	2.57	9400	1700	11100
	31.89 C-44 (PARIS AVE.)	2.96	7600	1420	9020
	34.07 SR 173	1.13	8780	960	9740
U	35.20 W. CORP. ALLIANCE	.64	11420	960	12380
U	35.84 BEECHWOOD AVE.	.07	16700	980	17680
	35.91 LEAVE ALLIANCE	.13	16700	980	17680
U	36.04 RE-ENTER ALLIANCE	1.31	16700	980	17680
U	37.37 SR 183 (UNION AVE.)	.99	13900	930	14830
	38.36 EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
US-62 FUTURE					
	34.63 US 62	2.39	2640	680	3320
	37.02 REESON ST.	1.88	1440	560	2000
	38.90 SR 183	.28	1440	560	2000
	39.18 ROUTE ENDS AT SR 225	.00			
IR-77					
	00.00 TUSCARAWAS CO. LINE	4.73	15240	2320	17560
	04.73 C-252 (FOHL RD.)	3.41	16060	2370	18430
U	08.14 S. CORP. CANTON	.10	16060	2370	18430 ✓
U	08.24 SR 800 (CLEVELAND AVE.)	1.26	25570	3200	28770
U	09.50 US 62 (NAVARRE RD.)	.63	33320	5030	38350
U	10.13 6TH ST.	.36	38530	5400	43930 ✓
U	10.49 US 30 (TUSCARAWAS AVE.)	.22	44400	6070	50470
U	10.71 4TH ST.	.61	46740	6280	53020
U	11.32 13TH ST. N.W.	.53	51940	6460	58400
	11.85 LEAVE CANTON	.36	51940	6460	58400
	12.21 SR 687	.29	52300	6420	58720 ✓
	12.50 US 62	.07	40020	4560	44580
U	12.57 RE-ENTER CANTON	1.03	40020	4560	44580
	13.60 N. CORP. CANTON	1.44	40020	4560	44580 ✓
	15.04 C-214 (WHIPPLE AVE.)	.12	32000	4330	36330
	15.16 C-215 (EVERHARD RD.)	1.52	34900	4520	39420
	16.68 C-228 (PORTAGE RD.)	1.86	28940	4120	33060

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH
IR-77					
18.54	EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-93					
	00.00 TUSCARAWAS CO. LINE	.39	1200	140	1340
U	00.39 S. CORP. BEACH CITY	.29	1280	140	1420
U	00.68 SR 212 (2ND ST.)	.48	1550	150	1700
	01.16 N. CORP. BEACH CITY	2.20	1370	150	1520
	03.36 US 62	.34	SEE PREFERRED ROUTE		
	03.70 US 62	.60	2080	340	2420
U	04.30 S. CORP. BREWSTER	.49	2780	350	3130
U	04.79 7TH ST.	.95	4180	380	4560
U	05.74 CHESTNUT AVE.	.51	3260	320	3580
	06.25 N. CORP. BREWSTER C-321	2.47	2340	260	2600
	08.72 SR 241	.14	3750	380	4130
	08.86 SR 241	.54	1570	130	1700
	09.40 T-327 (MUFFLY RD.)	.95	2500	170	2670
	10.35 US 30F	1.34	2500	170	2670
	11.69 SR 172	1.24	3650	470	4120
	12.93 C-341 (WOOSTER RD.)	4.32	2700	220	2920
	17.25 SR 21	.40	2950	170	3120
U	17.65 S. CORP. CANAL FULTON	.16	2950	170	3120
U	17.81 MILAN ST. ENTER CHERRY ST.	.19	3820	160	3980
U	18.00 RIVER RD.	.25	4870	230	5100
U	18.25 CANAL ST.	.16	5900	300	6200
U	18.41 LOCUST ST.	.62	4860	200	5060
	19.03 N.E. CORP. CANAL FULTON	.04	4400	180	4580
	19.07 C-231 (STRAUSSER ST.)	1.57	3440	140	3580
	20.64 EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-153					
U	00.00 SR 43DA (WALNUT AVE.) IN CANTON	.09	8900	330	9230
U	00.44 SR 43 (CHERRY AVF.)	.69	8700	330	9030
U	01.13 MAHONING RD.	.25	10640	720	11360
U	01.38 HARRISBURG RD.	1.32	10000	600	10600
U	02.70 HARMONT AVF.	.64	8400	530	8930
	03.34 E. CORP. CANTON	1.10	7500	500	8000
	04.44 BROADWAY RD.	1.07	9200	500	9700
U	05.51 W. CORP. LOUISVILLE	.85	11740	500	12240
U	06.36 GORGAS ST.	.24	9320	440	9760
U	06.60 SR 44 (CHAPEL ST.)	.50	9450	430	9880
U	07.10 NICKEL PLATE ST.	.71	8160	400	8560
	07.81 E. CORP. LOUISVILLE	.08	6360	320	6680
	07.89 C-179 (MEESE RD.)	1.31	4560	240	4800
	09.20 T-180 (MAPLE GROVE RD.)	5.82	2420	130	2550
	15.02 ROUTE ENDS AT SR 183	.00			
SR-171					
U	00.00 SR 183 (MAIN ST.) IN WAYNESBURG	.14	3200	170	3370
U	00.14 MARKET ST.	.22	2530	170	2700
U	00.36 LISBON ST. ENTER ROSS RD.	.19	1830	100	1930
	00.55 E. CORP. WAYNESBURG	.45	1560	100	1660

AVERAGE 24-HR TRAFFIC VOLUME

SECT. REGINS	TRAFFIC SECTION	SECT. LNNGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-171					
01.00	EQUALS STA. 0.00 IN CARROLL CO.	.00			
SR-172					
	00.00 WAYNE CO. LINE	2.41	5180	300	5480
	02.41 SR 93	1.04	5600	530	6130
	03.45 T-340 (KENYON AVE.)	.50	7830	530	8360
U	03.95 W. CORP. MASSILLON	2.13	10120	530	10650
U	06.08 MAIN AVE.	.19	17200	560	17760
U	06.27 SR 21 (EXPRESSWAY)	.44	17200	560	17760
U	06.71 SR 241 (1ST ST. S.E.)	.68	19020	660	19680
U	07.39 SR 241 (WALES RD.)	.36	21300	580	21880
U	07.75 17TH ST. N.E.	.37	15700	500	16200
U	08.12 TREMONT AVE. S.E.	.71	21660	650	22310
	08.83 E. CORP. MASSILLON	3.08	22460	680	23140
U	11.91 W. CORP. CANTON	.50	23250	710	23960
	12.41 US 30 (RAFF RD.)	7.24	SEE PREFERRED ROUTE		
U	19.65 US 30 (CEDAR ST.) IN EAST CANTON	.08	4400	230	4630
U	19.73 SR 44 (WOOD ST.)	.57	3060	70	3130
	20.30 E. CORP. EAST CANTON	1.69	1800	70	1870
	21.99 T-179 (BELFORT AVE.)	8.20	1230	70	1300
	30.19 SR 183	.26	1000	70	1070
	30.45 EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
SR-172 DIRECTIONAL ALTERNATE					
00.00	US 30 (SCHROYER AVE.) IN CANTON	1.56	SEE PREFERRED ROUTE		
01.56	ROUTE ENDS AT US 30 IN CANTON	.00			
SR-173					
00.00	SR 44	1.86	1780	120	1900
01.86	C-67 (COLUMBUS RD.)	2.72	4930	330	5260
04.58	US 62	4.27	SEE PREFERRED ROUTE		
08.85	EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
SR-183					
U	00.00 CARROLL CO. LINE IN MAGNOLIA	.20	3400	440	3840
U	00.20 MAIN ST. ENTER HARRISON ST.	.89	2580	400	2980
	01.10 N. CORP. MAGNOLIA	.99	3000	400	3400
U	02.09 W. CORP. WAYNESBURG	.75	3400	420	3820
U	02.84 MILL ST.	.05	2400	320	2720
U	02.89 SR 171 ENTER MAIN ST.	.20	2830	300	3130
U	03.09 CANAL ST. ENTER MILL ST.	.17	4920	380	5300
	03.26 N. CORP. WAYNESBURG	.29	4370	380	4750
	03.55 SR 43	1.15	SEE PREFERRED ROUTE		
	04.70 ENTER CARROLL CO. STA. 1.19	.00			
U	04.70 LEAVE CAR. CO. STA. 9.67 IN MINERVA	.15	3870	400	4270
U	04.85 US 30 (LINCOLN WAY)	1.03	SEE PREFERRED ROUTE		
	05.88 US 30 ENTER NEW ROAD	.59	1500	160	1660
	06.15 MARKET ST. (OLD SR 183)	.08	4000	300	4300
	06.23 N. CORP. MINERVA	3.65	3560	280	3840
	09.88 SR 172	2.56	4000	300	4300
	12.44 SR 153	1.65	3970	230	4200

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-183					
	14.09 T-102 (CENFIELD ST.)	1.01	5700	300	6000
	15.10 C-100 (BAYTON ST.)	1.52	7420	350	7770
U	16.62 S. CORP. ALLIANCE	.53	8580	400	8980
U	17.15 US 62 (STATE ST.)	1.57	10600	400	11000
U	18.72 ELY ST.	.34	8550	770	9320
U	19.06 SR 225 ENTER DIEHL CT.	.10	5600	450	6050
U	19.16 VINE ST.	.29	4300	360	4660
	19.45 N. CORP. ALLIANCE	.26	3630	320	3950
	19.71 US 62 FUTURE	.16	3630	320	3950
	19.87 SR 619	3.22	2550	300	2850
U	23.09 S.E. CORP. LIMAVILLE	.57	2550	300	2850
	23.66 EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-212					
	00.00 US 250	.44	750	100	850
U	00.44 W. CORP. BEACH CITY	.31	780	100	880
U	00.75 SR 93 (3RD AVE.)	.37	1080	100	1180
	01.12 E. CORP. BEACH CITY	1.26	1040	100	1140
	02.45 ENTER TUSCARAWAS CO. STA. 0.00	.00			
	02.45 LEAVE TUSCARAWAS CO. STA. 1.07	3.16	1000	140	1140
	05.61 EQUALS STA. 1.07 IN TUSCARAWAS CO.	.00			
SR-225					
U	00.00 SR 183 (DIEHL CT.) IN ALLIANCE	.33	3700	320	4020
	00.33 N. CORP. ALLIANCE	.25	3700	320	4020
	00.58 US 62 FUTURE	1.82	4830	770	5600
	02.40 C-12 (PRICE RD.)	1.84	3400	770	4170
	04.24 EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-236					
U	00.00 SR 21 (EXPRESSWAY) IN MASSILLON	.07	8800	360	9160
U	00.07 LAKE ST. ENTER 1ST ST. N.E.	.34	4060	500	4560
	00.41 N. CORP. MASSILLON	1.64	3700	400	4100
	02.05 C-17 (ERIE AVE.)	.88	2380	50	2430
	02.93 C-212 (REVERE AVE.)	.23	1030	30	1060
	03.16 SR 687	2.29	1630	30	1660
	05.45 C-228 (PORTAGE ST.)	2.27	1920	50	1970
	07.72 EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-241					
	00.00 WAYNE CO. LINE	.87	830	100	930
	00.87 C-314 (ALABAMA AVE.)	1.93	1100	120	1220
	02.80 T-328 (STANWOOD ST.)	.70	1570	130	1700
	03.50 SR 93	.14	SEE PREFERRED ROUTE		
	03.64 SR 93	.58	3360	200	3560
	04.22 US 30E	1.95	3030	100	3130
U	06.17 W. CORP. MASSILLON	.09	3920	100	4020
U	06.26 17TH ST. S.W.	1.03	5200	120	5320
U	07.29 9TH ST. S.W.	.46	5740	140	5880
U	07.75 SR 21 (EXPRESSWAY)	.10	5740	140	5880
U	07.85 SR 241A (2ND ST.)	.12	6270	140	6410

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-241					
U	07.97 ERIE ST.	.07	8780	170	8950
U	08.04 TREMONT AVE. ENTER 1ST ST. S.E.	.11	4800	100	4900
	08.15 SR 172 ENTER LINCOLN WAY	.68	SEE PREFERRED ROUTE		
U	08.83 SR 172 ENTER WALES RD. N.E.	.87	12500	440	12940
U	09.70 LAKE AVE. N.E.	.57	17530	530	18060
U	10.27 HILLS AND DALES RD.	.13	9770	330	10100
	10.40 N. CORP. MASSILLON	.78	9770	330	10100
	11.18 STUHLBREHER RD.	.35	12960	320	13280
	11.53 TRAPHAGAN RD.	1.90	7600	300	7900
	13.43 SR 687	.31	8680	400	9080
	13.74 C-371 (MUDBROOK ST.)	1.03	6700	350	7050
	14.77 C-228 (PORTAGE RD.)	2.33	4700	300	5000
	17.10 EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-241 ALTERNATE					
U	00.00 SR 21 (EXPRESSWAY) IN MASSILLON	.10	3900	540	4440
U	00.10 CHARLES ST. ENTER 2ND ST. N.W.	.05	1630	100	1730
	00.15 ROUTE ENDS AT SR 241 IN MASSILLON	.00			
US-250					
	00.00 WAYNE CO. LINE	.95	2500	870	3370
U	00.95 W. CORP. WILMOT	.26	2500	870	3370
	01.21 US 62 (WINEBURG ST.)	.06	SEE PREFERRED ROUTE		
U	01.27 US 62 (MASSILLON ST.)	.15	2420	800	3220
	01.42 E. CORP. WILMOT	2.03	2420	800	3220
	03.45 SR 212	.69	1950	720	2670
	04.14 EQUALS STA. 0.00 IN TUSCARAWAS CO.	.00			
SR-619					
	00.00 SUMMIT CO. LINE	3.68	9000	440	9440
U	03.68 W. CORP. HARTVILLE	.48	9000	440	9440
	04.16 SR 43 (KENT AVE.)	.50	SEE PREFERRED ROUTE		
U	04.66 SR 43 (PROSPECT AVE.)	.63	4650	280	4930
	05.29 E. CORP. HARTVILLE	.51	3460	220	3680
	05.80 T-57 (WILLIAM PENN AVE.)	3.22	2260	170	2430
	09.02 SR 44	7.42	2150	150	2300
	16.44 SR 183	.96	SEE PREFERRED ROUTE		
	17.40 ROUTE ENDS AT WAYNE ST. IN ALLIANCE	.00			
SR-687					
	00.00 SR 236	.23	1470	100	1570
	00.23 C-212 (REVERE AVE.)	.67	2780	120	2900
	00.90 C-238 (AMHERST RD.)	1.35	4060	120	4180
	02.25 SR 241	1.32	7080	170	7250
	03.57 T-227 (LAKE O SPRINGS RD.)	.12	13300	370	13670
	03.69 C-229 (EAST BLVD.)	1.02	19520	580	20100
	04.71 C-98 (EVERHARD RD.)	1.71	12000	340	12340
	06.42 C-226 (HILLS AND DALES RD.)	1.31	23780	760	24540
	07.73 IR 77	.23	19940	800	20740
	07.96 T-211 (HARRISON AVE.)	.03	19360	380	19740
U	07.99 N.W. CORP. CANTON	.08	19360	380	19740

STARK COUNTY

AVERAGE 24-HR TRAFFIC VOLUM

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTA VEH
SR-687					
U 08.07	23RD. ST. N.W.				
U 08.38	18TH ST. N.W.	.31	16160	320	16480
U 08.73	14TH ST. N.W.	.35	13160	280	13440
U 09.35	7TH ST. N.W.	.62	10160	240	10400
U 09.53	4TH ST. N.W.	.18	7160	200	7360
U 09.59	FULTON RD. N.W. ENTER SHORE AVE.	.06	4250	120	4370
U 09.64	ROUTE ENDS AT US 30DA IN CANTON	.05	1350	30	1380
		.00			
SR-791					
00.00	US 62				
U 00.54	S.W. CORP. CANTON 13TH ST. S.W.	.54	7900	800	8700
U 01.16	ROUTE ENDS AT US 30 IN CANTON	.62	8860	400	9260
		.00			
SR-800					
00.00	TUSCARAWAS CO. LINE				
00.78	T-281 (FARRER RD.)	.78	3000	300	3300
U 01.02	S. CORP. EAST SPARTA	.24	4200	300	4500
U 01.45	MAIN ST.	.43	4800	300	5100
01.67	N. CORP. EAST SPARTA	.22	6150	350	6500
04.00	C-164 (BATTLESBURG RD.)	2.33	6150	350	6500
06.07	C-253 (RIDGE RD.)	2.07	7130	500	7630
06.43	T-252 (FOHL RD.)	.36	7840	520	8360
07.00	T-70 (RIDGE AVE.)	.57	11500	650	12150
U 08.65	S. CORP. CANTON	1.65	15180	780	15960
U 09.00	CLEVELAND AVE. ENTER RAMP	.35	15180	780	15960
U 09.18	ROUTE ENDS AT IR 77	.18	4330	240	4570
		.00			