

TRAFFIC SURVEY REPORT

OF THE
STATE HIGHWAY SYSTEM
WESTERN HALF



OHIO

DEPARTMENT OF TRANSPORTATION

AVERAGE 24-HR TRAFFIC VOLUME

SECT. REGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-33					
	00.00 AUGLAIZE CO. LINE	1.37	2620	880	3500
	01.37 SR 366	1.78	2440	860	3300
U	03.15 N.W. CORP. LAKEVIEW	.56	3050	880	3930
U	03.71 SR 235 (LAKE AVE.)	.26	4370	1000	5370
	03.97 E. CORP. LAKEVIEW	.85	4600	1000	5600
U	04.82 N.W. CORP. RUSSELLS POINT	.25	4830	1000	5830
U	05.07 SR 720 (WILGUS DR.)	.62	5240	1020	6260
U	05.69 SR 708 (ORCHARD ISLAND RD.)	.17	4970	1000	5970
U	05.86 RAMP TO SR 366	.03	4450	1020	5470
	05.89 E. CORP. RUSSELLS POINT	3.90	4450	1020	5470
	09.79 SR 274	1.17	4700	1140	5840
	10.96 SR 117	4.70	5840	1260	7100
	15.66 US 68	.30	4400	1180	5580
	15.96 SR 47	1.26	4400	1180	5580
	17.22 N. CORP. BELLEFONTAINE SR 540	.31	4950	1250	6200
	17.53 S. CORP. BELLEFONTAINE	2.43	4950	1250	6200
	19.96 CO. RD. 10	5.15	4000	1500	5500
	25.11 SR 292	1.59	3550	1530	5080
	26.70 OLD US 33	1.38	4070	1580	5650
	28.08 SR 287	1.63	4360	1580	5940
	29.71 EQUALS STA. 0.00 IN UNION CO.	.00			
SR-47					
	00.00 SHELBY CO. LINE	2.26	1000	120	1120
	02.26 CO. RD. 35	1.75	1200	120	1320
	04.01 CO. RD. 24	1.22	1980	180	2160
	05.23 SR 235	3.35	2630	250	2880
	08.58 TWP. RD. 31	3.05	3460	300	3760
	11.63 TWP. RD. 32	.23	4400	350	4750
U	11.86 W. CORP. BELLEFONTAINE	.16	4400	350	4750
	12.02 LEAVE BELLEFONTAINE	.14	4400	350	4750
	12.16 OLD SR 47	.07	3900	300	4200
U	12.23 RE-ENTER BELLEFONTAINE	.42	4500	320	4820
U	12.65 TROY ST.	.29	5600	350	5950
U	12.94 GARFIELD AVE.	.32	8350	500	8850
U	13.26 DETROIT ST.	.10	11800	600	12400
U	13.36 US 68 (MAIN ST.)	.10	10570	500	11070
U	13.56 SR 540 ENTER MADRIVER ST.	.26	5530	150	5680
U	13.82 WILLIAMS RD.	.19	4300	150	4450
U	14.01 PALMER AVE.	.16	3080	150	3230
U	14.17 SR 47 DA ENTER RUSH AVE.	.40	3240	160	3400
	14.57 N. CORP. BELLEFONTAINE	.25	2680	120	2800
	14.82 US 33	.42	2680	120	2800
	15.24 CO. RD. 9	4.80	1440	100	1540
	20.02 SR 533	.34	1180	80	1260
	20.36 TWP. RD. 5	2.97	1000	60	1060
	23.33 SR 292	2.66	900	60	960
U	25.99 W. CORP. WEST MANSFIELD	.35	1150	70	1220
U	26.34 MAIN ST.	.21	1720	100	1820

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-47					
U 26.55	MAIN ST. ENTER CENTER ST.	.60	1330	70	1400
27.15	E. CORP. WEST MANSFIELD	.09	1070	70	1140
27.24	EQUALS STA. 0.00 IN UNION CO.	.00			
SR-47 DIRECTIONAL ALTERNATE					
U 00.00	US 68	.46	SEE PREFERRED ROUTE		
U 00.46	US 68 ENTER RUSH AVE.	.18	1760	80	1840
00.64	ROUTE ENDS AT SR 47 IN BELLEFONTAINE	.00			
US-68					
00.00	CHAMPAIGN CO. LINE	.31	4980	520	5500
U 00.31	S. CORP. WEST LIBERTY	.23	5450	520	5970
U 00.54	SIDNEY ST.	.09	6400	520	6920
U 00.63	SR 245 (BAIRD ST.)	.19	6640	520	7160
U 00.82	OLD US 68 (C-189)	.28	5960	520	6480
01.10	LEAVE WEST LIBERTY	.06	5630	520	6150
U 01.16	RE-ENTER WEST LIBERTY	.08	5630	520	6150
01.24	N. CORP. WEST LIBERTY	.95	5630	520	6150
02.09	SR 508	2.06	5500	520	6020
04.15	TWP. RD. 190	2.04	7780	520	8300
06.19	TWP. RD. 200	.15	10060	520	10580
U 06.34	S. CORP. BELLEFONTAINE	1.67	12340	520	12860
U 08.01	AUBURN AVE.	.30	8140	120	8260
U 08.31	SR 47 (SANDUSKY AVE.)	.29	11130	600	11730
U 08.60	WILLIAMS AVE.	.17	9580	550	10130
U 08.77	SR 47 DA (RUSH ST.)	.66	8070	510	8580
09.43	N. CORP. BELLEFONTAINE	.07	7070	600	7670
09.50	US 33	.04	3580	440	4020
09.54	TWP. RD. 217	4.98	2560	320	2880
14.52	SR 638	.51	1530	240	1770
15.03	SR 274	3.72	1230	220	1450
18.75	SR 273	1.21	1180	220	1400
19.96	EQUALS STA. 0.00 IN HARDIN CO.	.00			
SR-117					
00.00	HARDIN CO. LINE	.71	2200	360	2560
00.71	SR 273	.83	1880	360	2240
01.54	SR 273	3.02	1630	370	2000
04.56	SR 366DA	.25	1900	400	2300
04.81	SR 366	1.02	2160	420	2580
U 05.83	N. CORP. HUNTSVILLE SR 274	.70	2730	420	3150
06.53	S. CORP. HUNTSVILLE SR 274	.18	2700	380	3080
06.71	US 33	.14	2320	280	2600
06.85	CO. RD. 130 ENTER RAMP	.32	930	110	1040
07.17	US 33	4.48	SEE PREFERRED ROUTE		
11.65	US 33 ENTER RAMP	.19	1650	150	1800
11.84	US 68	1.14	SEE PREFERRED ROUTE		
12.98	ROUTE ENDS AT SR 47 IN BELLEFONTAINE	.00			
SR-235					
00.00	CHAMPAIGN CO. LINE TWP. RD. 3	1.04	920	120	1040

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-235					
	01.04 SR 706	.13	1200	120	1320
U	01.17 S. CORP. QUINCY	.81	1500	120	1620
U	01.98 LIBERTY ST.	.26	1750	120	1870
	02.24 N. CORP. QUINCY	2.55	1750	120	1870
U	04.79 W. CORP. DEGRAFF	.55	2500	130	2630
U	05.34 SR 508 (MAIN ST.)	.08	2800	140	2940
U	05.42 MIAMI ST. ENTER CRETCHER ST.	.66	2220	140	2360
	06.08 N. CORP. DEGRAFF	2.11	1930	140	2070
	08.19 SR 47	4.94	870	70	940
	13.13 TWP. RD. 54	.77	1200	80	1280
	14.19 CO. RD. 91	.50	1500	100	1600
	14.69 SR 274	.74	1550	100	1650
	15.43 SR 708	2.32	1020	60	1080
	17.75 SR 720	.26	1500	70	1570
U	18.01 S. CORP. LAKEVIEW	.33	2130	140	2270
U	18.34 US 33	.02	2060	80	2140
	18.36 E. CORP. LAKEVIEW SR 366	1.59	2350	100	2450
	19.95 SR 365	.53	1980	70	2050
	20.48 SR 366	3.06	2200	70	2270
	23.54 TWP. RD. 293	.48	1440	60	1500
	24.02 TWP. RD. 251	.77	810	60	870
	24.79 EQUALS STA. 0.00 IN HARDIN CO.	.00			
SR-245					
	00.00 CHAMPAIGN CO. LINE TWP. RD. 7	.54	650	50	700
	00.54 TWP. RD. 195	.33	1080	70	1150
U	00.87 W. CORP. WEST LIBERTY	.38	1200	70	1270
U	01.25 RUNKLE ST. ENTER TAYLOR ST.	.20	700	40	740
U	01.45 MILLER ST.	.16	1200	50	1250
U	01.61 REYNOLDS ST.	.15	1680	60	1740
U	01.76 US 68 (DETROIT ST.)	.21	2030	70	2100
U	01.97 LIBERTY ST.	.14	1550	70	1620
	02.11 E. CORP. WEST LIBERTY	.99	1080	70	1150
	03.10 CO. RD. 47	.87	830	70	900
	03.97 SR 287	1.15	620	40	660
	05.12 ENTER CHAMPAIGN CO. STA. 10.74	.00			
	05.12 LEAVE CHAMPAIGN CO. STA. 10.82	.72	220	20	240
	05.84 EQUALS STA. 10.82 IN CHAMPAIGN CO.	.00			
SR-273					
	00.00 LONG ISLAND PARK INDIAN LAKE	2.02	320	50	370
	02.02 SR 117	.83	SEE PREFERRED ROUTE		
	02.85 SR 117	1.67	250	50	300
	04.52 TWP. RD. 97	1.61	500	70	570
	06.13 CO. RD. 104	.33	860	100	960
U	06.46 N.W. CORP. BELLE CENTER	.35	1400	130	1530
U	06.81 ELIZABETH ST.	.21	1950	170	2120
U	07.02 STATE ST.	.29	1680	120	1800
U	07.31 SR 638	.40	1300	60	1360
	07.71 E. CORP. BELLE CENTER	.24	850	50	900
	07.95 TWP. RD. 107	1.96	400	30	430

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A CUM'L	B & C CUM'L	TOTAL VEH.
SR-273					
09.91	US 68	2.98	330	30	360
12.89	SR 274	.60	400	30	430
13.49	EQUALS STA. 0.00 IN HARDIN CO.	.00			
SR-274					
00.00	SHELBY CO. LINE	5.03	1330	190	1520
05.03	SR 235	4.55	1030	170	1200
09.58	US 33	.72	970	110	1080
10.30	N. CORP. HUNTSVILLE SR 117	.70	SEE PREFERRED ROUTE		
11.00	S. CORP. HUNTSVILLE SR 117	2.93	550	50	600
13.93	CO. RD. 49	1.66	360	40	400
15.59	SR 638	.19	530	50	580
15.78	US 68	2.24	320	30	350
U 18.02	W. CORP. RUSHSYLVANIA	.52	550	30	580
U 18.54	MILL ST. ENTER SANDUSKY ST.	.17	1060	40	1100
U 18.71	MIAMI RD.	.37	580	20	600
19.08	N.E. CORP. RUSHSYLVANIA	2.55	350	20	370
21.63	CO. RD. 12	1.01	200	20	220
22.64	ROUTE ENDS AT SR 273	.00			
SR-287					
00.00	SR 245	.91	550	50	600
00.91	CO. RD. 28	4.01	280	20	300
04.92	TWP. RD. 150	2.77	140	10	150
07.69	TWP. RD. 150	.69	320	30	350
08.38	SR 559	1.45	400	40	440
09.83	CO. RD. 153	1.17	600	70	670
11.00	ROUTE ENDS AT US 33	.00			
SR-292					
00.00	US 33	1.28	700	400	1100
01.28	CO. RD. 10	.08	1440	60	1500
01.36	SR 347	1.47	520	20	540
02.83	TWP. RD. 141	2.46	320	20	340
05.29	SR 540	.24	320	20	340
05.53	CO. RD. 8	1.61	200	10	210
07.14	SR 47	6.37	420	30	450
13.51	CO. RD. 12	.63	560	40	600
U 14.14	S. CORP. RIDGEWAY	.46	880	70	950
14.60	EQUALS STA. 0.00 IN HARDIN CO.	.00			
SR-347					
00.00	US 33	1.36	SEE PREFERRED ROUTE		
01.36	SR 292	.22	1030	50	1080
01.58	CO. RD. 154	.94	800	50	850
02.52	CO. RD. 142	1.32	500	50	550
03.84	EQUALS STA. 0.00 IN UNION CO.	.00			
SR-365					
00.00	SR 235	.16	370	30	400
00.16	ROUTE ENDS AT ENT. BLACK HAWK PARK	.00			

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-366					
	00.00 US 33	.91	620	40	660
	00.91 SR 235	2.12	SEE PREFERRED ROUTE		
	03.03 SR 235	1.09	1020	40	1060
U	04.12 W. CORP. RUSSELLS POINT	.44	1770	50	1820
U	04.56 SANTA FE RD.	.19	2420	60	2480
U	04.75 CENTER ST.	.37	2980	80	3060
U	05.12 SR 708 (ORCHARD ISLAND RD.)	.20	2980	120	3100
	05.32 E. CORP. RUSSELLS POINT	1.78	2950	110	3060
	07.10 SR 368	.62	1900	100	2000
	07.72 CO. RD. 38	1.70	840	60	900
	09.42 SR 366DA	.38	260	20	280
	09.80 SR 117	2.35	SEE PREFERRED ROUTE		
	12.15 ROUTE ENDS AT US 33	.00			
SR-366 DIRECTIONAL ALTERNATE					
	00.00 SR 366	.26	580	40	620
	00.26 SR 117	.25	SEE PREFERRED ROUTE		
	00.51 ROUTE ENDS AT SR 117	.00			
SR-368					
	00.00 SR 366	2.59	2130	70	2200
	02.59 ENDS AT MINNEWAUKEN ISLAND CO. 272	.00			
SR-508					
U	00.00 SR 235 (MIAMI ST.) IN DEGRAFF	.09	2130	70	2200
U	00.09 HAYES ST.	.48	1780	70	1850
U	00.57 CO. RD. 64	.57	1430	60	1490
U	01.14 TWP. RD. 30	.15	700	50	750
	01.29 S. CORP. DEGRAFF	6.01	700	50	750
	07.32 TWP. RD. 187	2.16	950	80	1030
	09.48 ROUTE ENDS AT US 68	.00			
SR-533					
	00.00 SR 540	1.81	260	20	280
	01.81 ROUTE ENDS AT SR 47	.00			
SR-540					
U	00.00 US 68 (MAIN ST.) IN BELLEFONTAINE	.10	SEE PREFERRED ROUTE		
U	00.10 SR 47 (MADRIVER ST.)	.10	7500	300	7800
U	00.20 PARK ST.	.40	6700	300	7000
U	00.60 HAYES ST.	.46	5540	280	5820
	01.06 LEAVE BELLEFONTAINE	.01	4500	250	4750
U	01.07 RE-ENTER BELLEFONTAINE	.18	4500	250	4750
	01.25 LEAVE BELLEFONTAINE	.40	4500	250	4750
	01.65 US 33	.10	2600	150	2750
U	01.75 RE-ENTER BELLEFONTAINE	.10	2600	150	2750
	01.85 LEAVE BELLEFONTAINE	.22	1820	100	1920
U	02.07 RE-ENTER BELLEFONTAINE	.34	1820	100	1920
	02.41 E. CORP. BELLEFONTAINE	.25	1820	100	1920

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-540					
02.66	TWP. RD. 230	1.14	1050	50	1100
03.80	CO. RD. 25	1.92	480	20	500
05.72	SR 533	2.99	400	20	420
08.71	ROUTE ENDS AT SR 292	.00			
SR-559					
00.00	CHP. CO. LINE N. CORP. N. LEWISBURG	2.10	360	20	380
02.10	CO. RD. 44	1.92	140	10	150
04.02	ROUTE ENDS AT SR 287	.00			
SR-638					
00.00	US 68	.41	1200	80	1280
00.41	SR 274	3.55	1170	60	1230
U 03.96	S.E. CORP. BELLE CENTER	.03	1170	60	1230
03.99	ROUTE ENDS AT SR 273 IN BELLE CTR.	.00			
SR-706					
00.00	SHELBY CO. LINE	2.29	440	20	460
02.29	ROUTE ENDS AT SR 235	.00			
SR-708					
00.00	SR 235	1.42	1130	50	1180
U 01.42	S. CORP. RUSSELLS POINT	.24	2460	110	2570
U 01.66	ELLIOT RD.	.08	3800	180	3980
U 01.74	US 33	.05	3000	130	3130
U 01.79	SR 366	.40	1820	80	1900
02.19	N. CORP. RUSSELLS POINT	.23	1700	80	1780
02.42	ROUTE ENDS AT BEATLEYS PARK	.00			
SR-720					
00.00	AUGLAIZE CO. LINE CO. RD. 17	3.14	320	20	340
03.14	CO. RD. 54	.98	540	20	560
U 04.12	W. CORP. LAKEVIEW SR 235	.29	640	30	670
04.41	E. CORP. LAKEVIEW	.90	640	30	670
U 05.31	W. CORP. RUSSELLS POINT	.08	640	30	670
05.39	ROUTE ENDS AT US 33 IN RUSSELLS POINT	.00			