

TRAFFIC SURVEY REPORT

OF THE
STATE HIGHWAY SYSTEM
WESTERN HALF



OHIO



1982

OHIO

DEPARTMENT OF TRANSPORTATION

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-4					
	00.00 DELAWARE CO. LINE	.64	2820	350	3170
	00.64 SR 47	2.90	2430	300	2730
	03.54 SR 203	2.91	2930	270	3200
	06.45 T-120 (HUGHES RD.)	1.91	4840	310	5150
	08.36 C-126 (GOODING RD.)	1.09	6750	350	7100
	09.45 C-107 (SMELTZER RD.)	.22	8650	400	9050
	09.67 C-138 (BARKS RD.)	.38	7320	400	7720
U	10.05 S. CORP. MARION	.76	7630	420	8050
U	10.81 SR 40A ENTER WALNUT ST.	.19	8520	300	8820
U	11.00 SR 423 ENTER DELAWARE AVE.	.09	16550	370	16920
U	11.09 DELAWARE ENTER STATE ST.	.30	9980	320	10300
U	11.39 SR 739 (COLUMBIA ST.)	.18	10580	320	10900
U	11.57 SR 95 (CHURCH ST.)	.09	6670	330	7000
U	11.66 SR 95DA (CENTER ST.)	.28	6680	340	7020
U	11.94 GEORGE ST.	.31	5260	200	5460
U	12.35 STATE ST. ENTER PATTON ST.	.07	2920	150	3070
U	12.42 SR 40A ENTER MAIN ST.	.64	12100	600	12700
	13.06 N. CORP. MARION	.50	9650	520	10170
	13.56 C-162 (MARION-WILLIAMS RD.)	.29	7200	440	7640
	13.66 SR 423	.73	3640	260	3900
	14.39 C-167 (LIKENS RD.)	1.65	3000	230	3230
	16.04 C-195 (LINN-HIPSHER RD.)	.95	2370	200	2570
	16.99 US 23	3.38	3300	270	3570
	20.37 EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-4 DIRECTIONAL ALTERNATE					
U	00.00 SR 4 (WALNUT ST.) IN MARION	.24	10140	300	10440
U	00.24 SR 739 (BELLEFONTAINE AVE.)	.33	8870	330	9200
U	00.57 SR 95 (CHURCH ST.)	.10	8560	340	8900
U	00.67 SR 95DA (CENTER ST.)	.44	7820	320	8140
U	01.11 MARK ST.	.22	5300	200	5500
U	01.33 PROSPECT ST. ENTER KLERX ST.	.08	4630	170	4800
U	01.41 ROUTE ENDS AT SR 4 (MAIN ST.) IN MARION	.00			
US-23					
	00.00 DELAWARE CO. LINE	1.85	11100	2570	13670
	01.85 SR 98	6.02	8800	2400	11200
	07.87 SR 529	2.20	8800	2400	11200
	10.07 SR 95	1.01	11350	2600	13950
	11.08 SR 309	1.57	10400	2380	12780
	12.65 C-162 (MARION-WILLIAMSPORT RD.)	3.48	8800	2180	10980
	16.13 SR 4	2.89	7750	2100	9850
	19.02 SR 231	.95	7470	2130	9600
	19.97 EQUALS STA. 0.00 IN WYANDOT CO.	.00			
SR-37					
	00.00 WYANDOT CO. LINE	3.35	400	40	440
	03.35 SR 309	1.49	270	30	300
	04.84 C-33 (WILDCAT PIKE)	1.51	460	40	500

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-37					
	06.35 C-17 (LA-RUE DECLIFF RD.)	1.21	850	50	900
U	07.56 N. CORP. LA RUE	.61	1360	70	1430
U	08.17 VINE ST.	.06	1880	100	1980
U	08.23 SR 95 (MARKET ST.)	.28	1180	80	1260
	08.51 S. CORP. LA RUE	1.88	640	40	680
	10.39 T-49 (LINWOOD RD.)	2.93	470	30	500
	13.32 C-45 (MT. OLIVE-GREENCAMP RD.)	.54	300	20	320
	13.86 EQUALS STA. 0.00 IN UNION CO.	.00			
SR-47					
	00.00 DELAWARE CO. LINE	.64	SEE PREFERRED ROUTE		
	00.64 SR 4	1.47	920	100	1020
U	02.11 W. CORP. PROSPECT SR 257	.09	1520	100	1620
U	02.20 FARNUM ST.	.14	2200	100	2300
U	02.34 SR 203 (MAIN ST.)	.64	1900	100	2000
	02.98 E. CORP. PROSPECT	.43	1500	100	1600
	03.41 C-122 (DUNBAR RD.)	4.98	1180	80	1260
	08.39 SR 229	.27	1640	100	1740
U	08.66 S. CORP. WALDO	.31	2040	130	2170
U	08.97 MAIN ST.	.20	2840	180	3020
	09.17 ROUTE ENDS AT SR 98 IN WALDO	.00			
SR-95					
U	00.00 SR 37 (HIGH ST.) IN LA RUE	.44	1800	100	1900
	00.44 E. CORP. LA RUE	3.43	1700	80	1780
	03.87 C-37 (PROSPECT RD.)	.61	1370	70	1440
U	04.48 S. CORP. NEW BLOOMINGTON	.49	1630	70	1700
	04.97 E. CORP. NEW BLOOMINGTON	4.92	1930	70	2000
	10.04 SR 203	2.14	2380	100	2480
	12.18 MARION DISPOSAL PLANT	1.10	3400	320	3720
U	13.28 W. CORP. MARION	.48	4450	450	4900
U	13.76 CURVE ST.	.15	5500	580	6080
U	13.91 WATERLOO ST.	.22	6560	700	7260
U	14.13 SR 95DA ENTER DAVIDS ST.	.30	5400	340	5740
U	14.43 DAVID ST. ENTER COLUMBIA ST.	.28	4300	100	4400
U	14.71 OLNEY AVE.	.08	6430	170	6600
U	14.79 COLUMBIA ST. ENTER BLAINE AVE.	.17	4940	160	5100
U	14.96 BLAINE AVE. ENTER CHURCH ST.	.33	11620	440	12060
U	15.29B SR 4DA (PROSPECT ST.)	.16	14120	420	14540
U	15.45B SR 4 (STATE ST.)	.14	16000	600	16600
U	15.23 SR 95DA ENTER MT. VERNON AVE.	.29	10140	360	10500
U	15.62 BRIGHTWOOD DR.	.45	14170	300	14470
U	16.07 VERNON HTS. BLVD.	.45	19680	380	20060
U	16.52 SR 529 (RICHLAND RD.)	.15	22200	420	22620
U	16.67 CLARIDON AVE.	.10	19400	420	19820
	16.77 E. CORP. MARION	1.12	16600	460	17060
	17.89 US 23	.15	10500	430	10930
	18.04 T-174 (POLE LANE)	1.77	5500	430	5930
	19.81 SR 98	4.14	3460	400	3860
	23.96 SR 746	.25	3020	380	3400
	24.21 EQUALS STA. 0.00 IN MORROW CO.	.00			

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-95 DIRECTIONAL ALTERNATE					
U	00.00 SR 95 (DAVIDS ST.) IN MARION	.70	10120	540	10660
U	00.70 SR 4DA (PROSPECT ST.)	.16	12530	440	12970
U	00.86 SR 4 (STATE ST.)	.14	10840	440	11280
U	01.00 SR 309DA ENTER VINE ST.	.10	4560	160	4720
	01.10 RTE ENDS AT SR95(CHURCH ST.)IN MARION	.00			
SR-98					
U	00.00 SR 47 (MARION ST.) IN WALDO	.07	3300	270	3570
	00.07 E. CORP. WALDO	.05	3300	270	3570
	00.12 US 23	2.26	2000	220	2220
	02.82 C-123 (CARDINGTON RD.)	3.90	1720	180	1900
	06.72 SR 529	2.31	2620	250	2870
	09.03 SR 95	2.36	3450	320	3770
	11.39 SR 309	1.56	1900	300	2200
	12.95 C-179 (CALEDONIA MUD PK)	4.67	1400	220	1620
	17.59 EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-100					
	00.00 SR 309	2.89	320	40	360
	02.89 EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-203					
	00.00 DELAWARE CO. LINE	.43	570	60	630
U	00.43 S. CORP. PROSPECT	.08	750	70	820
U	00.51 ELM ST.	.20	580	70	650
U	00.71 WALNUT ST.	.08	1000	100	1100
U	00.79 SR 47 (WATER ST.)	.06	1530	100	1630
U	00.85 NORTH ST.	.14	1030	100	1130
U	00.99 MARKET ST. ENTER ELM ST.	.19	1230	140	1370
	01.18 N. CORP. PROSPECT	2.07	1230	140	1370
	03.25 SR 4	4.52	800	100	900
	07.77 SR 739	1.77	860	60	920
	09.54 C-37 (PROSPECT RD.)	1.67	670	50	720
	11.21 SR 95	1.83	1060	100	1160
	13.04 ROUTE ENDS AT SR 309	.00			
SR-229					
	00.00 SR 47	1.05	1120	80	1200
	01.05 EQUALS STA. 0.00 IN DELAWARE CO.	.00			
SR-231					
U	00.00 C & O RR IN MORRAL	.04	900	80	980
	00.04 EAST ST.	1.01	1060	80	1140
	01.05 E. CORP. MORRAL	1.29	1060	80	1140
	02.34 T-93 (BAER RD.)	.79	1670	110	1780
	03.13 SR 423	.30	1760	140	1900
	03.43 US 23	.10	1150	50	1200
	03.53 TWP. RD. 187	.81	800	50	850
	04.34 EQUALS STA. 0.00 IN WYANDOT CO.	.00			

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-257					
00.00	DELAWARE CO. LINE	.55	430	10	440
00.55	RIVER ST. EXT. PROSPECT	.11	630	10	640
00.66	ROUTE ENDS AT SR 47	.00			
SR-309					
00.00	HARDIN CO. LINE C-255	2.05	1140	280	1420
02.05	SR 37	3.99	1350	300	1650
06.04	C-31 (AGOSTA MEEKER RD.)	3.42	1740	300	2040
09.46	C-33 (WILDCAT PIKE)	1.92	2140	300	2440
11.38	SR 203	1.51	2660	320	2980
12.89	C-95 (HOLLAND RD.)	1.62	3100	360	3460
14.51	C-175 (FAIRGROUND RD.)	.55	2100	240	2340
15.06	C-94 (HILLMAN-FORD RD.)	.30	3320	280	3600
U 15.36	W. CORP. MARION	.46	4570	330	4900
U 15.82	SR 95 (CENTER ST.)	1.46	SEE PREFERRED ROUTE		
U 16.92	SR 95 (VINE ST.)	.42	8660	380	9040
U 17.34	SR 309DA ENTER CENTER ST.	.27	14870	700	15570
U 17.61	JEFFERSON ST.	.83	11640	700	12340
U 18.44	MADISON AVE.	.05	8400	860	9260
18.49	E. CORP. MARION	.79	8400	860	9260
19.28	US 23	.66	5620	480	6100
19.94	C-174 (POLE RD.)	.64	6880	480	7360
20.58	ENT. TO INDUSTRIAL PARK	1.54	6300	480	6780
22.12	ENT. TO MFG. PLANT	.37	5650	480	6130
22.49	SR 98	.05	4860	500	5360
22.54	C-162 (MARION-WILLIAMSPORT RD.)	.23	4200	500	4700
U 25.77	W. CORP. CALEDONIA	.14	4200	500	4700
U 25.91	HIGH ST.	.12	3700	500	4200
26.03	E. CORP. CALEDONIA SR 746	.59	3330	500	3830
26.62	ENTER MORROW CO. STA. 0.00	.00			
26.62	LEAVE MORROW CO. STA. 2.48	3.15	3330	500	3830
29.77	SR 100	.06	3450	500	3950
29.83	EQUALS STA. 2.49 IN MORROW CO.	.00			
SR-309 DIRECTIONAL ALTERNATE					
U 00.00	SR 95 IN MARION	1.00	SEE PREFERRED ROUTE		
U 01.00	SR 95DA	.32	11100	360	11460
01.11	ROUTE ENDS AT SR 309 IN MARION	.00			
SR-423					
U 00.00	SR 47 IN WALDO	.18	3480	160	3640
00.18	N. CORP. WALDO	2.47	3480	160	3640
02.65	T-123 (NEWMANS-CARDINGTON RD.)	1.60	4670	180	4850
04.25	C-108 (OWENS RD.)	1.08	5830	200	6030
05.33	C-106 (SUMMERLOT HOFFMAN RD.)	1.08	7950	220	8170
06.41	C-136 (MARION-CARDINGTON RD.)	.88	9650	250	9900
07.29	ENT. TO SHOPPING CENTER	.18	14500	300	14800
07.47	C-138 (BARKS RD.)	.22	18460	300	18760
U 07.69	S. CORP. OF MARION	.54	18460	300	18760

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-423					
U	08.23 VERNON HEIGHTS BLVD.	.36	20000	300	20300
	08.59 SR 4 (WALNUT ST.)	2.85	SEE PREFERRED ROUTE		
	11.44 SR 4	.15	3650	200	3850
	11.59 SELMA AVE.	1.80	2980	160	3140
	13.39 C-66 (KENTON-GALION RD.)	3.11	2320	130	2450
	16.50 SR 231	.41	SEE PREFERRED ROUTE		
	16.91 SR 231 ENTER RAMP	.23	170	40	210
	17.14 ROUTE ENDS AT US 23	.00			
SR-423 DIRECTIONAL ALTERNATE					
U	00.00 SR 4 (DELAWARE AVE.) IN MARION	1.60	SEE PREFERRED ROUTE		
U	01.60 ROUTE ENDS AT SR 4 IN MARION	.00			
SR-529					
U	00.00 SR 95 (MT. VERNON AVE.) IN MARION	.47	7500	70	7570
	00.47 S. CORP. MARION	.27	7500	70	7570
	00.74 C-169 (MARION-EDISON RD.)	.79	5080	50	5130
	01.53 C-138 (BARKS RD.)	1.06	2700	40	2740
	02.59 C-136 (MARION-CARDINGTON RD.)	.20	1870	30	1900
	02.79 US 23	1.31	1870	30	1900
	04.10 SR 98	4.96	1700	50	1750
	09.06 SR 746	.27	1430	40	1470
	09.33 EQUALS STA. 0.00 IN MORROW CO.	.00			
SR-739					
	00.00 UNION CO. LINE	.85	870	50	920
	00.85 C-45 (MT. OLIVE-GREEN CAMP RD.)	2.33	1400	60	1460
	03.18 C-38 (LARUE-GREEN CAMP RD.)	.43	2060	70	2130
U	03.61 S.W. CORP. GREEN CAMP	.76	2180	80	2260
	04.37 N. CORP. GREEN CAMP	1.01	1920	80	2000
	05.38 SR 203	1.77	2550	120	2670
	07.15 C-101 (CAMPBELL RD.)	.70	4070	130	4200
U	07.85 S.W. CORP. MARION	.37	5600	130	5730
U	08.22 CHATFIELD RD.	.18	7130	140	7270
U	08.40 UNCAPHER AVE.	.54	8650	150	8800
U	08.94 OLNEY AVE.	.53	7320	230	7550
U	09.47 SR 4DA (PROSPECT ST.) ENT. HILL ST.	.08	5070	170	5240
U	09.55 HILL ST. ENTER MAIN ST.	.15	10600	220	10820
U	09.70 MAIN ST. ENTER COLUMBIA ST.	.08	3100	30	3130
	09.78 ROUTE ENDS AT SR4 (STATE ST.) IN MARION	.00			
SR-739 DIRECTIONAL ALTERNATE					
U	00.00 SR 4DA IN MARION	.59	SEE PREFERRED ROUTE		
	00.59 ROUTE ENDS AT SR 4 IN MARION	.00			
SR-746					
	00.00 MORROW CO. LINE	2.42	320	20	340
	02.42 SR 529	4.23	300	20	320
	06.65 SR 95	2.75	320	20	340
	09.40 T-163 (CLARIDON WESTFIELD RD.)	.55	570	30	600
	09.95 ROUTE ENDS AT SR 309	.00			