

TRAFFIC SURVEY REPORT

OF THE
STATE HIGHWAY SYSTEM
WESTERN HALF

Miami

County



HI



1982

OHIO

DEPARTMENT OF TRANSPORTATION

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-36					
	00.00 DARKE CO. LINE SR 721	1.04	2870	420	3290
	01.04 C-80 (BUCKNECK RD.)	2.88	4770	480	5250
U	03.92 W. CORP. COVINGTON	.17	6680	540	7220
U	04.09 SR 41 (HIGH ST.)	.14	6670	480	7150
U	04.23 WALL ST.	.78	6340	500	6840
	05.01 E. CORP. COVINGTON	3.67	5940	520	6460
U	08.68 W. CORP. PIQUA	.17	7920	680	8600
U	08.85 SUNSET DR.	1.13	7100	600	7700
U	09.98 COVINGTON AVE. ENTER COLLEGE ST.	.10	11300	670	11970
U	10.08 COLLEGE ST. ENTER WATER ST.	.59	5020	530	5550
U	10.67 WATER ST. ENTER SPRING ST.	.15	6000	150	6150
U	10.81 SR 66 (SPRING ST.) ENTER ASH ST.	.27	12800	530	13330
U	11.08 MANNING ST.	.68	9600	700	10300
U	11.76 IR 75	.25	8770	630	9400
U	12.01 LOONEY RD.	.46	7380	580	7960
	12.51 E. CORP. PIQUA	.51	6070	570	6640
	13.02 C-14 (TROY SIDNEY RD.)	.08	4750	550	5300
	13.10 C-14 (TROY SIDNEY RD.)	4.19	3180	520	3700
U	17.29 W. CORP. FLETCHER	.34	3160	520	3680
U	17.63 SR 589 (WALNUT ST.)	.20	3200	540	3740
	17.83 E. CORP. FLETCHER	2.27	2960	520	3480
	20.10 SR 589	2.02	3100	560	3660
	22.12 EQUALS STA. 0.00 IN CHAMPAIGN CO.	.00			
US-40					
	00.00 MONTGOMERY CO. LINE	1.64	2300	100	2400
	01.64 SR 202	2.16	2570	130	2700
	03.80 T-5 (5TH ST.) AT BRANDT	.46	3150	130	3280
	04.26 SR 201	2.06	2630	130	2760
	06.32 EQUALS STA. 0.00 IN CLARK CO.	.00			
SR-41					
	00.00 CLARK CO. LINE	2.04	1500	80	1580
	02.04 SR 201	3.67	1560	80	1640
	05.71 C-158 (GRAYSON RD.)	.95	2050	100	2150
	06.66 C-161A (KNOOP RD.)	1.12	2530	120	2650
	07.78 SR 504	.04	4030	200	4230
	07.82 SR 202	.66	4240	230	4470
U	08.48 E. CORP. TROY	.31	4900	270	5170
U	08.79 FRANKLIN ST.	.41	3500	240	3740
U	09.20 UNION ST.	.30	3980	240	4220
U	09.50 SR 55 (MARKET ST.)	.05	7350	350	7700
U	09.55 CHERRY ST.	.12	8570	380	8950
U	09.67 SHORT ST.	.14	11030	350	11380
U	09.84 ADAMS ST.	.54	15530	540	16070
U	10.38 RIDGE AVE.	.58	13380	500	13880
U	10.96 DORSET RD.	.28	10260	500	10760
U	11.24 IR 75	1.19	10300	780	11080
	12.43 N.W. CORP. TROY	.53	8050	630	8680

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-41					
	12.96 C-35 (WASHINGTON RD.)	5.83	4960	470	5430
U	18.79 S.E. CORP. COVINGTON	.30	3980	420	4400
U	19.09 SR 48 ENTER HIGH ST.	.46	7080	560	7640
	19.55 ROUTE ENDS US36(BROADWAY)IN COVINGTON	.00			
SR-48					
	00.00 MONTGOMERY CO. LINE	1.04	6420	240	6660
	01.04 C-48 (FREDERICK-GARLAND RD.)	.42	7440	300	7740
U	01.46 S. CORP. WEST MILTON	1.52	7600	350	7950
U	02.98 HAMILTON ST.	.14	6800	400	7200
U	03.12 SR 571 (TIPP PIKE)	.03	7850	530	8380
U	03.15 SR 571 (HAYES ST.)	.56	4970	260	5230
	03.71 N. CORP. WEST MILTON	.55	4200	250	4450
	04.26 T-111 (CALUMET RD.)	.97	2300	200	2500
	05.23 SR 55	.09	2560	200	2760
U	05.32 S. CORP. LUDLOW FALLS	.34	2560	200	2760
U	05.66 SR 55 (FRIEND ST.)	.05	2050	170	2220
	05.71 N. CORP. LUDLOW FALLS	3.29	2050	170	2220
U	09.04 S. CORP. PLEASANT HILL	.27	2430	170	2600
U	09.31 SR 718 (MONUMENT ST.)	.38	3160	200	3360
	09.69 N. CORP. PLEASANT HILL	3.61	3230	220	3450
U	13.30 S. CORP. COVINGTON	.43	3300	240	3540
	13.73 SR 41 (TROY PIKE)	.46	SEE PREFERRED ROUTE		
U	14.19 US 36 (BROADWAY)	.50	4800	340	5140
	14.69 N. CORP. COVINGTON	.24	3320	270	3590
	14.93 C-88 (BRADFORD RD.)	2.04	1820	200	2020
	16.97 SR 185	2.52	1300	180	1480
	19.49 EQUALS STA. 0.00 IN SHELBY CO.	.00			
SR-49					
	00.00 MONTGOMERY CO. LINE	.06	6230	650	6880
	00.06 SR 721	.69	5530	600	6130
	00.75 EQUALS STA. 0.00 IN DARKE CO.	.00			
SR-55					
	00.00 SR 571	1.31	250	20	270
	01.31 C-9 (RANGE LINE RD.)	1.61	500	50	550
U	02.92 W. CORP. LUDLOW FALLS	.17	730	70	800
U	03.09 WALNUT ST.	.24	960	100	1060
	03.33 SR 48	.43	SEE PREFERRED ROUTE		
	03.46 SR 48	1.03	500	50	550
	04.49 T-111 (CALUMET RD.)	3.42	3150	130	3280
	07.91 C-41 (NASHVILLE RD.)	1.13	4300	200	4500
U	09.04 W. CORP. TROY	.24	4300	200	4500
U	09.28 FENNER RD.	.20	5450	280	5730
	09.48 LEAVE TROY	.04	5450	280	5730
	09.52 IR 75	.14	9640	480	10120
U	09.66 RE-ENTER TROY	.34	9640	480	10120
U	10.00 SR 718	.40	10580	500	11080
U	10.42 RIDGE AVE.	.40	9130	550	9680
U	10.82 PETERS AVE.	.62	7800	270	8070

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-55					
U	11.44 SR 41 (MAIN ST.)	.08	7630	220	7850
U	11.52 WATER ST.	.29	14730	350	15080
U	11.81 MARKET ST. ENTER STAUNTON ST.	.32	9930	230	10160
U	12.13 OHIO AVE.	.09	8800	200	9000
U	12.22 MAPLE CREST DR.	.44	7700	170	7870
	12.66 N.E. CORP. TROY	.07	6600	140	6740
	12.73 SR 504	.40	5100	120	5220
	13.13 C-13 (LEFEVRE RD.)	1.17	3630	100	3730
	14.30 T-160 (SAYERS RD.)	1.24	2150	80	2230
U	15.63 W. CORP. CASSTOWN	.25	2150	80	2230
U	15.88 SR 589 (MAIN ST.) ENTER ADDISON PK.	.22	1720	60	1780
	16.10 N.E. CORP. CASSTOWN	1.38	1400	50	1450
	17.48 T-211 (RUGGED HILL RD.)	1.63	1150	50	1200
	19.11 SR 201	2.04	1280	60	1340
	21.15 EQUALS STA. 0.00 IN CHAMPAIGN CO.	.00			
SR-66					
U	00.00 US 36 (ASH ST.) IN PIQUA	.08	4200	100	4300
U	00.08 GREENE ST.	.25	2800	250	3050
U	00.22 NORTH ST. ENTER MAIN ST.	.03	8880	720	9600
U	00.25 MAIN ST. ENTER RIVERSIDE DR.	.49	6600	340	6940
U	00.74 GILL ST.	.63	5200	300	5500
	01.37 N. CORP. PIQUA	1.48	3780	220	4000
	02.85 C-110 (HARDIN RD.)	.33	2620	160	2780
	03.18 T-109 (REECE RD.)	1.12	1980	140	2120
	04.30 EQUALS STA. 0.00 IN SHELBY CO.	.00			
IR-75					
	00.00 MONTGOMERY CO. LINE	2.02	27780	6020	33800
U	02.02 S.W. CORP. TIPP CITY	.60	27780	6020	33800
U	02.62 SR 571 (MAIN ST.)	.82	25130	5770	30900
	03.44 N.W. CORP. TIPP CITY	.96	25130	5770	30900
	04.40 C-25A (DIXIE HGWY.)	2.96	24320	5700	30020
U	07.36 S. CORP. TROY	.49	24320	5700	30020
	07.85 LEAVE TROY SR 55	.35	24350	5720	30070
	08.20 SR 718	1.15	24350	5720	30070
U	09.35 RE-ENTER TROY	.36	24350	5720	30070
U	09.71 SR 41 (MAIN ST.)	1.38	19600	5320	24920
	11.09 N. CORP. TROY	2.06	19600	5320	24920
	13.15 C-25A (DIXIE HGWY.) (RAMPS CLOSED)	3.20	19600	5320	24920
U	16.35 S. CORP. PIQUA	.37	19600	5320	24920
U	16.72 US 36 (ASH ST.)	.23	17880	5200	23080
	16.95 LEAVE PIQUA	.64	17880	5200	23080
U	17.59 RE-ENTER PIQUA	.18	17880	5200	23080
U	17.77 C-25A (DIXIE HGWY.)	.01	19480	4960	24440
	17.78 N. CORP. PIQUA	2.18	19480	4960	24440
	19.96 EQUALS STA. 0.00 IN SHELBY CO.	.00			
SR-185					
	00.00 DARKE CO. LINE SR 721	4.03	1140	80	1220
	04.03 SR 48	3.08	700	60	760

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-185					
	07.11 T-106 (SPIKER RD.)	1.66	1000	70	1070
	08.87 N.W. CORP. PIQUA	.40	2660	140	2800
U	09.27 SUNSET DR.	1.06	6250	180	6430
U	10.33 COLLEGE ST.	.21	4140	180	4320
U	10.54 PARK AVE. ENTER BROADWAY ST.	.14	3550	150	3700
U	10.68 NORTH ST.	.31	2350	70	2420
U	10.99 DOWNING ST.	.14	4550	200	4750
	11.13 MAIN ST.	.07	6750	350	7100
	11.20 RTE. ENDS AT US36 (SPRING ST.) IN PIQUA	.00			
SR-201					
	00.00 MONTGOMERY CO. LINE	1.57	3600	120	3720
	01.57 US 40	.74	4030	130	4160
	02.31 T-179 (ROSS RD.)	.45	2720	120	2840
	02.91 C-7A (DAYTON BRANDT RD.)	1.42	1400	100	1500
	04.33 SR 571	5.03	860	60	920
	09.36 SR 41	3.34	540	30	570
	12.70 ROUTE ENDS AT SR 55	.00			
SR-202					
	00.00 MONTGOMERY CO. LINE	.86	4500	240	4740
	00.86 US 40	4.21	3550	200	3750
	05.07 SR 571	5.41	2480	120	2600
	10.49 SR 41	1.68	SEE PREFERRED ROUTE		
	12.17 ROUTE ENDS AT SR55 (MARKET ST.) IN TROY	.00			
SR-504					
	00.00 SR 41	1.29	2800	100	2900
	01.29 ROUTE ENDS AT SR 55	.00			
SR-571					
	00.00 DARKE CO. LINE	1.08	1320	80	1400
	01.08 SR 721	.11	1570	110	1680
U	01.19 N.W. CORP. LAURA	.24	1770	130	1900
U	01.43 SR 721 (MAIN ST.)	.21	1580	80	1660
	01.64 E. CORP. LAURA	.07	1580	80	1660
	01.71 PIKE ST. EXT. LAURA	.58	2400	130	2530
	02.29 SR 55	3.55	2250	120	2370
	05.84 C-46 (MILTON POTSDAM RD.)	.11	3160	240	3400
U	05.95 W. CORP. WEST MILTON	.42	4040	360	4400
	06.37 SR 48 (MIAMI ST.)	.03	SEE PREFERRED ROUTE		
U	06.40 SR 48 (MIAMI ST.) ENTER TIPP PIKE	.23	4050	250	4300
	06.63 E. CORP. WEST MILTON	5.24	3740	180	3920
	11.87 C-149 (PETERS RD.)	1.56	4360	340	4700
	13.44 C-25A (DIXIE HGWY.)	.35	7900	480	8380
U	13.79 W. CORP. TIPP CITY	.16	9650	550	10200
U	13.95 IR 75	.12	13450	570	14020
U	14.07 GARBER DR.	.14	11080	550	11630
U	14.21 TIPPECANOE DR.	.34	8700	530	9230
U	14.55 HYATTSVILLE RD.	.34	7220	460	7680
U	14.89 4TH ST.	.08	6400	360	6760

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-571					
U	14.97 3RD ST.	.08	5580	300	5880
U	15.05 2ND ST.	.42	4820	260	5080
	15.47 E. CORP. TIPP CITY	1.51	4060	220	4280
	16.98 SR 202	3.11	2600	130	2730
	20.09 SR 201	.81	2100	100	2200
	20.90 C-7A (DAYTON BRANDT RD.)	1.24	2720	120	2840
	22.14 EQUALS STA. 0.00 IN CLARK CO.	.00			
SR-589					
U	00.00 SR 55 (MAIN ST.) IN CASSTOWN	.07	780	40	820
	00.07 N. CORP. CASSTOWN	5.82	820	60	880
U	05.99 S. CORP. FLETCHER	.59	1060	100	1160
	06.58 US 36 ENTER MAIN ST.	2.47	SEE PREFERRED ROUTE		
	09.05 US 36	3.02	300	40	340
	12.07 EQUALS STA. 0.00 IN SHELBY CO.	.00			
SR-718					
	00.00 SR 721	1.84	860	40	900
	01.84 C-9 (RANGE LINE RD.)	1.43	1170	60	1230
U	03.29 W. CORP. PLEASANT HILL	.50	1320	80	1400
U	03.79 SR 48 (MAIN ST.)	.54	1800	70	1870
	04.33 E. CORP. PLEASANT HILL	3.88	1800	70	1870
	08.21 C-132 (WILSON RD.)	.26	2500	150	2650
	08.47 C-133 (MCKAIG RD.)	1.71	1350	100	1450
	10.18 IR 75	.15	1350	100	1450
U	10.33 W. CORP. TROY	.31	1800	120	1920
	10.64 ROUTE ENDS AT SR55(MARKET ST.) IN TROY	.00			
SR-721					
	00.00 SR 49	2.84	700	50	750
U	02.84 S. CORP. POTSDAM	.38	850	50	900
	03.22 N. CORP. POTSDAM	1.80	620	50	670
	05.02 CO. RD. 53	.50	860	60	920
U	05.52 W. CORP. LAURA	.12	900	70	970
U	05.67 PIKE ST. ENT. MAIN ST.	.15	540	60	600
	05.82 SR 571	.35	SEE PREFERRED ROUTE		
	06.17 SR 571	3.45	400	40	440
	09.62 SR 718	2.31	380	70	450
	11.93 EQUALS STA. 0.00 IN DARKE CO.	.00			