

TRAFFIC SURVEY REPORT

OF THE
STATE HIGHWAY SYSTEM
WESTERN HALF

WARREN County



HI



1982

OHIO

DEPARTMENT OF TRANSPORTATION

AVERAGE 24-HR TRAFFIC VOLUME

SECT. REGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-3					
00.00	HAMILTON CO. LINE	19.78			
19.78	EQUALS STA. 0.00 IN CLINTON CO.	.00			SEE PREFERRED ROUTE
US-22					
00.00	HAMILTON CO. LINE	1.39	10240	760	11000
01.39	C-15 (COLUMBIA RD.)	1.89	9200	740	9940
03.28	C-23 (FOSTERS-MAINEVILLE RD.)	.73	7100	530	7630
04.01	T-151 (STRIKER RD.)	1.35	5000	320	5320
05.36	SR 48	2.68	5060	360	5420
08.04	C-35 (STUBBS MILL RD.)	1.50	6100	300	6400
U 09.54	W. CORP. MORROW	.68	7160	240	7400
U 10.22	WELCH RD.	.47	7980	300	8280
U 10.69	SR 123	.05	7870	300	8170
U 10.74	2ND ST.	.29	5600	230	5830
11.03	E. CORP. MORROW	1.37	3320	160	3480
12.40	SR 123	.62	2860	160	3020
13.02	C-200 (ROACHESTER OSCEOLA RD.)	1.39	2200	150	2350
14.41	C-45 (MIDDLEBORO RD.)	2.99	1350	150	1500
17.40	CO. RD. 10A	.88	870	150	1020
18.28	SR 350	1.50	1130	130	1260
19.78	EQUALS STA. 0.00 IN CLINTON CO.	.00			
SR-28					
00.00	CLERMONT CO. LINE	5.16	4580	320	4900
05.16	SR 123	.06	5700	320	6020
05.22	EQUALS STA. 0.00 IN CLINTON CO.	.00			
US-42					
00.00	BUT. CO. LINE BUT.-WAR. CO. LINE RD.	.04	7350	470	7820
U 00.04	S. CORP. MASON	.32	7350	470	7820
00.36	LEAVE MASON	.10	7350	470	7820
U 00.46	RE-ENTER MASON WESTERN ROW RD.	.56	8340	480	8820
01.02	LEAVE MASON	.08	8340	480	8820
U 01.10	RE-ENTER MASON	.21	8340	480	8820
01.31	LEAVE MASON	.17	8340	480	8820
U 01.48	RE-ENTER MASON SNIDER RD.	.55	10870	630	11500
U 02.03	MASON MAUDS RD.	1.09	13400	800	14200
U 03.12	KINGS MILLS RD.	1.27	5440	530	5970
U 04.39	SR 741	.61	4860	440	5300
U 05.00	MASON MORROW RD.	.17	3600	220	3820
05.17	N.E. CORP. MASON	4.40	4000	200	4200
U 09.57	S.W. CORP. LEBANON	.98	4600	200	4800
U 10.55	CINCINNATI AVE. ENTER BROADWAY ST.	.11	7970	300	8270
U 10.66	SR 63 (MAIN ST.)	.15	10430	400	10830
U 10.81	SR 123 (SILVER ST.)	.07	12060	480	12540
U 10.88	SR 48 ENTER WARREN ST.	.24	5740	260	6000
U 11.12	EAST ST.	.35	9100	250	9350
U 11.47	SUMMIT ST.	.20	12160	300	12460
U 11.67	DREXEL AVE.	.63	9220	250	9470

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-42					
U	12.30 MONROE RD.	.24	6270	200	6470
	12.54 N.E. CORP. LEBANON DRAKE RD.	.49	3320	150	3470
	13.03 SR 48F	1.06	5430	340	5770
	14.09 T-42 (UTICA RD.)	1.67	4500	330	4830
	15.76 C-134 (TOWNLINE RD.)	.88	3560	320	3880
	16.64 SR 122	2.55	4100	420	4520
	19.19 C-39 (WAYNESVILLE RD.)	.76	4840	560	5400
U	19.95 S. CORP. WAYNESVILLE	.03	4840	560	5400
U	19.98 SR 73	.37	3900	450	4350
U	20.35 NORTH ST.	.24	3140	420	3560
	20.59 N. CORP. WAYNESVILLE	.30	3140	420	3560
	20.89 OLD US 42 (MAIN ST. EXT.)	3.94	4180	460	4640
	24.83 EQUALS STA. 0.00 IN GREEN CO.	.00			
SR-48					
U	00.00 CLERMONT CO. LINE IN LOVELAND	.19	3300	80	3380
	00.19 N. CORP. LOVELAND	.22	3200	80	3280
	00.41 C-156 (BUTTERWORTH RD.)	1.26	2420	80	2500
	01.67 T-143 (SCHLOTTMAN RD.)	1.47	1750	70	1820
	03.14 C-16 (LEBANON RD.)	1.22	1250	70	1320
	04.36 T-143 (SCHLOTTMAN RD.)	.46	1950	100	2050
U	04.82 S. CORP. MAINEVILLE	.16	2320	120	2440
U	04.98 FOSTERS RD.	.26	2840	110	2950
	05.24 N. CORP. MAINEVILLE	1.41	2900	130	3030
	06.65 US 22	2.46	4160	220	4380
	09.11 CO. RD. 38	.76	6800	260	7060
	09.87 IR 71	1.36	11800	470	12270
U	11.23 S. CORP. LEBANON	.31	11800	470	12270
U	11.54 TURTLE CREEK UNION RD.	1.05	9900	450	10350
	12.59 LEAVE LEBANON	.31	9900	450	10350
U	12.90 RE-ENTER LEBANON	.48	9900	450	10350
	13.38 LEAVE LEBANON	.10	9900	450	10350
	13.48 SR 48F ENTER RAMP	.17	2120	100	2220
	13.65 SR 123 ENTER E. MAIN ST. EXT.	.07	11600	440	12040
	13.72 SR 48 FUTURE	.07	12500	480	12980
U	13.79 RE-ENTER LEBANON	.42	12500	480	12980
U	14.21 MOUND ST.	.27	10000	480	10480
U	14.48 EAST ST.	.23	7470	470	7940
	14.71 US 42 ENTER N. BROADWAY	1.22	SEE PREFERRED ROUTE		
U	13.93B US 42 (WARREN ST.)	1.47	8320	380	8700
U	15.40 MILLER RD.	.10	6630	320	6950
	15.50 N. CORP. LEBANON	1.23	6630	320	6950
	16.73 C-102 (KIRBY RD.)	.59	4980	320	5300
	17.32 SR 122	1.24	4340	280	4620
	18.56 T-53 (PEKIN RD.)	3.55	2300	100	2400
	22.11 SR 73	1.58	4080	120	4200
	23.69 C-46 (LYTLE-FIVE POINTS RD.)	.91	4770	200	4970
	24.60 EQUALS STA. 0.00 IN MONTGOMERY CO.	.00			
SR-48 FUTURE					
	00.00 SR 48	.13	7780	350	8130

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-48 FUTURE					
	00.13 SR 48	.02	7670	350	8020
U	00.15 S. CORP. LEBANON	.28	7670	350	8020
	00.43 LEAVE LEBANON	.87	7670	350	8020
	01.30 T-248 (MONROE RD.)	.20	2500	250	2750
U	01.50 RE-ENTER LEBANON	.03	2500	250	2750
	01.53 N.E. CORP. LEBANON	.36	2500	250	2750
	01.89 ROUTE ENDS AT US 42	.00			
SR-63					
U	00.00 BUT. CO. LINE IN MONROE GARVER RD.	.10	11350	2100	13450
U	00.10 IR 75	.76	7000	940	7940
	00.86 E. CORP. MONROE	2.31	4900	400	5300
	03.17 SR 741	1.91	3940	320	4260
	05.08 C-71 (MC CLURE RD.)	.95	5200	400	5600
U	06.03 W. CORP. LEBANON	.95	6460	500	6960
	07.00 ROUTE ENDS AT US 42 IN LEBANON	.00			
IR-71					
	00.00 HAMILTON CO. LINE	.09	21780	5840	27620
	00.09 C-21 (MASON-MONTGOMERY RD.)	3.52	23120	5900	29020
	03.61 T-54 (WESTERN ROW RD.)	1.79	21900	5870	27770
	05.40 C-31 (KINGS MILLS RD.)	3.01	20400	5800	26200
	08.41 SR 48	4.24	14530	5440	19970
	12.65 SR 123	4.18	15280	5620	20900
	16.83 C-7 (WILMINGTON RD.)	5.43	14280	5560	19840
	22.26 EQUALS STA. 0.00 IN CLINTON CO.	.00			
SR-73					
U	00.00 BUTLER CO. LINE W. CORP. FRANKLIN	1.03	9300	520	9820
U	01.03 MIDDLETOWN PIKE ENTER FRONT ST.	.23	8440	280	8720
U	01.26 FRONT ST. ENTER MAIN ST.	.46	5200	130	5330
U	01.72 SR 123 (6TH ST.)	.18	7170	160	7330
U	01.90 4TH ST.	.17	9540	230	9770
U	02.07 SR 123 ENTER 2ND. ST.	.10	8640	300	8940
U	02.17 RILEY ST.	1.67	15340	450	15790
U	03.84 IR 75	.07	16000	500	16500
U	03.91 W. CORP. SPRINGBORO	.21	13620	440	14060
U	04.12 SHARTZ RD.	1.29	11220	380	11600
U	05.41 ROYAL DR.	.48	8840	320	9160
U	05.89 SR 741 (MAIN ST.)	.21	5600	240	5840
	06.10 E. CORP. SPRINGBORO	1.97	4750	230	4980
	08.29 T-128 (BUNNELL HILL RD.)	1.55	3900	220	4120
	09.84 SR 48	3.32	4020	220	4240
	13.16 C-251 (OLD SR 73)	.94	3200	200	3400
U	14.10 W. CORP. WAYNESVILLE	.35	3900	300	4200
U	14.45 MAIN ST.	.06	4630	400	5030
U	14.51 US 42	.06	4300	440	4740
	14.57 E. CORP. WAYNESVILLE	.28	4300	440	4740
	14.85 T-47 (CORWIN RD.)	1.18	3130	330	3460
	16.03 C-251 (OLD SR 73)	3.18	3500	340	3840
U	19.54 W. CORP. HARVEYSBURG	.16	2980	320	3300

AVERAGE 24-HR TRAFFIC VOLUME

SECT. REGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-73					
	19.70 LEAVE HARVEYSBURG	.25	2980	320	3300
U	19.95 RE-ENTER HARVEYSBURG	.86	2980	320	3300
	20.81 E. CORP. HARVEYSBURG	.17	2860	320	3180
	20.98 EQUALS STA. 0.00 IN CLINTON CO.	.00			
IR-75					
U	00.00 BUTLER CO. LINE IN MONROE	.38	27770	7860	35630
U	00.38 SR 63 (LEBANON ST.)	1.16	29100	7900	37000
	01.54 N. CORP. MONROE	2.56	29100	7900	37000
	04.10 SR 122	2.48	29000	8050	37050
U	06.58 S. CORP. FRANKLIN	.28	29000	8050	37050
	06.86 LEAVE FRANKLIN	.12	29000	8050	37050
U	06.98 RE-ENTER FRANKLIN	1.19	29000	8050	37050
U	08.17 SR 123 (FRANKLIN-LEBANON RD.)	1.01	31470	8150	39620
	09.18 LEAVE FRANKLIN	.52	31470	8150	39620
U	09.70 RE-ENTER FRANKLIN	.32	31470	8150	39620
U	10.02 SR 73 (2ND ST.)	.39	33570	8200	41770
	10.41 N.E. CORP. FRANKLIN	1.79	33570	8200	41770
	12.20 EQUALS STA. 0.00 IN MONTGOMERY CO.	.00			
SR-122					
	00.00 BUTLER CO. LINE	.72	16000	1300	17300
	00.72 IR 75	.39	9380	460	9840
	01.07 T-33 (UNION RD.)	2.07	5000	320	5320
	03.14 C-121 (ROBINSON-VAIL RD.)	1.48	2830	250	3080
	04.62 SR 123	.13	5170	480	5650
	04.75 SR 741	.01	5100	470	5570
	04.76 SR 123	2.63	3400	380	3780
	07.39 SR 48	2.35	2160	180	2340
	09.74 T-42 (UTICA RD.)	1.50	1160	120	1280
	11.24 ROUTE ENDS AT US 42	.00			
SR-123					
	00.00 CLINTON CO. LINE	.06	SEE PREFERRED ROUTE		
	00.06 SR 28	1.82	1530	70	1600
	01.88 T-193 (CLEVINGER RD.)	2.79	750	50	800
	04.67 SR 132	2.13	1250	50	1300
	06.80 C-40 (MORROW-BLACKHAWK RD.)	.89	770	30	800
	07.74 US 22	1.71	SEE PREFERRED ROUTE		
U	09.45 US 22 IN MORROW	.18	2470	80	2550
	09.63 N. CORP. MORROW	.95	1450	50	1500
	10.58 T-39 (WAYNESVILLE RD.)	3.09	1000	40	1040
	13.67 T-39 (WAYNESVILLE RD.)	1.16	2900	100	3000
	14.83 SR 350	.16	4530	300	4830
	14.99 IR 71	2.24	4020	220	4240
U	17.23 E. CORP. LEBANON	.13	5020	260	5280
U	17.36 STUBBS MILLS RD.	.04	7060	340	7400
	17.40 LEAVE LEBANON	.04	7060	340	7400
	17.44 SR 48	1.30	SEE PREFERRED ROUTE		
U	18.74 US 42 (BROADWAY) ENTER SILVER ST.	.07	7180	240	7420
U	18.81 SYCAMORE ST.	.08	6400	220	6620

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-123					
U	18.89 WATER ST.	.22	5630	200	5830
U	19.11 WEST ST.	.89	4900	170	5070
U	20.00 HART RD.	.20	3450	150	3600
	20.20 W. CORP. LEBANON	.49	3450	150	3600
	20.75 C-20 (GREENTREE RD.)	3.19	2000	130	2130
	23.94 SR 122	.14	SEE PREFERRED ROUTE		
	24.08 SR 122	2.45	2200	230	2430
	26.53 C-121 (ROBINSON-VAIL RD.)	.68	3870	300	4170
U	27.21 S. CORP. FRANKLIN	.50	5350	320	5670
U	27.71 REAL RD.	.58	8300	1700	10000
U	28.29 IR 75	.21	7300	560	7860
U	28.50 SPRING DR.	1.01	5740	200	5940
	29.55 SR 73 ENTER MAIN ST.	.35	SEE PREFERRED ROUTE		
U	29.90 SR 73 ENTER 2ND ST.	.09	8950	300	9250
U	29.99 RIVER ST.	.12	13970	570	14540
U	30.11 2ND. ST. ENTER MIAMI AVE.	.29	9100	350	9450
	30.40 N. CORP. FRANKLIN	.02	9100	350	9450
U	30.42 S. CORP. CARLISLE	.40	9100	350	9450
U	30.82 DAYTON OXFORD RD. ENTER CENTRAL AVE.	1.31	5960	300	6260
U	32.13 JAMAICA RD.	.79	3800	250	4050
	32.92 W. CORP. CARLISLE	.10	1500	240	1740
	33.02 EQUALS STA. 0.00 IN MONTGOMERY CO.	.00			
SR-132					
	00.00 CLERMONT CO. LINE	1.15	1080	60	1140
U	01.15 S. CORP. PLEASANT PLAIN	.42	1380	80	1460
	01.57 N. CORP. PLEASANT PLAIN	1.46	870	60	930
U	03.03 S.W. CORP. RUTLERVILLE	.56	1020	60	1080
	03.59 N.E. CORP. RUTLERVILLE	.08	1000	60	1060
	03.67 C-24 (MORROW-WOODVILLE RD.)	1.38	550	30	580
	05.05 SR 123	5.78	320	20	340
	10.83 SR 133	.66	750	50	800
	11.49 EQUALS STA. 0.00 IN CLINTON CO.	.00			
SR-133					
	00.00 CLERMONT CO. LINE	.46	1370	100	1470
	00.46 ENTER CLINTON CO. STA. 0.00	.00			
	00.46 LEAVE CLINTON CO. STA. 9.21	.68	540	30	570
	01.14 SR 132	.66	SEE PREFERRED ROUTE		
	01.80 EQUALS STA. 9.21 IN CLINTON CO.	.00			
SR-350					
	00.00 SR 123	.98	2000	200	2200
	00.98 T-39 (WAYNESVILLE RD.)	1.04	800	80	880
	02.02 T-83 (NIXON RD.)	5.88	470	30	500
	07.90 US 22	.61	400	20	420
	08.51 CO. RD. 10A	.71	870	30	900
	09.22 EQUALS STA. 0.00 IN CLINTON CO.	.00			
SR-741					
U	00.00 US 42 (MAIN ST.) IN MASON	.38	2630	330	2960

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
	SR-741				
00.38	N.E. CORP. MASON	4.08	2530	200	2730
04.46	SR 63	4.22	1700	120	1820
08.68	SR 122	2.10	2400	130	2530
10.78	T-124 (MC LEAN RD.)	1.11	3940	170	4110
U 11.89	S. CORP. SPRINGBORO	1.02	5480	200	5680
U 12.91	MILL ST.	.44	7450	180	7630
U 13.35	SR 73 (CENTRAL ST.)	.32	8500	240	8740
13.67	LEAVE SPRINGBORO	.46	8000	240	8240
U 14.13	RE-ENTER SPRINGBORO	1.03	8000	240	8240
15.16	N. CORP. SPRINGBORO	.22	8000	240	8240
15.38	EQUALS STA. 0.00 IN MONTGOMERY CO.	.00			