

TRAFFIC SURVEY REPORT
OF THE
STATE HIGHWAY SYSTEM
WESTERN HALF



OHIO

DEPARTMENT OF TRANSPORTATION

AVERAGE 24-HR TRAFFIC VOLUME

SECT. REGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-33					
00.00	AUGLAIZE CO. LINE	1.37	3230	1310	4540
01.37	SR 366	1.78	3140	1540	4680
U 03.15	N.W. CORP. LAKEVIEW	.56	3490	1500	4990
U 03.71	SR 235 (LAKE AVF.)	.26	5160	1550	6710
03.97	E. CORP. LAKEVIEW	.85	5650	1480	7130
U 04.82	N.W. CORP. RUSSELLS POINT	.25	6130	1400	7530
U 05.07	SR 720 (WILGUS DR.)	.62	6270	1400	7670
U 05.69	SR 708 (ORCHARD ISLAND RD.)	.17	5450	1270	6720
U 05.86	RAMP TO SR 366	.03	4370	1180	5550
05.89	E. CORP. RUSSELLS POINT	3.90	4000	1100	5100
09.79	SR 274	1.17	4470	1250	5720
10.96	SR 117	4.70	5780	1470	7250
15.66	US 68	.30	4090	1350	5440
15.96	SR 47	1.26	3940	1130	5070
17.22	N. CORP. BELLEFONTAINE SR 540	.31	4690	1200	5890
17.53	S. CORP. BELLEFONTAINE	2.43	4180	1370	5550
19.96	CO. RD. 10	2.51	5300	1390	7190
22.47	CO. RD. 153	2.64	6310	1460	7770
25.11	SR 292	1.59	5560	1390	6950
26.70	OLD US 33	1.38	6590	1750	8340
28.08	SR 287	1.63	7160	1600	8760
29.71	EQUALS STA. 0.00 IN UNION CO.	.00			
SR-47					
00.00	SHELBY CO. LINE	2.27	1140	140	1280
02.27	CO. RD. 35	1.74	1230	170	1400
04.01	CO. RD. 24	1.22	1320	190	1510
05.23	SR 235	3.37	2450	310	2760
08.60	TWP. RD. 31	3.06	2950	310	3260
11.66	TWP. RD. 32	.07	3440	320	3760
U 11.73	W. CORP. BELLEFONTAINE	.33	3440	320	3760
12.06	LEAVE BELLEFONTAINE	.14	3440	320	3760
12.20	OLD SR 47	.07	3110	300	3410
U 12.27	RE-ENTER BELLEFONTAINE	.42	3330	360	3690
U 12.69	TROY ST.	.29	3860	380	4240
U 12.98	GARFIELD AVE.	.32	8200	470	8670
U 13.30	US 68DA (DETROIT ST.)	.20	SEE PREFERRED ROUTE		
U 13.50	US 68 (MADRIVER ST.)	.10	5520	100	5620
13.60	BROWN AVE.	.19	4810	100	4910
U 13.79	WILLIAMS RD.	.12	4320	90	4410
U 13.91	PALMER AVE.	.19	2390	70	2460
U 14.10	SR 47 DA ENTER RUSH AVE.	.41	2670	110	2780
14.51	N. CORP. BELLEFONTAINE	.25	2510	60	2570
14.76	US 33	.42	2510	60	2570
15.18	CO. RD. 9	4.79	1370	50	1420

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-47					
	19.97 SR 533	.37	1250	80	1330
	20.34 TWP. RD. 5	2.98	1000	60	1060
	23.32 SR 292	2.65	1000	60	1060
U	25.97 W. CORP. WEST MANSFIELD	.35	1660	100	1760
U	26.32 MAIN ST.	.21	2310	130	2440
U	26.53 MAIN ST. ENTER CENTER ST.	.59	1750	100	1850
	27.12 E. CORP. WEST MANSFIELD	.10	700	40	740
	27.22 EQUALS STA. 0.00 IN UNION CO.	.00			
SR-47 DIRECTIONAL ALTERNATE					
U	00.00 US 68	.46	SEE PREFERRED ROUTE		
U	00.46 US 68 ENTER RUSH AVE.	.18	1600	90	1690
	00.64 ROUTE ENDS AT SR 47 IN BELLEFONTAINE	.00			
US-68					
	00.00 CHAMPAIGN CO. LINE	.31	4100	520	4620
U	00.31 S. CORP. WEST LIBERTY	.23	5510	500	6010
U	00.54 SIDNEY ST.	.09	6910	470	7380
U	00.63 SR 245 (BAIRD ST.)	.19	7040	430	7470
U	00.82 OLD US 68 (C-189)	.28	5910	480	6390
	01.10 LEAVE WEST LIBERTY	.06	4780	520	5300
U	01.16 RE-ENTER WEST LIBERTY	.08	4780	520	5300
	01.24 N. CORP. WEST LIBERTY	.95	4780	520	5300
	02.09 SR 508	2.06	4680	490	5170
	04.15 TWP. RD. 190	2.04	5380	450	5830
	06.19 TWP. RD. 200	.15	5590	450	6040
U	06.34 S. CORP. BELLEFONTAINE FOUNTAIN PLAZA	1.16	9700	550	10250
U	07.50 CARTER AVE.	.51	13180	660	13840
U	08.01 US68DA ENTER AUBURN AVE.	.10	4480	310	4790
U	08.11 AUBURN AVE. ENTER MADRIVER ST.	.10	4870	370	5240
U	08.21 CHILLICOTHE AVE.	.10	5850	380	6230
U	08.31 COLUMBUS AVE.	.10	7050	300	7350
U	08.41B SR 47 ENTER SANDUSKY AVE.	.20	9790	520	10310
U	08.31 SANDUSKY AVE. ENTER MAIN ST.	.46	10320	800	11120
U	08.77 SR 47 DA (RUSH ST.)	.66	7780	610	8390
	09.43 N. CORP. BELLEFONTAINE	.07	7940	800	8740
	09.50 US 33	.04	5180	790	5970
	09.54 TWP. RD. 217	2.80	3980	590	4570
	12.34 TWP. RD. 57	2.18	2770	390	3160
	14.52 SR 638	.51	1690	270	1960
	15.03 SR 274	3.72	1570	320	1890
	18.75 SR 273	1.10	1510	320	1830
	19.85 CO. RD. 103	.11	1140	190	1330
	19.96 EQUALS STA. 0.00 IN HARDIN CO.	.00			
US-68 DIRECTIONAL ALTERNATE					
	00.00 US 68 (N. MAIN ST.) IN BELLEFONTAINE	.10	10010	660	10670

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-68 DIRECTIONAL ALTERNATE					
00.10	SR 47 ENTER DETROIT ST.	.30	4800	330	5130
00.40	DETROIT ST. ENTER AUBURN AVE.	.10	2920	290	3210
00.50	ROUTE ENDS AT US68(S.MAIN ST.)	.00			
SR-117					
00.00	HARDIN CO. LINE	.71	2380	330	2710
00.71	SR 273	.83	2640	240	2880
01.54	SR 273	3.02	2700	380	3080
04.56	SR 366DA	.25	3170	440	3610
04.81	SR 366	1.02	3450	440	3890
U 05.83	N. CORP. HUNTSVILLE SR 274	.56	3880	450	4330
06.39	VINE ST.	.14	4510	450	4960
06.53	S. CORP. HUNTSVILLE SR 274	.18	4410	450	4860
06.71	US 33	.14	2980	380	3360
06.85	CO. RD. 130 ENTER RAMP	.32	1280	170	1450
07.17	ROUTE ENDS AT US 33	.00			
SR-235					
00.00	CHAMPAIGN CO. LINE TWP. RD. 3	1.04	1400	210	1610
01.04	SR 706	.13	1810	230	2040
U 01.17	S. CORP. QUINCY	.81	2210	170	2380
U 01.98	LIBERTY ST.	.26	2440	170	2610
02.24	N. CORP. QUINCY	2.55	2730	180	2910
U 04.79	W. CORP. DEGRAFF	.55	3020	190	3210
U 05.34	SR 508 (MAIN ST.)	.08	3230	200	3430
U 05.42	MIAMI ST. ENTER CRETCHER ST.	.66	2720	220	2940
06.08	N. CORP. DEGRAFF	2.11	2200	230	2430
08.19	SR 47	4.94	1380	80	1460
13.13	TWP. RD. 54	.77	1680	80	1760
14.19	CO. RD. 91	.50	1980	80	2060
14.69	SR 274	.74	2280	100	2380
15.43	SR 708	2.32	1180	50	1230
17.75	SR 720	.26	1600	50	1650
U 18.01	S. CORP. LAKEVIEW	.33	3100	110	3210
U 18.34	US 33	.02	2820	120	2940
18.36	E. CORP. LAKEVIEW	.01	2820	120	2940
18.37	SR 366	1.54	3360	100	3460
19.95	SR 365	.53	2360	100	2460
20.48	SR 366	3.06	2670	200	2870
23.54	TWP. RD. 93	.48	1740	130	1870
24.02	TWP. RD. 251	.77	1080	100	1180
24.79	EQUALS STA. 0.00 IN HARDIN CO.	.00			
SR-245					
00.00	CHAMPAIGN CO. LINE TWP. RD. 7	.54	420	30	450
00.54	TWP. RD. 195	.33	470	30	500
U 00.87	W. CORP. WEST LIBERTY	.38	1310	40	1350

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-245					
U	01.25 RUNKLE ST. ENTER TAYLOR ST.	.20	950	30	980
U	01.45 MILLER ST.	.16	1410	40	1450
U	01.61 REYNOLDS ST.	.15	1870	50	1920
U	01.76 US 68 (DETROIT ST.)	.21	2330	80	2410
U	01.97 LIBERTY ST.	.14	1840	80	1920
	02.11 E. CORP. WEST LIBERTY	.99	1350	80	1430
	03.10 CO. RD. 47	.87	860	80	940
	03.97 SR 287	1.15	510	40	550
	05.12 ENTER CHAMPAIGN CO. STA. 10.74	.00			
	05.12 LEAVE CHAMPAIGN CO. STA. 10.82	.72	240	20	260
	05.84 EQUALS STA. 10.82 IN CHAMPAIGN CO.	.00			
SR-273					
	00.00 LONG ISLAND PARK INDIAN LAKE	2.02	260	50	310
	02.02 SR 117	.83	SEE PREFERRED ROUTE		
	02.85 SR 117	1.67	400	50	450
	04.52 TWP. RD. 97	1.61	620	70	690
	06.13 CO. RD. 104	.33	880	60	940
U	06.46 N.W. CORP. BELLE CENTER	.35	1130	40	1170
U	06.81 ELIZABETH ST.	.21	1710	40	1750
U	07.02 STATE ST.	.29	1360	90	1450
U	07.31 SR 638	.40	720	50	770
	07.71 E. CORP. BELLE CENTER	2.20	420	40	460
	09.91 US 68	2.98	430	30	460
	12.89 SR 274	.60	460	30	490
	13.49 EQUALS STA. 0.00 IN HARDIN CO.	.00			
SR-274					
	00.00 SHELBY CO. LINE	5.03	1690	190	1880
	05.03 SR 235	4.55	1120	200	1320
	09.58 US 33	.72	600	100	700
	10.30 N. CORP. HUNTSVILLE SR 117	.70	SEE PREFERRED ROUTE		
	11.00 S. CORP. HUNTSVILLE SR 117	2.93	610	20	630
	13.93 CO. RD. 49	1.66	470	50	520
	15.59 SR 638	.19	470	50	520
	15.78 US 68	2.24	450	50	500
U	18.02 W. CORP. RUSHSYLVANIA	.52	700	50	750
U	18.54 MILL ST. ENTER SANDUSKY ST.	.17	950	50	1000
U	18.71 MIAMI RD.	.37	530	30	560
	19.08 N.E. CORP. RUSHSYLVANIA	2.55	490	30	520
	21.63 CO. RD. 12	1.01	290	30	320
	22.64 ROUTE ENDS AT SR 273	.00			
SR-287					
	00.00 SR 245	.91	810	70	880
	00.91 CO. RD. 28	4.01	190	10	200
	04.92 TWP. RD. 150	.98	170	10	180

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-287					
05.90	TWP. RD. 177	1.79	310	20	330
07.69	TWP. RD. 150	.69	660	60	720
08.38	SR 559	1.45	870	80	950
09.83	CO. RD. 153	1.17	1100	60	1160
11.00	ROUTE ENDS AT US 33	.00			
SR-292					
00.00	US 33	1.28	860	120	980
01.28	CO. RD. 10	.08	2020	70	2090
01.36	SR 347	1.47	860	20	880
02.83	TWP. RD. 141	2.46	600	20	620
05.29	SR 540	.24	530	20	550
05.53	CO. RD. 8	1.61	340	20	360
07.14	SR 47	6.37	520	40	560
13.51	CO. RD. 12	.63	670	30	700
U 14.14	S. CORP. RIDGEWAY	.46	820	20	840
14.60	EQUALS STA. 0.00 IN HARDIN CO.	.00			
SR-347					
00.00	US 33	1.36	SEE PREFERRED ROUTE		
01.36	SR 292	.22	1420	50	1470
01.58	CO. RD. 154	.94	970	30	1000
02.52	CO. RD. 142	1.32	570	20	590
03.84	EQUALS STA. 0.00 IN UNION CO.	.00			
SR-365					
00.00	SR 235	.16	500	20	520
00.16	ROUTE ENDS AT ENT. BLACK HAWK PARK	.00			
SR-366					
00.00	US 33	.91	950	70	1020
00.91	SR 235	2.07	SEE PREFERRED ROUTE		
02.98	SR 235	1.27	1360	60	1420
U 04.25	W. CORP. RUSSELLS POINT	.29	2350	70	2420
U 04.56	SANTA FE RD.	.19	3340	70	3410
U 04.75	CENTER ST.	.37	4330	80	4410
U 05.12	SR 708 (ORCHARD ISLAND RD.)	.20	5510	160	5670
05.32	E. CORP. RUSSELLS POINT	1.78	3530	170	3700
07.10	SR 368	.62	2260	150	2410
07.72	CO. RD. 38	1.70	1150	70	1220
09.42	SR 366DA	.38	310	10	320
09.80	ROUTE ENDS AT SR 117	.00			
SR-366 DIRECTIONAL ALTERNATE					
00.00	SR 366	.26	610	100	710
00.26	SR 117	.25	SEE PREFERRED ROUTE		
00.51	ROUTE ENDS AT SR 117	.00			

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-368					
00.00	SR 366	2.59	2500	40	2540
02.59	ENDS AT MINNEWAUKEN ISLAND CO. 272	.00			
SR-508					
U 00.00	SR 235 (MIAMI ST.) IN DEGRAFF	.09	1780	70	1850
U 00.09	HAYES ST.	.48	1560	60	1620
U 00.57	CO. RD. 64	.57	1170	50	1220
U 01.14	TWP. RD. 30	.15	910	50	960
01.29	S. CORP. DEGRAFF	6.01	640	50	690
07.32	TWP. RD. 187	2.16	580	70	650
09.48	ROUTE ENDS AT US 68	.00			
SR-533					
00.00	SR 540	1.81	220	20	240
01.81	ROUTE ENDS AT SR 47	.00			
SR-540					
U 00.00	US 68 (MAIN ST.) IN BELLEFONTAINE	.10	SEE PREFERRED ROUTE		
U 00.10	SR 47 (MADRIVER ST.)	.10	7670	250	7920
U 00.20	PARK ST.	.40	6020	220	6240
U 00.60	HAYES ST.	.46	4740	180	4920
01.06	LEAVE BELLEFONTAINE	.01	3460	140	3600
U 01.07	RE-ENTER BELLEFONTAINE	.18	3460	140	3600
01.25	LEAVE BELLEFONTAINE	.40	3460	140	3600
01.65	US 33	.08	2060	30	2090
01.73	TWP. RD. 183	.02	1600	20	1620
U 01.75	RE-ENTER BELLEFONTAINE	.10	1600	20	1620
01.85	LEAVE BELLEFONTAINE	.22	1600	20	1620
U 02.07	RE-ENTER BELLEFONTAINE	.34	1600	20	1620
02.41	E. CORP. BELLEFONTAINE	.25	1600	20	1620
02.66	TWP. RD. 230	1.14	1120	20	1140
03.80	CO. RD. 25	1.92	510	20	530
05.72	SR 533	2.99	140	10	150
08.71	ROUTE ENDS AT SR 292	.00			
SR-559					
00.00	CHP. CO. LINE N. CORP. N. LEWISBURG	2.79	510	40	550
02.79	CO. RD. 158	1.23	300	20	320
04.02	ROUTE ENDS AT SR 287	.00			
SR-638					
00.00	US 68	.41	1100	120	1220
00.41	SR 274	3.55	1510	80	1590
U 03.96	S.E. CORP. BELLE CENTER	.03	1070	70	1140
03.99	ROUTE ENDS AT SR 273 IN BELLE CTR.	.00			

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-706					
00.00	SHELBY CO. LINE	2.29	510	30	540
02.29	ROUTE ENDS AT SR 235	.00			
SR-708					
00.00	SR 235	1.42	1310	50	1360
U 01.42	S. CORP. RUSSELLS POINT	.24	2160	150	2310
U 01.66	ELLIOT RD.	.08	4680	200	4880
U 01.74	US 33	.05	3960	140	4100
U 01.79	SR 366	.40	3450	70	3520
02.19	N. CORP. RUSSELLS POINT	.23	1310	10	1320
02.42	ROUTE ENDS AT BEATLEYS PARK	.00			
SR-720					
00.00	AUGLAIZE CO. LINE CO. RD. 17	3.14	290	20	310
03.14	CO. RD. 54	.98	620	10	630
U 04.12	W. CORP. LAKEVIEW SR 235	.29	670	40	710
04.41	E. CORP. LAKEVIEW	.90	670	40	710
U 05.31	W. CORP. RUSSELLS POINT	.08	670	40	710
05.39	ROUTE ENDS AT US 33 IN RUSSELLS POINT	.00			