

TRAFFIC SURVEY REPORT
OF THE
STATE HIGHWAY SYSTEM
WESTERN HALF



OHIO

DEPARTMENT OF TRANSPORTATION

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-4					
00.00	DELAWARE CO. LINE	.64	3270	430	3700
00.64	SR 47	2.90	2630	320	2950
03.54	SR 203	2.91	2800	230	3030
06.45	T-120 (HUGHES RD.)	1.91	5470	320	5790
08.36	C-126 (GOODING RD.)	1.09	6600	340	6940
09.45	C-107 (SMELTZER RD.)	.22	9340	370	9710
09.67	C-138 (BARKS RD.)	.38	7900	460	8360
U 10.05	S. CORP. MARION	.40	7900	460	8360
U 10.45	EDGEWOOD DR.	.36	4920	430	5350
U 10.81	SR 4DA ENTER WALNUT ST.	.19	5410	300	5710
U 11.00	SR 423 ENTER DELAWARE AVE.	.09	14720	360	15080
U 11.09	DELAWARE ENTER STATE ST.	.30	6980	250	7230
U 11.39	SR 739 (COLUMBIA ST.)	.18	8960	450	9410
U 11.57	SR 95 (CHURCH ST.)	.09	7220	410	7630
U 11.66	SR 95DA (CENTER ST.)	.28	7040	280	7320
U 11.94	GEORGE ST.	.31	6180	280	6460
U 12.35	STATE ST. ENTER PATTON ST.	.07	3310	200	3510
U 12.42	SR 4DA ENTER MAIN ST.	.64	13330	780	14110
13.06	N. CORP. MARION	.50	10570	640	11210
13.56	C-162 (MARION-WILLIAMS RD.)	.29	7810	500	8310
13.66	SR 423	.73	3810	340	4150
14.39	C-167 (LIKENS RD.)	1.65	3100	340	3440
16.04	C-195 (LINN-HIPSHER RD.)	.95	2370	340	2710
16.99	US 23	3.38	3210	370	3580
20.37	EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-4 DIRECTIONAL ALTERNATE					
U 00.00	SR 4 (WALNUT ST.) IN MARION	.24	6000	310	6310
U 00.24	SR 739 (BELLEFONTAINE AVE.)	.33	6190	360	6550
U 00.57	SR 95 (CHURCH ST.)	.10	8540	410	8950
U 00.67	SR 95DA (CENTER ST.)	.44	7770	390	8160
U 01.11	MARK ST.	.22	6100	300	6400
U 01.33	PROSPECT ST. ENTER KLERX ST.	.08	5380	270	5650
U 01.41	ROUTE ENDS AT SR 4 (MAIN ST.) IN MARION	.00			
US-23					
00.00	DELAWARE CO. LINE	1.85	12210	3320	15530
01.85	SR 98	6.02	8750	2910	11660
07.87	SR 529	2.20	8750	2910	11660
10.07	SR 95	1.01	10920	3050	13970
11.08	SR 309	1.57	9730	2820	12550
12.65	C-162 (MARION-WILLIAMSPORT RD.)	3.48	8600	2800	11400
15.13	SR 4	2.89	7300	2750	10050
19.02	SR 231	.95	7050	2820	9870
19.97	EQUALS STA. 0.00 IN WYANDOT CO.	.00			

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-37					
	00.00 WYANDOT CO. LINE	3.35	410	60	470
	03.35 SR 309	1.49	340	60	400
	04.84 C-33 (WILDCAT PIKE)	2.49	600	50	650
U	07.33 N. CORP. LA RUE	.84	1260	60	1320
U	08.17 VINE ST.	.06	1910	60	1970
U	08.23 SR 95 (MARKET ST.)	.28	1010	40	1050
	08.51 S. CORP. LA RUE	1.88	760	40	800
	10.39 T-49 (LINWOOD RD.)	2.93	530	30	560
	13.32 C-45 (MT. OLIVE-GREENCAMP RD.)	.54	320	20	340
	13.86 EQUALS STA. 0.00 IN UNION CO.	.00			
SR-47					
	00.00 DELAWARE CO. LINE	.64	SEE PREFERRED ROUTE		
	00.64 SR 4	1.47	1050	70	1120
U	02.11 W. CORP. PROSPECT SR 257	.09	1600	70	1670
U	02.20 FARNUM ST.	.14	2440	140	2580
U	02.34 SR 203 (MAIN ST.)	.64	2100	110	2210
	02.98 E. CORP. PROSPECT	5.41	1250	100	1350
	08.39 SR 229	.27	1750	100	1850
U	08.66 S. CORP. WALDO	.31	2410	160	2570
U	08.97 MAIN ST.	.20	3070	210	3280
	09.17 ROUTE ENDS AT SR 98 IN WALDO	.00			
SR-95					
U	00.00 SR 37 (HIGH ST.) IN LA RUE	.44	1910	50	1960
	00.44 E. CORP. LA RUE	4.04	1910	50	1960
U	04.48 S. CORP. NEW BLOOMINGTON	.49	1970	50	2020
	04.97 E. CORP. NEW BLOOMINGTON	4.92	1970	90	2060
	10.04 SR 203	2.14	2560	100	2660
	12.18 MARION DISPOSAL PLANT	1.10	3720	530	4250
U	13.28 W. CORP. MARION	.63	4600	620	5220
U	13.91 WATERLOO ST.	.22	5470	700	6170
U	14.13 SR 95DA ENTER DAVIDS ST.	.30	5370	400	5770
U	14.43 DAVID ST. ENTER COLUMBIA ST.	.36	5730	230	5960
U	14.79 COLUMBIA ST. ENTER BLAINE AVE.	.17	3410	200	3610
U	14.96 BLAINE AVE. ENTER CHURCH ST.	.33	7400	510	7910
U	15.29B SR 4DA (PROSPECT ST.)	.16	12300	580	12880
U	15.45B SR 4 (STATE ST.)	.14	14020	570	14590
U	15.23 SR 95DA ENTER MT. VERNON AVE.	.29	9230	320	9550
U	15.62 BRIGHTWOOD DR.	.45	13440	350	13790
U	16.07 VERNON HTS. BLVD.	.45	19340	400	19740
U	16.52 SR 529 (RICHLAND RD.)	.15	23130	420	23550
U	16.67 CLARIDON AVE.	.10	17770	430	18200
	16.77 E. CORP. MARION	.39	17770	430	18200
	17.16 OSU BRANCH	.73	15670	450	16120

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-95					
17.89	US 23	.15	9430	450	9880
18.04	T-174 (POLE LANE)	1.77	6460	370	6830
19.81	SR 98	4.14	3750	480	4230
23.96	SR 746	.25	3140	450	3590
24.21	EQUALS STA. 0.00 IN MORROW CO.	.00			
SR-95 DIRECTIONAL ALTERNATE					
U 00.00	SR 95 (DAVIDS ST.) IN MARION	.21	7730	710	8440
U 00.21	MCKINLEY PARK BLVD.	.49	10070	670	10740
U 00.70	SR 4DA (PROSPECT ST.)	.16	12400	630	13030
U 00.86	SR 4 (STATE ST.)	.14	16540	600	17140
U 01.00	SR 309DA ENTER VINE ST.	.10	4210	150	4360
01.10	RTE ENDS AT SR95(CHURCH ST.) IN MARION	.00			
SR-98					
U 00.00	SR 47 (MARION ST.) IN WALDO	.07	3900	310	4210
00.07	E. CORP. WALDO	.05	3900	310	4210
00.12	US 23	2.26	2250	210	2460
02.82	C-123 (CARDINGTON RD.)	3.90	1700	170	1870
06.72	SR 529	2.31	2420	220	2640
09.03	SR 95	2.36	3780	300	4080
11.39	SR 309	1.56	2260	270	2530
12.95	C-179 (CALEDONIA MUD PK)	4.67	1760	250	2010
17.59	EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-100					
00.00	SR 309	2.89	430	40	470
02.89	EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-203					
00.00	DELAWARE CO. LINE	.43	980	60	1040
U 00.43	S. CORP. PROSPECT	.08	1410	60	1470
U 00.51	ELM ST.	.28	1120	70	1190
U 00.79	SR 47 (WATER ST.)	.06	1750	80	1830
U 00.85	NORTH ST.	.14	1220	100	1320
U 00.99	MARKET ST. ENTER ELM ST.	.19	1440	100	1540
01.18	N. CORP. PROSPECT	2.07	1140	60	1200
03.25	SR 4	4.52	860	100	960
07.77	SR 739	3.44	970	70	1040
11.21	SR 95	1.83	1340	100	1440
13.04	ROUTE ENDS AT SR 309	.00			
SR-229					
00.00	SR 47	1.05	1260	90	1350
01.05	EQUALS STA. 0.00 IN DELAWARE CO.	.00			
SR-231					
U 00.00	C & O RR IN MORRAL	1.05	1000	50	1050

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-231					
01.05	E. CORP. MORRAL	2.08	960	50	910
03.13	SR 423	.30	1330	180	1510
03.43	US 23	.10	1000	80	1080
03.53	TWP. RD. 187	.81	850	70	920
04.34	EQUALS STA. 0.00 IN WYANDOT CO.	.00			
SR-257					
00.00	DELAWARE CO. LINE	.55	650	20	670
00.55	RIVER ST. EXT. PROSPECT	.11	600	20	620
00.66	ROUTE ENDS AT SR 47	.00			
SR-309					
00.00	HARDIN CO. LINE	2.05	1270	340	1610
02.05	SR 37	3.99	1360	340	1700
06.04	C-31 (AGOSTA MEEKER RD.)	3.42	1620	250	1870
09.46	C-33 (WILDCAT PIKE)	1.92	2510	250	2760
11.38	SR 203	3.13	3180	240	3420
14.51	C-175 (FAIRGROUND RD.)	.55	2380	190	2570
15.06	C-94 (HILLMAN-FORD RD.)	.30	3460	280	3740
U 15.36	W. CORP. MARION	.46	4530	360	4890
U 15.82	SR 95 (CENTER ST.)	1.46	SEE PREFERRED ROUTE		
U 16.92	SR 95 (VINE ST.)	.42	7140	320	7460
U 17.34	SR 309DA ENTER CENTER ST.	.27	13800	650	14450
U 17.61	JEFFERSON ST.	.88	10800	800	11600
18.49	E. CORP. MARION	.79	8590	920	9510
19.28	US 23	.66	6550	640	7190
19.94	C-174 (POLE RD.)	.64	6730	630	7360
20.58	ENT. TO INDUSTRIAL PARK	1.54	6470	550	7020
22.12	ENT. TO MFG. PLANT	.37	6200	460	6660
22.49	SR 98	.05	5380	490	5870
22.54	C-162 (MARION-WILLIAMSPORT RD.)	.23	4940	480	5420
U 25.77	W. CORP. CALEDONIA	.14	4500	480	4980
U 25.91	HIGH ST.	.12	4060	480	4540
26.03	E. CORP. CALEDONIA SR 746	.59	3740	420	4160
26.62	ENTER MORROW CO. STA. 0.00	.00			
26.62	LEAVE MORROW CO. STA. 2.48	3.15	3740	420	4160
29.77	SR 100	.06	3810	400	4210
29.83	EQUALS STA. 2.49 IN MORROW CO.	.00			
SR-309 DIRECTIONAL ALTERNATE					
U 00.00	SR 95 IN MARION	1.00	SEE PREFERRED ROUTE		
U 01.00	SR 95DA	.32	11430	420	11850
01.11	ROUTE ENDS AT SR 309 IN MARION	.00			
SR-423					
U 00.00	SR 47 IN WALDO	.18	3800	270	4070
00.18	N. CORP. WALDO	2.47	3800	270	4070

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-423					
	02.65 T-123 (NEWMANS-CARDINGTON RD.)	1.60	5400	270	5670
	04.25 C-108 (OWENS RD.)	1.08	7000	270	7270
	05.33 C-106 (SUMMERLOT HOFFMAN RD.)	1.08	8590	270	8860
	06.41 C-136 (MARION-CARDINGTON RD.)	.88	10430	280	10710
	07.29 ENT. TO SHOPPING CENTER	.18	19590	330	19920
	07.47 C-138 (BARKS RD.)	.22	23580	300	23880
U	07.69 S. CORP. OF MARION	.54	23580	300	23880
U	08.23 VERNON HEIGHTS BLVD.	.36	17380	230	17610
	08.59 SR 4 (WALNUT ST.)	2.85	SEE PREFERRED ROUTE		
	11.44 SR 4	.15	4090	180	4270
	11.59 SELMA AVE.	1.80	2800	160	2960
	13.39 C-66 (KENTON-GALION RD.)	3.11	1500	130	1630
	16.50 SR 231	.41	SEE PREFERRED ROUTE		
	16.91 SR 231 ENTER RAMP	.23	240	60	300
	17.14 ROUTE ENDS AT US 23	.00			
SR-423 DIRECTIONAL ALTERNATE					
U	00.00 SR 4 (DELAWARE AVE.) IN MARION	1.60	SEE PREFERRED ROUTE		
U	01.60 ROUTE ENDS AT SR 4 IN MARION	.00			
SR-529					
U	00.00 SR 95 (MT. VERNON AVE.) IN MARION	.47	7300	90	7390
	00.47 S. CORP. MARION	.27	7300	90	7390
	00.74 C-169 (MARION-EDISON RD.)	.79	6640	80	6720
	01.53 C-138 (BARKS RD.)	1.06	3000	40	3040
	02.59 C-136 (MARION-CARDINGTON RD.)	.20	1880	40	1920
	02.79 US 23	1.31	1880	40	1920
	04.10 SR 98	4.96	1720	50	1770
	09.06 SR 746	.27	1410	60	1470
	09.33 EQUALS STA. 0.00 IN MORROW CO.	.00			
SR-739					
	00.00 UNION CO. LINE	.85	880	20	900
	00.85 C-45 (MT. OLIVE-GREEN CAMP RD.)	2.33	1540	50	1590
	03.18 C-38 (LARUE-GREEN CAMP RD.)	.43	2200	70	2270
U	03.61 S.W. CORP. GREEN CAMP	.76	2200	70	2270
	04.37 N. CORP. GREEN CAMP	1.01	2360	100	2460
	05.38 SR 203	1.77	3510	180	3690
	07.15 C-101 (CAMPBELL RD.)	.70	4570	170	4740
U	07.85 S.W. CORP. MARION	.55	5620	160	5780
U	08.40 UNCAPHER AVE.	.32	7780	200	7980
U	08.72 CHENEY AVE.	.22	9930	240	10170
U	08.94 OLNEY AVE.	.16	7360	210	7570
U	09.10 WINDSOR ST.	.37	4880	240	5120
U	09.47 SR 4DA (PROSPECT ST.) ENT. HILL ST.	.08	3230	130	3360
U	09.55 HILL ST. ENTER MAIN ST.	.15	10630	160	10790
U	09.70 MAIN ST. ENTER COLUMBIA ST.	.08	4030	50	4080

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-739					
09.78	ROUTE ENDS AT SR4(STATE ST.)IN MARION	.00			
SR-739 DIRECTIONAL ALTERNATE					
U 00.00	SR 4DA IN MARION	.59			SEE PREFERRED ROUTE
00.59	ROUTE ENDS AT SR 4 IN MARION	.00			
SR-746					
00.00	MORROW CO. LINE	2.42	500	30	530
02.42	SR 529	4.23	470	40	510
06.65	SR 95	2.75	510	40	550
09.40	T-163 (CLARIDON WESTFIELD RD.)	.55	860	40	900
09.95	ROUTE ENDS AT SR 309	.00			