

TRAFFIC SURVEY REPORT  
OF THE  
STATE HIGHWAY SYSTEM  
EASTERN HALF



OHIO

DEPARTMENT OF TRANSPORTATION

KNOX COUNTY  
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-3					
	00.00 DELAWARE CO. LINE	17.82	SEE PREFERRED ROUTE		
U	17.82 US 36DA (PUBLIC SQ.) IN MT. VERNON	.02	6760	180	6940
U	17.84 SR 13 (CHESTNUT ST.)	.15	5890	220	6110
U	17.99 HAMTRAMK ST.	.25	5160	180	5340
U	18.24 MAIN ST. ENTER WOOSTER RD.	.71	3700	180	3880
	18.95 N.E. CORP. MT. VERNON	.59	3700	180	3880
	19.54 CO. RD. 72	1.04	2480	120	2600
	20.58 SR 768	.33	3770	150	3920
	20.91 TWP. RD. 263	1.36	2570	170	2740
	22.27 TWP. RD. 274	10.03	1300	180	1480
	32.30 SR 205	2.41	1610	210	1820
	34.71 EQUALS STA. 0.00 IN ASHLAND CO.	.00			
SR-13					
	00.00 LICKING CO. LINE N. CORP. UTICA	5.01	2600	200	2800
	05.01 CO. RD. 28	2.22	3710	260	3970
	07.23 CO. RD. 57	.84	4830	310	5140
	08.07 SR 661	.33	5600	330	5930
U	08.40 S. CORP. MT. VERNON	.08	5600	330	5930
	08.48 LEAVE MT. VERNON	.09	5600	330	5930
	08.57 T-257 (WINLAND RD.)	.59	7850	330	8180
U	09.16 RE-ENTER MT. VERNON	.70	7850	330	8180
U	09.86 SR 586 ENTER MARTINSBURG RD.	.15	15040	400	15440
U	10.01 MT. VERNON AVE.	.06	12250	470	12720
U	10.07 MARTINSBURG RD. ENTER MAIN ST.	.17	17380	740	18120
U	10.24 COLUMBUS RD.	.07	22680	1340	24020
U	10.31 SR 13DA (PHILLIPS DR.) ENTER GAY ST.	.23	5220	360	5580
U	10.54 SR 229 (GAMBIER ST.)	.05	6300	360	6660
U	10.59 VINE ST.	.07	4680	310	4990
U	10.66 US 36 (HIGH ST.)	.07	3730	240	3970
U	10.73 GAY ST. ENTER CHESTNUT ST.	.06	10830	300	11130
U	10.79 SR 3 (MAIN ST.)	.07	10570	310	10880
U	10.86 MULBERRY ST.	.12	7300	350	7650
U	10.96 SR 13DA ENTER SANDUSKY ST.	.58	9740	860	10600
U	11.54 MADISON ST.	.23	9080	790	9870
	11.77 N. CORP. MT. VERNON	.35	8420	710	9130
	12.12 C-6 (UPPER FREDERICKTOWN RD.)	3.81	6740	680	7420
	15.93 OLD SR 13	1.75	5060	630	5690
U	17.68 S. CORP. FREDERICKTOWN	.04	5060	630	5690
	17.72 LEAVE FREDERICKTOWN	.22	5060	630	5690
	17.94 SR 95	.62	4350	630	4980
U	18.56 RE-ENTER FREDERICKTOWN	.16	4350	630	4980

KNOX COUNTY  
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
18.72	N. CORP. FREDERICKTOWN	.14	4350	630	4980
18.86	CO. RD. 6	2.30	3880	780	4660
21.16	SR 546	1.90	2840	550	3390
23.06	EQUALS STA. 0.00 IN RICHLAND CO.	.00			

SR-13 DIRECTIONAL ALTERNATE

U	00.00	SR 13 (MAIN ST.) IN MT. VERNON	.13	7340	550	7890
U	00.13	RIVER ST.	.07	5080	330	5410
U	00.20	SR 229 (GAMBIER AVE.)	.12	6330	300	6630
	00.32	US 36 ENTER W. HIGH ST.	.12	SEE PREFERRED ROUTE		
U	00.44	US 36 ENTER SANDUSKY ST.	.07	7450	610	8060
	00.51	ROUTE ENDS AT SR 13 IN MT. VERNON	.00			

US-36

	00.00	DELAWARE CO. LINE	3.08	4400	390	4790
U	03.08	S.W. CORP. CENTERBURG	.68	5710	390	6100
	03.76	N.E. CORP. CENTERBURG	.03	5710	390	6100
	03.79	SR 314	1.09	4790	370	5160
	04.88	SR 657	3.07	4150	360	4510
	07.95	CO. RD. 25	4.31	4790	400	5190
	12.26	C-19 (JOHNSTOWN RD.)	2.48	5430	560	5990
	14.74	TWP. RD. 362	.30	6050	600	6650
	15.04	C-80 (OLD COLUMBUS RD.)	.71	4130	370	4500
	15.75	TWP. RD. 1077	.61	5650	400	6050
	16.36	C-2 (NEW DELAWARE RD.)	.24	7160	430	7590
	16.60	SR 229	.20	8330	530	8860
U	16.80	W. CORP. MT. VERNON	.71	8330	530	8860
U	17.51	SR 13DA (SANDUSKY ST.)	.12	8000	500	8500
U	17.63	SR 13DA (MULBERRY ST.)	.04	7600	410	8010
U	17.67	US 36DA ENTER PUBLIC SQ	.05	6950	200	7150
U	17.72	MAIN ST.	.05	8770	200	8970
U	17.77	US 36DA ENTER HIGH ST.	.04	4960	360	5320
U	17.81	SR 13 (GAY ST.)	.26	5810	380	6190
U	18.07	HIGH ST. ENTER PARK ST.	.09	4680	370	5050
U	18.16	PARK ST. ENTER COSHOCTON AVE.	1.20	13040	480	13520
U	19.36	SR 768 (VERNON VIEW)	.04	15140	470	15610
U	19.40	ENT. TO SHOPPING CENTER	.52	10730	410	11140
	19.92	E. CORP. MT. VERNON	.53	8500	400	8900
	20.45	CO. RD. 68	1.47	6410	380	6790
	21.92	SR 308	.42	5420	370	5790
	22.34	C-46 (VINCENT RD.)	4.28	3880	290	4170
	26.62	CO. RD. 35	2.83	2100	210	2310
	29.45	ACCESS TO US 62	.05	1340	230	1570
	29.50	US 62	1.20	1340	230	1570

KNOX COUNTY  
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
30.70	SR 715	1.62	1000	180	1180
32.32	CO. RD. 36	3.55	690	180	870
35.87	EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
US-36 DIRECTIONAL ALTERNATE					
U 00.00	US 36 IN MT. VERNON	.05	6950	200	7150
U 00.05	SR 3	.05	8770	200	8970
00.10	ROUTE ENDS AT US 36 IN MT. VERNON	.00			
US-62					
00.00	LICKING CO. LINE	4.09	2000	210	2210
U 04.09	W. CORP. MARTINSBURG	.19	2000	210	2210
U 04.46	SR 541 ENTER ZANESVILLE ST.	.13	2360	330	2690
U 04.59	SR 586 (MECHANIC ST.)	.11	1470	240	1710
04.70	N. CORP. MARTINSBURG	5.95	1300	240	1540
10.65	SR 229	3.76	1050	180	1230
14.41	CO. RD. 71	.22	1430	140	1570
14.63	US 36	.28	1430	140	1570
14.91	ACCESS TO US 36	2.81	2280	280	2560
U 17.75	S. CORP. DANVILLE	.05	2280	280	2560
U 17.80	FLAT RUN RD.	.46	4200	340	4540
U 18.26	WALNUT ST.	.18	3570	400	3970
U 18.44	SR 205 ENTER MAIN ST.	.06	2620	310	2930
U 18.50	CEDAR ST.	.18	2060	280	2340
U 18.68	BLACK RD.	.07	1380	210	1590
18.75	N.E. CORP. DANVILLE	1.66	1380	210	1590
20.41	CO. RD. 41	1.77	1260	190	1450
U 22.18	W. CORP. BRINKHAVEN	.42	1420	190	1610
U 22.60	MAIN ST.	.27	1160	170	1330
22.87	EQUALS STA. 0.00 IN HOLMES CO.	.00			
SR-95					
00.00	MORROW CO. LINE	4.37	2790	510	3300
04.37	SR 13	.13	2870	200	3070
U 04.50	W. CORP. FREDERICKTOWN	.71	2870	200	3070
U 05.21	SANDUSKY ST. ENTER MAIN ST.	.17	3800	160	3960
U 05.38	MILL ST.	.31	2900	160	3060
U 05.69	MAIN ST. ENTER SALEM AVE.	.12	1950	130	2080
05.81	N.E. CORP. FREDERICKTOWN	1.07	1730	100	1830
06.88	TWP. RD. 379	2.84	1500	80	1580
09.72	C-5A (MANSFIELD RD.)	.71	840	80	920
10.43	CO. RD. 288	1.07	1580	80	1660
11.50	EQUALS STA. 0.00 IN RICHLAND CO.	.00			

KNOX COUNTY  
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-205					
U	00.00 US 62 (MAIN ST.) IN DANVILLE	.11	2620	310	2930
	00.11 N. CORP. DANVILLE	.15	1430	110	1540
	00.26 SR 514	1.44	840	70	910
	01.70 CO. RD. 16	2.77	650	40	690
	04.47 TWP. RD. 337	2.47	400	40	440
	06.94 ROUTE ENDS AT SR 3	.00			
SR-229					
	00.00 MORROW CO. LINE	1.70	970	60	1030
	01.70 CO. RD. 1	2.11	1710	70	1780
	03.81 CO. RD. 50	3.09	2320	100	2420
	06.90 TWP. RD. 389	.43	2780	120	2900
	07.33 US 36	1.15	SEE PREFERRED ROUTE		
U	08.48 SR 13DA (MULBERRY ST.) IN MT. VERNON	.05	3800	130	3930
U	08.53 MAIN ST.	.07	4610	130	4740
U	08.60 SR 13 (GAY ST.)	.61	5040	170	5210
U	09.21 GEORGE ST.	.30	4070	130	4200
	09.51 E. CORP. MT. VERNON	1.22	4070	130	4200
	10.73 TWP. RD. 278	2.33	3530	120	3650
U	13.06 W. CORP. GAMBIER	.07	3560	110	3670
U	13.13 SR 308	.51	1470	80	1550
	13.64 S.E. CORP. GAMBIER	2.16	1470	80	1550
	16.13 CO. RD. 31	3.47	760	80	840
	19.60 US 62	3.10	610	80	690
	22.70 CO. RD. 36	3.01	470	40	510
	25.71 EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
SR-229 DIRECTIONAL ALTERNATE					
	00.00 US 36 IN MT. VERNON	.30	SEE PREFERRED ROUTE		
	00.30 ROUTE ENDS AT SR 13 IN MT. VERNON	.00			
SR-308					
U	00.00 SR 229 IN GAMBIER	.37	2500	50	2550
U	00.37 WIGGINS ST. ENTER CHASE AVE.	.60	1930	30	1960
	00.97 N. CORP. GAMBIER	2.03	1380	30	1410
	03.00 ROUTE ENDS AT US 36	.00			

KNOX COUNTY  
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-314					
00.00	US 36	.84	1210	40	1250
00.84	TWP. RD. 109	1.89	810	20	830
02.73	EQUALS STA. 0.00 IN MORROW CO.	.00			
SR-514					
00.00	US 62 (MAIN ST.) IN DANVILLE	.26	SEE PREFERRED ROUTE		
00.26	SR 205	.37	720	50	770
00.63	TWP. RD. 331	7.30	320	20	340
07.93	EQUALS STA. 0.00 IN HOLMES CO.	.00			
SR-541					
U 00.00	US 62 (ZANESVILLE ST.) IN MARTINSBURG	.21	1100	90	1190
00.21	E. CORP. MARTINSBURG	4.11	950	70	1020
04.32	CO. RD. 17	1.88	580	50	630
06.20	TWP. RD. 180	2.72	200	30	230
08.92	EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
SR-546					
00.00	SR 13	2.15	1160	140	1300
02.15	EQUALS STA. 0.00 IN RICHLAND CO.	.00			
SR-586					
00.00	LICKING CO. LINE	2.97	900	120	1020
U 02.97	S.E. CORP. MARTINSBURG	.20	1270	180	1450
U 03.17	ZANESVILLE ST.	.11	1640	230	1870
03.28	US 62 (LIBERTY ST.)	.13	SEE PREFERRED ROUTE		
U 03.41	US 62 ENTER MECHANIC ST.	.06	920	110	1030
03.47	N.W. CORP. MARTINSBURG	4.16	1100	100	1200
07.63	C-27 (SYCAMORE RD.)	3.49	1600	100	1700
11.12	C-17 (HOPEWELL RD.)	1.53	2120	100	2220
12.65	TWP. RD. 257	.50	2630	100	2730
U 13.15	S.E. CORP. MT. VERNON	.47	4770	100	4870
U 13.62	PINE ST.	.38	6910	100	7010
14.00	SR 13 (NEWARK RD.)	.88	SEE PREFERRED ROUTE		
14.88	ROUTE ENDS AT US 36 IN MT. VERNON	.00			

KNOX COUNTY  
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-657					
00.00	LICKING CO. LINE	4.23	540	40	580
04.23	C-27 (SYCAMORE RD.)	.70	870	40	910
04.93	ROUTE ENDS AT US 36	.00			
SR-661					
U 00.00	LICKING CO. LINE	6.46	2170	150	2320
U 06.46	W. CORP. MT. VERNON (OLD SR 661)	.63	1370	90	1460
07.09	E. CORP. MT. VERNON	.32	1370	90	1460
07.41	ROUTE ENDS AT SR 13	.00			
SR-715					
00.00	US 36	4.26	340	50	390
04.26	EQUALS STA. 0.00 IN COSHOCTON CO.	.00			
SR-768					
U 00.00	US 36 (COSHOCTON AVE.) IN MT. VERNON	.05	7160	100	7260
U 00.05	ENTRANCE TO SHOPPING CENTER	.43	4280	80	4360
00.48	N. CORP. MT. VERNON	.52	2860	60	2920
01.00	CO. RD. 72	.74	1470	30	1500
01.74	ROUTE ENDS AT SR 3	.00			