

TRAFFIC SURVEY REPORT
OF THE
STATE HIGHWAY SYSTEM
EASTERN HALF

Stark County



OHIO



1988

OHIO

DEPARTMENT OF TRANSPORTATION

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM*L	B & C COM*L	TOTAL VEH.
SR-21					
	00.00 TUSCARAWAS CO. LINE SR 212	5.27	3770	1140	4910
U	05.27 S. CORP. NAVARRE	.20	3770	1140	4910
U	05.47 US 62 (CANAL ST.)	2.78	SEE PREFERRED ROUTE		
	08.25 US 62	.12	9020	1370	10390
	08.37 US 30	.27	12330	1640	13970
U	08.64 S. CORP. MASSILLON	.34	12330	1640	13970
U	08.98 ERIE ACCESS RD.	.94	10520	1500	12020
U	09.92 OBERLIN RD.	.24	10210	1410	11620
U	10.16 RAMP TO EDWIN AVE.	.32	10430	1340	11770
U	10.48 WALNUT RD.	.43	8000	1750	9750
U	10.91 SR 241 (TREMONT AVE.)	.06	8000	1750	9750
U	10.97 SR 241A (CHARLES AVE.)	.06	7030	1680	8710
U	11.03 SR 172 (LINCOLN WAY)	.36	7030	1680	8710
U	11.39 CHERRY RD.	.87	7600	1430	9030
U	12.26 SR 236 (LAKE AVE.)	.13	4780	1200	5980
	12.39 N. CORP. MASSILLON	.48	4780	1200	5980
	12.87 T-353 (EARL RD.)	5.62	4880	1330	6210
	18.49 SR 93	1.31	5020	1420	6440
	19.80 C-365 (MARSHALLVILLE RD.)	.79	5400	1180	6580
	20.59 AUTOMATIC TRAFFIC RECORDER G-04	.85	5400	1180	6580
	21.44 EQUALS STA. 0.00 IN WAYNE CO.	.00			
US-30					
	00.00 WAYNE CO. LINE	.92	7380	2790	10170
	00.92 ALABAMA AVE.	1.72	7800	2850	10650
	02.64 SR 93	1.37	7800	2850	10650
	04.01 SR 241	2.77	9190	3000	12190
U	06.78 W. CORP. MASSILLON	.90	9190	3000	12190
U	07.68 SR 21	.02	14110	3720	17830
	07.70 LEAVE MASSILLON	.50	14110	3720	17830
U	08.20 RE-ENTER MASSILLON	.10	14110	3720	17830
	08.30 E. CORP. MASSILLON	1.28	14110	3720	17830
	09.58 SR-627	2.99	13460	3670	17130
	12.57 C-219 (WHIPPLE AVE)	.48	15580	3630	19210
	13.05 C-246 (RAFF RD.)	.05	28600	5580	34180
U	13.10 W. CORP. CANTON	1.11	28600	5580	34180
U	14.21 HARRISON AVE. S.W.	.62	30880	5770	36650
U	14.83 IR 77	.75	27400	3230	30630
U	15.58 CHERRY AVE. S. E.	.21	16690	2120	18810
U	15.79 SR 43	1.11	19080	2260	21340
	16.90B LEAVE CANTON	.05	19080	2260	21340
	16.95B ROUTE TEMP. ENDS AT SR43(BELDEN AVE.)	.00			
U	16.07 RT. RE-ENTERS AT SR172 AND BELDEN AVE	.54	6390	670	7060
	16.61 E. CORP. CANTON	2.20	10510	1050	11560
U	18.81 W. CORP. EAST CANTON	.74	8330	940	9270

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-30					
U 19.55	SR 172 ENTER CEDAR ST.	.14	4490	690	5180
U 19.69	CEDAR ST. ENTER WALNUT ST.	.08	3770	630	4400
U 19.77	SR 44 (WOOD ST.)	.30	6510	970	7480
	20.07 S.E. CORP. EAST CANTON	.54	6510	970	7480
	20.61 SR 44	.40	5460	880	6340
	21.01 AUTOMATIC TRAFFIC RECORDER G-10	3.96	5460	880	6340
	24.97 C-119 (PARIS ROVERSVILLE RD.)	5.52	4430	730	5160
U 30.49	N.W. CORP. MINERVA	.17	5440	730	6170
U 30.66	GRANT BLVD.	.10	4010	730	4740
U 30.76	LIBERTY ST.	.09	5330	730	6060
U 30.85	MAIN ST.	.05	6760	740	7500
U 30.90	SR 183 (MARKET ST.)	1.03	7780	940	8720
U 31.93	SR 183	.06	5390	850	6240
	31.99 EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
SR-43					
	00.00 CARROLL CO. LINE	.31	7000	580	7580
	00.31 MAPLE ST. EXT.	.84	6060	530	6590
	02.01 SR 183	.19	9930	700	10630
	02.20 SR 44	7.55	7330	660	7990
	09.75 C-160 (WAYNESBURG RD.)	1.56	9100	750	9850
	11.31 C-150 (ORCHARD RD.)	.61	11440	1290	12730
U 11.92	S.E. CORP. CANTON	.02	11440	1290	12730
U 11.94	US 30	.06	11500	1340	12840
U 12.00	BELDEN AVE. ENTER RAMP	.15	8630	1080	9710
U 12.15	RAMP ENTER US30 EXPRESSWAY	.90	SEE PREFERRED ROUTE		
U 13.05	US30 EXPRESSWAY (ENTER RAMP)	.14	1280	70	1350
U 13.19	RAMP ENTER 11TH ST.	.10	4960	400	5360
U 13.29	11TH. ST. ENTER CHERRY AVE. S.E.	.39	10500	750	11250
U 13.688	SR 43 DA	.12	5490	440	5930
U 13.808	SR 172 (3RD ST.)	.15	6990	380	7370
U 13.61	SR 172 DA (2ND ST)	.43	8250	400	8650
U 14.04	LAWRENCE ST.	.33	4720	140	4860
U 14.37	SR 153 (12TH ST.)	.73	4000	130	4130
U 15.23	SR 43DA ENTER MARKET AVE.	.30	18300	330	18630
U 15.53	25TH ST. N.W.	.08	19350	330	19680
U 15.61	AUTOMATIC TRAFFIC RECORDER #123	.32	19350	330	19680
U 15.93	US 62 (EXPRESSWAY)	.11	23550	570	24120
U 16.04	30TH ST.	2.02	15030	400	15430
	18.06 N. CORP. CANTON	1.03	12000	300	12300
	19.09 C-98 (EASTON ST.)	2.11	10430	200	10630
	21.20 C-62 (MARKET ST.)	2.75	4480	130	4610
	23.95 C-192 (MIDDLE BRANCH RD.)	.69	7030	270	7300
U 24.64	S. CORP. HARTVILLE	1.21	7030	270	7300
U 25.85	SR 619 ENTER MAPLE ST.	.50	9200	600	9800
U 26.35	SR 619 ENTER KENT AVE.	.30	4800	400	5200
	26.65 N. CORP. HARTVILLE	1.41	4800	400	5200

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-43					
28.06	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-43 DIRECTIONAL ALTERNATE					
U 00.00	SR 43 (CONNECTOR)	.15	5010	310	5320
U 00.85	SR 172 (3RD ST.)	.15	6370	380	6750
U 01.00	SR 172 DA (2ND ST.)	.42	6750	290	7040
U 01.42	9TH ST.	.28	4540	100	4640
U 01.70	SR153 (12TH ST.)	.40	3720	100	3820
U 02.10	WALNUT AVE. ENTER MARKET AVE.	.34	14300	200	14500
U 02.44	ROUTE ENDS AT SR43 (CHERRY) IN CANTON	.00			
SR-44					
00.00	SR 43	5.98	2640	470	3110
05.98	CO. RD. 150	1.86	1170	360	1530
07.84	US 30	.84	SEE PREFERRED ROUTE		
U 08.68	US 30 (WALNUT ST.) IN EAST CANTON	.16	3600	350	3950
U 08.84	SR 172 (NASSAU ST.)	.56	4430	470	4900
09.40	N. CORP. EAST CANTON	1.24	5420	500	5920
10.64	C-112 (HAWKINS RD.)	1.59	6740	600	7340
U 12.23	S. CORP. LOUISVILLE S. CHAPEL RD.	.51	8340	600	8940
U 12.75	SR 153 (MAIN ST.)	.95	10850	650	11500
13.70	N. CORP. LOUISVILLE	.69	10170	1090	11260
14.39	US 62	.76	6940	720	7660
15.15	C-98 (EASTON ST.)	2.05	3240	530	3770
17.20	SR 173	3.50	3110	530	3640
20.72	SR 619	2.28	3810	530	4340
23.00	PONTIUS RD.	.24	5340	580	5920
23.24	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
US-62					
00.00	HOLMES CO. LINE	.62	1950	300	2250
U 00.62	W. CORP. WILMOT	.23	2340	420	2760
U 00.85	US 250 ENTER MAIN ST.	.06	4660	1190	5850
U 00.91	US 250 ENTER MASSILLON ST.	.20	2450	320	2770
01.11	N.E. CORP. WILMOT	2.58	2450	320	2770
03.69	SR 93	.34	3870	420	4290
04.03	SR 93	1.43	1460	150	1610
05.46	C-319 (KINGS HIGHWAY)	2.89	3380	250	3630
U 08.35	S.W. CORP. NAVARRE	.15	3380	250	3630
U 08.56	WILMOT RD. ENTER CANAL ST.	.26	2030	300	2330
U 08.82	SR 21 ENTER MAIN ST.	.34	5300	1440	6740
U 09.16	WOOSTER ST.	.20	8030	1440	9470
09.36	N. CORP. NAVARRE	.72	8030	1440	9470
10.08	C-778 (MARLAND AVE.)	.42	14600	1600	16200
10.50	AUTOMATIC TRAFFIC RECORDER G-12	.03	14600	1600	16200
10.53	C-511 (NAVARRE RD.)	1.07	10800	1900	12700
11.60	SR 21 ENTER RAMP	.34	1320	340	1660

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-62					
	11.94 US 30	10.33	SEE PREFERRED ROUTE		
	21.33 IR 77	.12	44330	3100	47430
U	21.45 RE-ENTER CANTON	.57	44330	3100	47430
U	22.02 CLEVELAND AVE.	1.09	38630	3020	41650
U	23.11 SR 43 (MARKET AVE.)	.03	29430	2820	32250
	23.14 LEAVE CANTON	.28	29430	2820	32250
	23.42 30TH ST.	.64	32880	2970	35850
	24.06 30TH ST.	.48	26620	2600	29220
	24.54 C-67 (COLUMBUS RD.)	.22	23780	1820	25600
	24.76 REGENT AVE.	.80	19860	1550	21410
	25.56 AUTOMATIC TRAFFIC RECORDER G-03	.77	19860	1550	21410
U	26.33 RE-ENTER CANTON	.03	19860	1550	21410
	26.36 N.E. CORP. CANTON	.60	19860	1550	21410
	26.96 C-199 (BROADWAY RD.)	1.12	14550	1630	16180
	28.08 T-186 (CALIFORNIA AVE.)	.53	11920	1870	13790
U	28.61 W. CORP. LOUISVILLE	.26	11920	1870	13790
	28.87 E. CORP. LOUISVILLE	.45	11920	1870	13790
	29.32 SR 44	5.53	9530	1620	11150
	34.07 SR 173	.31	11050	1040	12090
U	34.38 W. CORP. ALLIANCE	.38	11050	1040	12090
U	34.76 CARNATION SHP. PLAZA ENT.	1.08	23630	1090	24720
U	35.84 BEECHWOOD AVE.	1.00	20620	1060	21680
U	36.84 ROCKHILL AVE.	.53	17240	1060	18300
U	37.37 SR 183 (UNION AVE.)	.44	15020	1020	16040
U	37.81 SENECA AVE.	.55	12670	1010	13680
	38.36 EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
US-62 FUTURE					
	34.63 US 62	2.39	3870	860	4730
	37.02 BEESON ST. (C-41)	1.88	1910	740	2650
	38.90 SR 183	.28	1910	740	2650
	39.18 ROUTE ENDS AT SR 225	.00			
IR-77					
	00.00 TUSCARAWAS CO. LINE	4.73	16390	2990	19380
	04.73 C-252 (ROHL RD.)	1.67	18190	2990	21180
	06.40 SR 627	1.74	18900	2980	21880
U	08.14 S. CORP. CANTON	.10	18900	2980	21880
U	08.24 SR 800 (CLEVELAND AVE.)	.99	29210	3920	33130
U	09.23 US 62 (NAVARRE RD.)	.90	49710	7000	56710
U	10.13 6TH ST.	.36	54080	7280	61360
U	10.49 SR 172 (TUSCARAWAS AVE.)	.22	56430	7420	63850
U	10.71 4TH ST.	.61	60830	7570	68400
U	11.32 13TH ST. N.W.	.50	65770	7660	73430
U	11.82 AUTOMATIC TRAFFIC RECORDER #124	.03	65770	7660	73430
	11.85 LEAVE CANTON	.36	65770	7660	73430
	12.21 SR 687	.29	58520	7460	65980

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
IR-77					
	12.50 US 62	.07	50410	5880	56290
U	12.57 RE-ENTER CANTON	1.03	50410	5880	56290
	13.60 N. CORP. CANTON	1.44	50410	5880	56290
	15.04 C-214 (WHIPPLE AVE.)	.12	36570	5440	42010
	15.16 C-215 (EVERHARD RD.)	1.52	44740	5620	50360
	16.68 C-228 (PORTAGE RD.)	1.86	36710	5300	42010
	18.54 EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-93					
	00.00 TUSCARAWAS CO. LINE	.39	1650	110	1760
U	00.39 S. CORP. BEACH CITY	.29	1650	110	1760
U	00.68 SR 212 (2ND ST.)	.48	1780	130	1910
	01.16 N. CORP. BEACH CITY	2.20	1780	130	1910
	03.36 US 62	.34	SEE PREFERRED ROUTE		
	03.70 US 62	.60	2530	270	2800
U	04.30 S. CORP. BREWSTER	.49	2530	270	2800
U	04.79 7TH ST.	.95	4360	360	4720
U	05.74 CHESTNUT AVE.	.51	3760	360	4120
	06.25 N. CORP. BREWSTER C-321	2.43	3120	360	3480
	08.68 SR 241	.18	4730	530	5260
	08.86 SR 241	1.51	2310	180	2490
	10.37 US 30	1.34	2310	180	2490
	11.71 SR 172	5.54	3230	330	3560
	17.25 SR 21	.40	2900	210	3110
U	17.65 S. CORP. CANAL FULTON	.16	2900	210	3110
U	17.81 MILAN ST. ENTER CHERRY ST.	1.22	5030	210	5240
	19.03 N.E. CORP. CANAL FULTON	1.61	4500	140	4640
	20.64 EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-153					
U	00.35 SR 43DA (WALNUT AVE.) IN CANTON	.09	8690	260	8950
U	00.44 SR 43 (CHERRY AVE.)	.54	8100	260	8360
U	00.98 LAWRENCE RD.	.15	12880	330	13210
U	01.13 MAHONING RD.	.25	14700	410	15110
U	01.38 HARRISBURG RD.	1.32	8720	390	9110
U	02.70 HARMONT AVE.	.64	6330	320	6650
	03.34 E. CORP. CANTON	1.10	6330	320	6650
	04.44 BROADWAY RD.	1.07	8580	340	8920
U	05.51 W. CORP. LOUISVILLE	.77	16540	560	17100
U	06.28 CONSTITUTION AVE.	.08	14840	460	15300
U	06.36 GORGAS ST.	.24	8400	340	8740
U	06.60 SR 44 (CHAPEL ST.)	.50	10370	380	10750
U	07.10 NICKEL PLATE ST.	.71	8130	380	8510
	07.81 E. CORP. LOUISVILLE	.08	6050	380	6430
	07.89 C-179 (MEESE RD.)	1.31	4630	380	5010
	09.20 T-180 (MAPLE GROVE RD.)	5.82	3060	190	3250
	15.02 ROUTE ENDS AT SR 183	.00			

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-171					
U 00.00	SR 183 (MAIN ST.) IN WAYNESBURG	.14	3100	130	3230
U 00.14	MARKET ST.	.22	2430	100	2530
U 00.36	LISBON ST. ENTER ROSS RD.	.19	1820	80	1900
00.55	E. CORP. WAYNESBURG	.45	1590	80	1670
01.00	EQUALS STA. 0.00 IN CARROLL CO.	.00			
SR-172					
00.00	WAYNE CO. LINE	2.41	4850	370	5220
02.41	SR 93	1.04	4860	240	5100
03.45	T-340 (KENYON AVE.)	.50	7250	240	7490
U 03.95	W. CORP. MASSILLON	2.13	9640	240	9880
U 06.08	MAIN AVE.	.31	14800	410	15210
U 06.39	SR 21 (EXPRESSWAY)	.32	14800	410	15210
U 06.71	SR 241 (1ST ST. S.E.)	.15	15780	520	16300
U 06.86	3RD ST. S.E.	.28	22080	590	22670
U 07.14	AUTOMATIC TRAFFIC RECORDER G-05	.25	22080	590	22670
U 07.39	SR 241 (WALES RD.)	.30	24360	630	24990
U 07.69	16TH ST. S.E.	.43	16240	370	16610
U 08.12	TREMONT AVE. S.E.	.71	20940	530	21470
08.83	E. CORP. MASSILLON	3.08	20940	530	21470
U 11.91	W. CORP. CANTON	.50	20940	530	21470
U 12.41	SR 791 (RAFF RD.)	1.10	19700	600	20300
U 13.51	IR 77	.50	19230	570	19800
U 14.01	SR172DA(TUSCARAWAS ST)ENTER CONNECTOR	.49	1550	30	1580
U 14.50	MC KINLEY AVE.	.30	2950	90	3040
U 14.80	SR 43DA (WALNUT ST.)	.10	2220	90	2310
U 14.90	SR 43 (CHERRY AVE. S.E.)	.64	1040	120	1160
U 15.54	3RD ST. S.E. ENTER CONNECTOR	.11	600	20	620
U 15.65	SR172DA (ENTER TUSCARAWAS ST.)	.52	6060	180	6240
U 16.17	BELDEN AVE-US30 RE-ENTERS	3.48	SEE PREFERRED ROUTE		
U 19.65	US30 (CEDAR ST.) IN EAST CANTON	.08	4700	300	5000
U 19.73	SR 44 (WOOD ST.)	.57	3340	200	3540
20.30	E. CORP. EAST CANTON	.57	2530	150	2680
20.87	C-176 (MIDAY)	5.18	1490	110	1600
26.05	AUTOMATIC TRAFFIC RECORDER #67	4.14	1490	110	1600
30.19	SR 183	.26	1240	100	1340
30.45	EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
SR-172 DIRECTIONAL ALTERNATE					
U 00.00	SR 172 (CONNECTOR) IN CANTON	.20	15440	410	15850
U 00.20	TUSCARAWAS ST. ENTER CONNECTOR	.08	1850	40	1890
U 00.28	SR 687 (SHORB AVE.)	.18	1800	50	1850
U 00.46	MC KINLEY AVE.	.30	2800	100	2900
U 00.76	SR 43DA (WALNUT AVE.)	.10	1960	100	2060
U 00.86	SR 43 (CHERRY AVE.)	.24	1550	80	1630

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-172 DIRECTIONAL ALTERNATE					
U 01.10	HERBUCK ST.	.46	520	10	530
U 01.56	ROUTE ENDS AT SR172 (TUSCARAWAS ST)	.00			
SR-173					
00.00	SR 44	1.86	2570	200	2770
01.86	C-67 (COLUMBUS RD.)	2.72	4720	300	5020
04.58	US 62	4.27	SEE PREFERRED ROUTE		
08.85	EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
SR-183					
U 00.00	CARROLL CO. LINE IN MAGNOLIA	1.09	3400	500	3900
01.10	N. CORP. MAGNOLIA	.99	3070	360	3430
U 02.09	W. CORP. WAYNESBURG	.75	3070	360	3430
U 02.84	MILL ST.	.05	1900	360	2260
U 02.89	SR 171 ENTER MAIN ST.	.20	2520	360	2880
U 03.09	CANAL ST. ENTER MILL ST.	.17	6700	360	7060
03.26	N. CORP. WAYNESBURG	.29	6700	360	7060
03.55	SR 43	1.15	SEE PREFERRED ROUTE		
04.70	ENTER CARROLL CO. STA. 1.19	.00			
U 04.70	LEAVE CAR. CO. STA. 9.67 IN MINERVA	.07	5680	480	6160
U 04.77	HIGH ST.	.08	4060	680	4740
U 04.85	US 30 (LINCOLN WAY)	1.03	SEE PREFERRED ROUTE		
05.88	US 30 ENTER NEW ROAD	.59	3870	300	4170
06.15	MARKET ST. (OLD SR 183)	.08	4260	300	4560
06.23	N. CORP. MINERVA	3.65	4260	300	4560
09.88	SR 172	1.12	4180	300	4480
11.00	C-112 (GEORGETOWN)	1.44	5880	350	6230
12.44	SR 153	4.18	5440	350	5790
U 16.62	S. CORP. ALLIANCE	.10	6820	360	7180
U 16.72	MILTON ST.	.43	9050	370	9420
U 17.15	US 62 (STATE ST.)	.38	9950	350	10300
U 17.53	OVERLOOK DR.	1.19	14130	390	14520
U 18.72	ELY ST.	.34	9290	610	9900
U 19.06	SR 225 ENTER DIEHL CT.	.10	6140	340	6480
U 19.16	VINE ST.	.29	4530	340	4870
19.45	N. CORP. ALLIANCE	.26	4530	340	4870
19.71	US 62 FUTURE	.16	4530	340	4870
19.87	SR 619	2.28	3010	300	3310
22.15	CO. RD. 12	.94	2300	220	2520
U 23.09	S.E. CORP. LIMAVILLE	.57	2300	220	2520
23.66	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-212					
00.00	US 250	.44	760	80	840
U 00.44	W. CORP. BEACH CITY	.31	940	80	1020
U 00.75	SR 93 (3RD AVE.)	.37	1420	100	1520
01.12	E. CORP. BEACH CITY	1.26	1420	100	1520

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM%L	B & C COM%L	TOTAL VEH.
SR-212					
02.45	ENTER TUSCARAWAS CO. STA. 0.00	.00			
02.45	LEAVE TUSCARAWAS CO. STA. 1.07	3.16	1300	70	1370
05.61	EQUALS STA. 1.07 IN TUSCARAWAS CO.	.00			
SR-225					
U 00.00	SR 183 (DIEHL CT.) IN ALLIANCE	.33	3240	310	3550
00.33	N. CORP. ALLIANCE	.25	2780	420	3200
00.58	US 62 FUTURE	1.82	4320	820	5140
02.40	C-12 (PRICE RD.)	1.84	3920	790	4710
04.24	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-236					
U 00.00	SR 21 (EXPRESSWAY) IN MASSILLON	.07	8230	630	8860
U 00.07	LAKE ST. ENTER 1ST ST. N.E.	.34	4400	530	4930
00.41	N. CORP. MASSILLON	1.64	4400	530	4930
02.05	C-17 (ERIE AVE.)	.88	3000	150	3150
02.93	C-212 (REVERE AVE.)	.23	1760	30	1790
03.16	SR 687	3.34	2300	50	2350
06.50	C-231 (STRAUSSER ST.)	1.22	2300	110	2410
07.72	EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-241					
00.00	WAYNE CO. LINE	2.80	1250	110	1360
02.80	T-328 (STANWOOD ST.)	.70	1780	160	1940
03.50	SR 93	.14	SEE PREFERRED ROUTE		
03.64	SR 93	.58	4430	250	4680
04.22	US 30	1.95	3760	100	3860
U 06.17	W. CORP. MASSILLON	.09	4130	100	4230
U 06.26	MAIN AVE.	.47	2920	60	2980
U 06.73	17TH ST. S.W.	.56	4570	100	4670
U 07.29	9TH ST. S.W.	.46	5400	100	5500
U 07.75	SR 21 (EXPRESSWAY)	.10	5400	100	5500
U 07.85	SR 241A (2ND ST.)	.19	5360	70	5430
U 08.04	TREMONT AVE. ENTER 1ST ST. S.E.	.11	3730	70	3800
08.15	SR 172 ENTER LINCOLN WAY	.68	SEE PREFERRED ROUTE		
U 08.83	SR 172 ENTER WALES RD. N.E.	.87	15600	400	16000
U 09.70	LAKE AVE. N.E.	.57	22160	470	22630
U 10.27	HILLS AND DALES RD.	.13	11220	320	11540
10.40	N. CORP. MASSILLON	3.03	11220	320	11540
13.43	SR 687	1.34	12800	380	13180
14.77	C-228 (PORTAGE RD.)	2.33	8800	380	9180
17.10	EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-241 ALTERNATE					
U 00.00	SR 21 (EXPRESSWAY) IN MASSILLON	.10	2970	400	3370
U 00.10	CHARLES ST. ENTER 2ND ST. N.W.	.05	1300	50	1350
00.15	ROUTE ENDS AT SR 241 IN MASSILLON	.00			

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-250					
	00.00 WAYNE CO. LINE	.95	2830	980	3810
U	00.95 W. CORP. WILMOT	.26	2830	980	3810
	01.21 US 62 (WINEBURG ST.)	.06	SEE PREFERRED ROUTE		
U	01.27 US 62 (MASSILLON ST.)	.15	2940	1010	3950
	01.42 E. CORP. WILMOT	2.03	2940	1010	3950
	03.45 SR 212	.69	2500	900	3400
	04.14 EQUALS STA. 0.00 IN TUSCARAWAS CO.	.00			
SR-619					
	00.00 SUMMIT CO. LINE	3.68	10450	400	10850
U	03.68 W. CORP. HARTVILLE	.48	10450	400	10850
	04.16 SR 43 (KENT AVE.)	.50	SEE PREFERRED ROUTE		
U	04.66 SR 43 (PROSPECT AVE.)	.63	5630	430	6060
	05.29 E. CORP. HARTVILLE	.51	4590	400	4990
	05.80 T-57 (WILLIAM PENN AVE.)	2.92	3620	350	3970
	08.72 AUTOMATIC TRAFFIC RECORDER G-09	.30	3620	350	3970
	09.02 SR 44	4.24	3530	280	3810
	13.26 CO. RD. 19	3.18	2250	160	2410
	16.44 SR 183	.96	SEE PREFERRED ROUTE		
	17.40 ROUTE ENDS AT WAYNE ST. IN ALLIANCE	.00			
SR-627					
	00.00 US 30 (RAMP)	.15	640	100	740
	00.15 C-248 (LEAVE RAMP)	3.11	2960	170	3130
	03.26 C-257 (SHEPLER CHURCH)	.51	2470	130	2600
	03.77 C-246 (SHERMAN CHURCH)	.71	4050	260	4310
	04.48 IR 77	.07	3700	240	3940
	04.55 C-267 (ENTER RAMP)	.21	800	60	860
	04.76 ROUTE ENDS AT IR77	.00			
SR-687					
	00.00 SR 236	.23	2050	40	2090
	00.23 C-212 (REVERE AVE.)	.67	4650	100	4750
	00.90 C-238 (AMHERST RD.)	1.35	7250	160	7410
	02.25 SR 241	1.32	10660	210	10870
	03.57 T-227 (LAKE O SPRINGS RD.)	.44	17070	230	17300
	04.01 SOUTH BLVD.	.70	21170	350	21520
	04.71 C-98 (EVERHARD RD.)	1.65	14210	220	14430
	06.36 AUTOMATIC TRAFFIC RECORDER G-06	.06	14210	220	14430
	06.42 C-226 (HILLS AND DALES RD.)	1.31	21450	470	21920
	07.73 IR 77	.10	16610	300	16910
U	07.83 N.W. CORP. CANTON	.13	16610	300	16910
U	07.96 HARRISON AVE.	.11	14500	210	14710
U	08.07 23RD. ST. N.W.	.31	12440	200	12640
U	08.38 18TH ST. N.W.	.35	9310	160	9470

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM*L	B & C COM*L	TOTAL VEH.
SR-687					
U 08.73	14TH ST. N.W.	.62	6180	110	6290
U 09.35	7TH ST. N.W.	.18	5910	100	6010
U 09.53	4TH ST. N.W.	.06	3380	60	3440
U 09.59	FULTON RD. N.W. ENTER SHORB AVE.	.05	840	10	850
09.64	ROUTE ENDS AT SR 172DA IN CANTON	.00			
SR-791					
00.00	SOUTHWAY ST.	.54	11140	820	11960
U 00.54	S.W. CORP. CANTON 13TH ST. S.W.	.62	7790	290	8080
01.16	ROUTE ENDS AT SR 172 IN CANTON	.00			
SR-800					
00.00	TUSCARAWAS CO. LINE	1.02	4320	340	4660
U 01.02	S. CORP. EAST SPARTA	.43	4320	340	4660
U 01.45	MAIN ST.	.22	5400	420	5820
01.67	N. CORP. EAST SPARTA	2.53	5400	420	5820
04.20	CO. RD. 253	4.04	7280	460	7740
08.24	32ND ST. (SOUTHGATE SHP CTR.)	.41	16670	910	17580
U 08.65	S. CORP. CANTON	.35	16670	910	17580
U 09.00	CLEVELAND AVE. ENTER RAMP	.18	5260	360	5620
U 09.18	ROUTE ENDS AT IR 77	.00			