

TRAFFIC SURVEY REPORT  
OF THE  
STATE HIGHWAY SYSTEM  
EASTERN HALF



OHIO

DEPARTMENT OF TRANSPORTATION

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-8					
U	00.00 IR 76 IN AKRON	.39	78940	4830	83770
U	00.39 JOHNSON ST.	.48	79840	4860	84700
U	00.87 EXCHANGE ST.	.29	76730	4740	81470
U	01.16 CARROLL ST.	.09	72470	4560	77030
U	01.25 BUCHEL AVE.	.23	78960	4740	83700
U	01.48 SR 18 (MARKET ST.) ATR #125	.27	75680	4600	80280
U	01.75 SR 59 TEMP. (PERKINS ST.)	.98	78780	4530	83310
U	02.73 GLENWOOD AVE.	.32	68540	3780	72320
U	03.05 SR 261 (TALLMADGE AVE.)	.91	65070	3360	68430
U	03.96 GORGE BLVD.	.34	59660	3200	62860
U	04.30 S. CORP. CUYAHOGA FALLS	.11	59660	3200	62860
U	04.41 HOWE RD.	1.06	63180	3210	66390
U	05.47 BROAD BLVD.	.19	55810	2940	58750
U	05.66 PORTAGE TRAIL	.45	46490	2550	49040
U	06.11 SR 59 (RAMP TO FRONT ST.)	.06	40110	2340	42450
U	06.17 FRONT ST.	.13	40810	2350	43160
U	06.30 2ND ST.	.31	34610	2150	36760
U	06.61 HUDSON DR.	.93	35620	2200	37820
U	07.54 END OF NEW SR 8 ENTER RAMP	.13	9260	660	9920
U	07.67 RAMP ENTER GRAHAM RD.	.04	27050	1110	28160
U	07.71 FUTURE SR 8 (UNDER CONSTRUCTION)	.65	23670	1240	24910
U	08.36 BAILEY RD. (OLD SR 532)	.38	20860	1050	21910
	08.74 N. CORP. CUYAHOGA FALLS GRAHAM RD.	3.10	10120	600	10720
	15.02 OLD SR 8	1.12	15600	1020	16620
	16.14 SR 359	.44	19100	1030	20130
U	16.58 S.E. CORP. BOSTON HTS.	.41	19100	1030	20130
U	16.99 SR 303 (RICHFIELD HUDSON RD.)	1.86	19590	1160	20750
U	18.85 OHIO TURNPIKE	1.32	17890	1170	19060
	20.17 N. CORP. BOSTON HTS.	1.27	17890	1170	19060
U	21.44 S. CORP. MACEDONIA	.35	17890	1170	19060
U	21.79 HIGHLAND RD.	.33	23150	2090	25240
U	22.12 IR 271	.78	12610	1040	13650
U	22.90 SR 82 (AURORA RD.)	.36	10110	660	10770
	23.26 LEAVE MACEDONIA	.18	10110	660	10770
U	23.44 RE-ENTER MACEDONIA	.20	10110	660	10770
U	23.64 VALLEYVIEW RD.	.03	8400	420	8820
	23.67 N.W. CORP. MACEDONIA	.50	8400	420	8820
U	24.17 S.W. CORP. NORTHFIELD	.14	8400	420	8820
U	24.31 AKRON CLEVELAND RD.	.19	15480	650	16130
U	24.50 LEAVE NORTHFIELD	.19	15480	650	16130
U	24.69 RE-ENTER NORTHFIELD	.86	15480	650	16130
	25.55 EQUALS STA. 0.00 IN CUYAHOGA CO.	.00			
SR-14					
00.00	CUYAHOGA CO. LINE N. CORP. MACEDONIA	8.67	SEE PREFERRED ROUTE		

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM%L	B & C COM%L	TOTAL VEH.
	SR-14				
08.67	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
	SR-18				
	00.00 MEDINA CO. LINE	1.00	17330	2180	19510
	01.00 C-253 (HAMETOWN RD.)	.54	20310	2260	22570
	01.54 C-200 (CRYSTAL LAKE RD.)	.35	25580	2330	27910
	01.89 IR 77	1.07	22050	560	22610
U	02.96 W. CORP. FAIRLAWN	.20	22050	560	22610
U	03.16 SMITH RD.	.40	15570	280	15850
U	03.56 ENTRANCE TO SHOPPING CTR.	.31	19520	410	19930
U	03.87 GHENT RD.	.29	24110	530	24640
U	04.16 MILLER RD.	.72	18330	420	18750
U	04.88 N.W. CORP. AKRON	1.76	18330	420	18750
U	06.64 HAWKINS AVE.	2.11	14590	340	14930
U	08.75 MERRIMAN RD.	.30	20610	570	21180
U	09.05 AQUEDUCT ST.	.63	26310	620	26930
	09.68 SR 162 (RAND AVE.)	.02	27710	640	28350
U	09.70 SR 59 FUTURE (EXPRESSWAY)	.25	25370	710	26080
U	09.95 SR 261 DA (HIGH ST.)	.06	24350	660	25010
U	10.01 SR 261 (BROADWAY ST.)	.64	23050	600	23650
U	10.65 SR 8 (EXPRESSWAY)	.47	19760	440	20200
U	11.12 BUCHTEL AVE.	.40	14530	400	14930
U	11.52 ARLINGTON ST.	.53	10700	360	11060
U	12.05 GOODYEAR BLVD.	1.06	13700	460	14160
U	13.11 GENERAL ST.	.12	16360	670	17030
U	13.23 SR 241 (MASSILLON RD.)	.30	12170	500	12670
U	13.53 IR 76	.24	15200	470	15670
U	13.77 HILLBISH AVE.	.79	9610	250	9860
U	14.56 RTE. ENDS AT SR 91 (CANTON) IN AKRON	.00			
	SR-21				
U	00.00 WAYNE CO. LINE S. CORP. NORTON	.29	12050	1900	13950
U	00.29 SR 585 (WOOSTER RD.)	3.28	15330	2520	17850
U	03.57 IR 76	.68	15810	2770	18580
U	04.25 SR 261 (WADSWORTH RD.)	.89	18280	2830	21110
	05.14 N. CORP. NORTON	2.64	18280	2830	21110
	07.78 SR 162	1.27	18060	2890	20950
	09.05 RAMP TO IR 77 E.B.	.21	16530	2760	19290
	09.26 RAMP FROM IR 77 W.B.	.50	14990	2630	17620
	09.76 IR 77	9.50	SEE PREFERRED ROUTE		
	19.26 IR 77 ENTER RAMP	.04	3220	600	3820
U	19.30 E. CORP. RICHFIELD	.27	3220	600	3820
U	19.57 RAMP ENTER CLEVELAND MASSILLON RD.	.87	12680	1750	14430
U	20.44 OHIO TURNPIKE	.33	11910	1350	13260
	20.77 EQUALS STA. 0.00 IN CUYAHOGA CO.	.00			
	SR-59				
U	00.00 SR 8 IN AKRON	4.63	SEE PREFERRED ROUTE		

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM <sup>o</sup> L	B & C COM <sup>o</sup> L	TOTAL VEH.
SR-59					
U 04.63	SR 8 ENTER RAMP	.16	6380	210	6590
U 04.79	LEAVE RAMP ENTER FRONT ST.	.07	10890	320	11210
U 04.93	2ND ST.	.07	23050	650	23700
U 05.00	BAILEY RD.	.38	16110	470	16580
U 05.38	S.W. CORP. SILVER LAKE	1.05	16110	470	16580
U 06.43	W. CORP. STOW	.57	16110	470	16580
U 07.00	SR 91 (DARROW RD.)	2.21	14700	440	15140
U 09.21	FISH CREEK RD.	.33	18660	730	19390
09.54	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-59 FUTURE					
U 00.00	IR 76	.88	14010	510	14520
U 00.88	BARTGES ST.	.19	13340	440	13780
U 01.07	SR 261 (WOOSTER AVE.)	.20	12900	370	13270
U 01.27	EUCLID AVE.	.51	17940	530	18470
U 01.78	EXCHANGE ST.	.55	11550	430	11980
U 02.33	MILL ST.	.17	16910	490	17400
U 02.50	SR 18 (MARKET ST.)	.15	16910	490	17400
02.65	ROUTE TEMP.ENDS AT SR59T (HOWARD ST.)	.00			
SR-59 TEMPORARY					
U 00.00	SR 59F (HOWARD ST.) IN AKRON	.12	14550	450	15000
U 00.12	SR 261 DA (HIGH ST.)	.06	11900	340	12240
U 00.18	SR 261 (BROADWAY ST.)	.43	10660	330	10990
U 00.61	UNION ST.	.15	14660	500	15160
U 00.76	SR 8	.04	10600	360	10960
U 00.80	PERKINS ST. ENTER RAMP	.08	3980	140	4120
00.88	ROUTE ENDS AT SR 8 IN AKRON	.00			
IR-76					
U 00.00	MEDINA CO. LINE W. CORP. NORTON	1.29	24310	5130	29440
U 01.29	SR 21 (EXPRESSWAY)	1.33	31440	5920	37360
U 02.62	CLEVELAND MASSILLON RD.	1.54	36200	6100	42300
U 04.16	BARBER RD.	.80	40340	6480	46820
U 04.96	AUTOMATIC TRAFFIC RECORDER A-05	.23	40340	6480	46820
U 05.19	N.W. CORP. BARBERTON	.31	40340	6480	46820
U 05.50	STATE ST.	.30	36320	6330	42650
U 05.80	SR 619 (EAST AVE.)	.10	44400	6790	51190
U 05.90	W. CORP. AKRON	.69	44400	6790	51190
U 06.59	IR 277	.42	41140	6630	47770
U 07.01	KENMORE BLVD.	.36	41130	6640	47770
U 07.37	BATTLES AVE.	1.05	43320	6780	50100
U 08.42	IR 77	.34	81880	9960	91840
U 08.76	EAST AVE.	.38	90330	10220	100550
U 09.14	SR 93 (MANCHESTER RD.)	.23	90330	10220	100550
U 09.37	SOUTH ST. RAMP	.11	89060	10190	99250
U 09.48	SR 59 FUTURE	.22	75050	9680	84730

AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM*L	B & C COM*L	TOTAL VEH.
IR-76					
U	09.70 BOULEVARD ST.	.66	81670	9970	91640
U	10.36 MAIN ST.-BROADWAY ST.	.40	84850	10160	95010
U	10.76 BELLOWS ST.	.12	76550	9710	86260
U	10.88 GRANT ST.	.66	84470	10230	94700
U	11.54 IR 77	.26	67990	10610	78600
U	11.80 INMAN ST.	.51	68930	10650	79580
U	12.31 ARLINGTON ST.	.11	66410	10590	77000
U	12.42 CHITTENDEN ST.	.25	63700	10540	74240
U	12.67 FULLER ST.	.29	59500	10170	69670
U	12.96 MARTHA AVE.	.36	52710	9880	62590
U	13.32 SEIBERLING ST.	.34	54250	10080	64330
U	13.66 GENERAL ST.	.14	44970	9710	54680
U	13.80 SR 241 (MASSILLON RD.)	.28	46120	9810	55930
U	14.08 SR 18 (MARKET ST.)	.80	37070	9490	46560
U	14.88 AUTOMATIC TRAFFIC RECORDER A-03	.19	37070	9490	46560
U	15.07 SR 91 (DARROW RD.)	.25	38520	9580	48100
	15.32 E. CORP. AKRON GILCHRIST RD.	.41	29570	8460	38030
U	15.73 S.W. CORP. TALLMADGE	1.24	29570	8460	38030
U	16.97 SR 532 (SOUTHEAST AVE.)	1.01	25490	8210	33700
	17.98 EQUALS STA. 0.00 IN PORTAGE CO.	.00			
IR-77					
	00.00 STARK CO. LINE	.53	36710	5300	42010
	00.53 AKRON CANTON AIRPORT RD.	3.22	38200	5450	43650
	03.75 AUTOMATIC TRAFFIC RECORDER A-02	.80	38200	5450	43650
	04.55 SR 241	.97	49140	5840	54980
	05.52 SR 619	1.22	49140	5840	54980
	06.74 C-15 (ARLINGTON RD.)	2.69	60400	6160	66560
	09.43 IR 277	.30	71370	6840	78210
U	09.73 S. CORP. AKRON	.02	71370	6840	78210
U	09.75 WATERLOO RD.	.75	79290	7160	86450
U	10.50 SR 764 (WILBETH RD.)	.46	79740	7340	87080
U	10.96 ARCHWOOD AVE.	.55	89200	7620	96820
U	11.51 LOVERS LANE	.75	91630	7690	99320
U	12.26 IR 76	2.92	SEE PREFERRED ROUTE		
U	15.18 IR 76	.54	74750	7400	82150
U	15.72 SR 261 (WOOSTER AVE.)	1.43	69420	7260	76680
U	17.15 SR 162 (COPLEY RD.)	1.19	64970	6920	71890
U	18.34 WHITE POND DR.	1.17	62130	6830	68960
	19.51 W. CORP. AKRON	.34	62130	6830	68960
	19.85 MILLER AVE.	.11	45040	6430	51470
	19.96 C-83 (RIDGWOOD RD.)	.02	47130	6510	53640
U	19.98 S.E. CORP. FAIRLAWN	1.53	47130	6510	53640
U	21.51 CLEVELAND MASSILLON RD.	.02	41710	6200	47910
	21.53 W. CORP. FAIRLAWN	.79	41710	6200	47910
	22.32 SR 21	.89	48660	7080	55740
	23.21 SR 18	1.51	31500	5360	36860

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM%L	B & C COM%L	TOTAL VEH.
IR-77					
	24.72 C-98 (GHENT RD.)	3.65	32520	5040	37560
U	28.37 S. CORP. RICHFIELD	.26	32520	5040	37560
U	28.63 AUTOMATIC TRAFFIC RECORDER A-01	1.00	32520	5040	37560
	29.63 LEAVE RICHFIELD SR 176	.55	34650	5450	40100
	30.18 IR 271	.72	31340	4200	35540
U	30.90 RE-ENTER RICHFIELD	.07	31340	4200	35540
U	30.97 SR 303 (STREETSBOARD RD.)	.45	31340	4200	35540
	31.42 LEAVE RICHFIELD	.72	31340	4200	35540
	32.14 SR 21	.04	28120	3600	31720
U	32.18 RE-ENTER RICHFIELD	.10	28120	3600	31720
U	32.28 SR 21 S.B. (CLEVELAND MASSILLON RD.)	1.19	24440	2950	27390
U	33.47 OHIO TURNPIKE	.15	24440	2950	27390
	33.62 EQUALS STA. 0.00 IN CUYAHOGA CO.	.00			
SR-82					
	00.00 CUYAHOGA CO. LINE	2.68	11440	350	11790
	02.68 C-40 (BRANDYWINE RD.)	.79	12810	630	13440
U	03.47 W. CORP. MACEDONIA	.03	12810	630	13440
U	03.50 SR 8 (AKRON-CLEVELAND RD.)	.50	16590	990	17580
U	04.00 IR 271	.15	14760	1000	15760
U	04.15 BEDFORD RD.	.12	13580	1060	14640
U	04.27 VALLEY VIEW RD.	1.51	10920	820	11740
U	05.78 W. CORP. TWINSBURG	.23	10920	820	11740
U	06.01 CHAMBERLIN RD.	1.23	13440	910	14350
U	07.24 IR 480	.52	13610	600	14210
U	07.76 CHURCH ST.	.08	8640	600	9240
U	07.84 SR 91 (DARROW RD.)	1.38	8060	580	8640
U	09.22 RAVENNA RD.	.09	6680	550	7230
	09.31 E. CORP. TWINSBURG	1.27	6680	550	7230
	10.58 EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-91					
	00.00 US 224	.72	18190	640	18830
U	00.72 S.E. CORP. AKRON	1.09	18190	640	18830
U	01.81 SR 18 (MARKET ST.)	.54	9580	370	9950
U	02.35 MOGODORE RD.	.04	16760	560	17320
U	02.39 IR 76	.19	15310	470	15780
U	02.58 GILCHRIST RD.	.46	21760	500	22260
U	03.04 NEWTON ST.	.85	13170	440	13610
U	03.89 S. CORP. TALLMADGE	1.12	13170	440	13610
U	05.01 SR 91DA ENTER CIRCLE	.09	22170	730	22900
U	05.10 SR 261 (NORTHEAST AVE.)	.02	21500	680	22180
U	05.12 SR 91DA ENTER NORTH AVE.	1.13	10960	390	11350
U	06.25 HOWE RD.	1.12	15950	740	16690
U	07.37 S. CORP. MUNROE FALLS	.32	15950	740	16690
U	07.69 MUNROE FALLS ST.	.39	18680	820	19500
U	08.08 N. RIVER RD.	.52	15930	880	16810

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-91					
U	08.60 S. CORP. STOW	.50	15930	880	16810
U	09.10 SR 59 (KENT RD.)	.50	18070	920	18990
U	09.60 GRAHAM RD.	.14	24800	1060	25860
U	09.74 STOW RD.	.95	17500	780	18280
U	10.69 ARNDALE RD.	1.27	13450	710	14160
U	11.96 FISHCREEK RD.	.14	17420	890	18310
	12.10 N. CORP. STOW	1.00	17420	890	18310
	13.10 C-509 (TEREX RD.)	.20	12720	800	13520
	13.30 C-34 (HUDSON DR.)	.59	14820	820	15640
U	13.89 S. CORP. HUDSON	.72	14820	820	15640
U	14.61 RAVENNA ST.	.06	18100	800	18900
U	14.67 SR 303 (STREETSBO RD ST.)	.87	13130	700	13830
	15.54 N. CORP. HUDSON	.13	13130	700	13830
	15.67 OHIO TURNPIKE	.11	13130	700	13830
	15.78 C-25 (VALLEYVIEW RD.)	1.97	13130	400	13530
	17.75 C-109 (OLDMILL RD.)	.46	14680	450	15130
U	18.21 S. CORP. TWINSBURG	.45	14680	450	15130
U	18.66 HIGHLAND RD.	.52	17580	1270	18850
U	19.18 IR 480	.42	9750	710	10460
U	19.60 SR 82 (AURORA RD.)	.08	7640	710	8350
U	19.68 RAVENNA RD.	1.97	6500	570	7070
U	21.65 GLENWOOD DR.	.56	8000	570	8570
	22.21 EQUALS STA. 0.00 IN CUYAHOGA CO.	.00			
SR-91 DIRECTIONAL ALTERNATE					
U	00.00 SR 91 ENTER CIRCLE IN TALLMADGE	.09	21830	800	22630
U	00.09 SR 261 (WEST AVE.)	.10	21780	770	22550
	00.19 ROUTE ENDS AT SR 91 IN TALLMADGE	.00			
SR-93					
	00.00 STARK CO. LINE	.36	4500	140	4640
	00.36 SR 236	1.55	6340	250	6590
	01.91 C-57 (NIMISILA RD.)	1.01	9300	320	9620
	02.92 C-220 (CENTER RD.)	2.23	12250	380	12630
	05.15 SR 619	1.02	9220	300	9520
	06.17 C-162 (STATE RD.)	.88	12900	240	13140
	07.05 C-54 (ROBINSON AVE.)	.57	18030	340	18370
	07.62 C-233 (CORMANY RD.)	.40	22320	550	22870
U	08.02 S. CORP. AKRON	.37	23900	810	24710
U	08.39 IR 277	.13	17700	760	18460
U	08.52 WATERLOO RD.	.61	11130	660	11790
U	09.13 SR 764 (WILBETH RD.)	.18	11400	500	11900
U	09.31 MANCHESTER RD.	.53	5100	160	5260
U	09.83 MANCHESTER RD.	.82	6280	200	6480
U	10.65 SOUTH ST.	.05	5100	140	5240
U	10.70 IR 76	.05	5100	140	5240
U	10.75 RUSSELL AVE.	.40	3650	100	3750

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-93					
U 11.15	MANCHESTER RD. ENTER EAST AVE.	.24	7160	170	7330
U 11.39	ROUTE ENDS AT SR 261 IN AKRON	.00			
SR-162					
00.00	MEDINA CO. LINE DOYLESTOWN RD.	1.67	4030	110	4140
01.67	SR 21	.67	5760	440	6200
02.34	SR 162DA ENTER C-17(CLEVE.-MASS. RD.)	.01	7850	420	8270
02.35	C-17 (CLEVELAND MASSILLON RD.)	.07	2980	210	3190
02.42	SR 162DA	1.31	5710	280	5990
03.73	C-205 (JACOBY RD.)	1.38	6840	300	7140
05.11	T-59 (MILAN AVE.)	.28	8030	340	8370
05.39	T-512 (KEYSTONE BLVD.)	.23	9170	380	9550
U 05.62	W. CORP. AKRON (FAIRLAWN RD.)	.49	9890	600	10490
U 06.11	IR 77	2.18	12100	360	12460
U 08.29	CEDAR ST.	.09	9500	260	9760
U 08.38	EXCHANGE ST.	.47	5500	110	5610
U 08.85	MAPLE ST. ENTER GLENDALE AVE.	.35	2540	30	2570
U 09.20	RAND AVE.	.06	5330	120	5450
U 09.26	SR 18 ENTER MARKET ST.	.20	SEE PREFERRED ROUTE		
09.46	ROUTE ENDS AT SR 18 IN AKRON	.00			
SR-162 DIRECTIONAL ALTERNATE					
00.00	SR 162	.01	9170	500	9670
00.01	C-17 (CLEVELAND MASSILLON RD.)	.07	3030	180	3210
00.08	ROUTE ENDS AT SR 162	.00			
SR-176					
00.00	IR 77 ENTER RAMP	.25	1080	140	1220
00.25	T-174 (WHEATLEY RD.) LEAVE RAMP	.03	3930	500	4430
00.28	IR 77	.47	4980	720	5700
00.75	C-17 (CLEVELAND-MASSILLON RD.)	.12	3840	130	3970
U 00.87	E. CORP. RICHFIELD	.22	3840	130	3970
U 01.09	IR 271	1.45	3840	130	3970
U 02.54	SR 303 (STREETSBO RD.)	1.10	4070	160	4230
03.64	N.W. CORP. RICHFIELD	1.95	4070	160	4230
05.59	EQUALS STA. 0.00 IN CUYAHOGA CO.	.00			
US-224					
00.00	MEDINA CO. LINE W. CORP. OF NORTON	10.22	SEE PREFERRED ROUTE		
10.22	IR 77	.37	28340	2070	30410
U 10.59	S. CORP. AKRON	.46	28340	2070	30410
U 11.05	KELLY AVE.	.67	23350	1350	24700
U 12.70	WATERLOO RD.	.41	22930	1350	24280
U 13.11	MASSILLON RD.	.06	22760	1180	23940
U 13.17	SR 241	.52	15860	1050	16910
13.69	E. CORP. AKRON	1.52	15860	1050	16910
15.21	SR 91	.25	14500	870	15370



## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-224					
15.46	C-450 (WATERLOO RD.)	1.56	7960	650	8610
17.02	EQUALS STA. 0.00 IN POR. CO. SR 532	.00			
SR-236					
00.00	STARK CO. LINE	.33	2300	110	2410
00.33	ROUTE ENDS AT SR 93	.00			
SR-241					
00.00	STARK CO. LINE	1.66	8800	380	9180
01.66	C-133 (GREENSBURG RD.)	1.91	11300	600	11900
03.57	T-242 (BOETTLER RD.)	.29	13800	800	14600
03.86	IR 77	.21	16610	730	17340
04.07	C-246 (RABER RD.)	.50	9630	530	10160
04.57	SR 619	1.43	4310	240	4550
06.00	C-244 (MAYFAIR RD.)	1.47	9140	350	9490
07.47	C-130 (KRUMROY RD.)	.29	13960	460	14420
U 07.76	S.E. CORP. AKRON	.56	13960	460	14420
U 08.32	US 224 (WATERLOO RD.)	1.29	7210	230	7440
U 09.61	TRIPLETT BLVD.	.27	15460	440	15900
U 09.88	SR 764 ENTER MASSILLON RD.	.64	9310	330	9640
U 10.52	SPRINGFIELD CENTER RD.	.57	8550	260	8810
U 11.09	IR 76	.09	7980	280	8260
11.18	ROUTE ENDS AT SR 18 (MARKET) IN AKRON	.00			
SR-261					
U 00.00	MEDINA CO. LINE W. CORP. NORTON	1.35	7800	200	8000
U 01.35	SR 21	1.31	6450	250	6700
U 02.66	CLEVELAND MASSILLON RD.	1.42	8000	250	8250
U 04.08	SUMMIT RD.	1.22	11240	300	11540
U 05.30	W. CORP. AKRON	.37	11240	300	11540
U 05.67	ROMIG RD.	.59	22520	640	23160
U 06.26	IR 77	.08	20310	600	20910
U 06.34	FREDERICK BLVD.	.09	11440	240	11680
U 06.43	HAWKINS AVE.	.59	7600	150	7750
U 07.02	SUPERIOR AVE.	.64	5780	110	5890
U 07.66	SR 93 (EAST AVE.)	.53	8540	180	8720
U 08.19	SR 59 FUTURE (EXPRESSWAY)	.69	1960	50	2010
U 08.88	SR 261DA (LOCUST ST.) ENTER CEDAR ST.	.27	8190	160	8350
U 09.15	MAIN ST.	.15	6250	100	6350
U 09.30	MAIN ST. ENTER BROADWAY ST.	.07	17550	400	17950
U 09.37	EXCHANGE ST.	.23	13680	320	14000
U 09.60	CENTER ST.	.26	10590	240	10830
U 09.86	MILL ST.	.18	8640	200	8840
U 10.04	SR 18 (MARKET ST.)	.17	5720	130	5850
U 10.21	SR 59 TEMP. (PERKINS ST.)	.32	7820	150	7970
U 10.53	SR 261 DA (HIGH ST.)	.77	17750	320	18070
U 10.99	MAIN ST. ENTER TALLMADGE AVE.	.58	18000	540	18540

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM*L	B & C COM*L	TOTAL VEH.
SR-261					
U	11.57 SR 8 (EXPRESSWAY)	.57	17320	920	18240
U	12.04 GLENWOOD AVE.	.12	18120	1220	19340
U	12.16 HOME AVE.	1.22	15740	880	16620
U	13.38 W. CORP. TALLMADGE	1.21	15740	880	16620
	14.59 SR 91DA ENTER CIRCLE	.18	SEE PREFERRED ROUTE		
U	14.77 SR 91 ENTER NORTHEAST AVE.	1.73	7560	250	7810
U	16.50 HOWE RD.	1.65	9740	270	10010
	18.15 EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-261 DIRECTIONAL ALTERNATE					
U	00.00 SR 261 (MAIN ST.) IN AKRON	.31	9930	170	10100
U	00.31 SR 59 TEMP. (PERKINS ST.)	.15	8100	160	8260
U	00.46 SR 18 (MARKET ST.)	.67	9300	200	9500
U	01.13 HIGH ST. ENTER EXCHANGE ST.	.35	11220	330	11550
U	01.48 EXCHANGE ST. ENTER LOCUST ST.	.07	2450	40	2490
	01.55 ROUTE ENDS AT SR 261 (CEDAR) IN AKRON	.00			
IR-271					
	00.00 MEDINA CO. LINE	1.88	14140	2980	17120
U	01.88 W. CORP. RICHFIELD	.87	14140	2980	17120
U	02.75 SR 176 (WEST RICHFIELD RD.)	.19	14140	2980	17120
U	02.94 BRECKSVILLE RD.	.10	13430	2680	16110
	03.04 E. CORP. RICHFIELD	.53	13430	2680	16110
	03.57 IR 77	2.44	14560	4410	18970
	06.01 SR 303	.55	14490	4330	18820
	06.56 OHIO TURNPIKE	5.08	14490	4330	18820
U	11.64 S.W. CORP. MACEDONIA	.22	14490	4330	18820
U	11.86 SR 8 (AKRON-CLEVELAND RD.)	.78	22600	4980	27580
U	12.64 SR 82 (AURORA RD.)	2.60	29630	5440	35070
	15.24 EQUALS STA. 0.00 IN CUYAHOGA CO.	.00			
IR-277					
U	00.00 IR 76 IN AKRON	1.15	37060	3410	40470
U	01.15 WATERLOO RD.	.19	30090	2800	32890
U	01.34 SR 93 (MANCHESTER RD.)	.43	43100	3610	46710
	01.77 S. CORP. AKRON	.70	43100	3610	46710
	02.47 C-50 (MAIN ST.)	1.73	42740	3830	46570
	04.20 ROUTE TEMPORARILY ENDS AT IR 77	.00			
SR-303					
	00.00 MEDINA CO. LINE	1.05	4370	160	4530
U	01.05 W. CORP. RICHFIELD	.55	5120	210	5330
U	01.60 SR 176 (WEST RICHFIELD RD.)	.87	5590	230	5820
U	02.47 CLEVELAND-MASSILLON RD.	.49	4260	190	4450
U	02.96 IR 77	.17	4260	190	4450
	03.13 E. CORP. RICHFIELD	1.92	4260	190	4450
	05.05 IR 271	.55	4700	360	5060

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM*L	B & C COM*L	TOTAL VEH.
SR-303					
U 05.60	W. CORP. PENINSULA	1.37	6200	450	6650
U 06.97	RIVERVIEW RD.	1.18	7620	420	8040
	08.15 E. CORP. PENINSULA	.81	7620	420	8040
U 08.96	W. CORP. BOSTON HTS.	1.44	7620	420	8040
U 10.40	SR 8 (AKRON CLEVELAND RD.)	.14	11320	460	11780
	10.54 E. CORP. BOSTON HTS.	.25	11320	460	11780
	10.79 C-509 (MARTIN DR.)	1.16	6080	320	6400
U 11.95	W. CORP. HUDSON	.69	6080	320	6400
U 12.64	BOSTON RD.	.26	10080	460	10540
U 12.90	ATTERBURY BLVD.	.29	12660	740	13400
U 13.23	SR 91 (MAIN ST.)	.04	9410	650	10060
U 13.27	AURORA ST.	.24	7000	550	7550
U 13.51	OVIATT ST.	.64	4580	450	5030
	14.15 E. CORP. HUDSON	.61	4580	450	5030
	14.76 C-106 (STOW RD.)	.99	4970	590	5560
	15.75 EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-359					
00.00	ENTRANCE VIRGINIA KENDALL STATE PARK	1.02	410	10	420
01.02	ROUTE ENDS AT SR 8	.00			
IR-480					
U 00.00	CUY. CO. LINE N. CORP. MACEDONIA	1.36	30240	4090	34330
U 01.36	W. CORP. TWINSBURG	2.77	30240	4090	34330
U 04.13	SR 82 (AURORA RD.)	.69	27190	3760	30950
U 04.82	SR 91 (DARROW RD.)	1.19	22370	3780	26150
	06.01 S.E. CORP. TWINSBURG	.61	22370	3780	26150
	06.62 AUTOMATIC TRAFFIC RECORDER A-15	2.05	22370	3780	26150
	08.67 EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-532					
	00.26 US 224	.80	9030	440	9470
	01.06 ALBRECHT RD.	.01	11130	440	11570
U 01.07	S. CORP. MOGADORE	.72	11130	440	11570
U 01.79	MOGADORE RD.	.40	10370	470	10840
	02.19 N. CORP. MOGADORE	.66	10370	470	10840
U 02.85	S.E. CORP. TALLMADGE	.91	10370	470	10840
U 03.76	ROUTE ENDS AT IR 76 IN TALLMADGE	.00			
SR-585					
	00.00 WAYNE CO. LINE W. CORP. NORTON	.61	9740	980	10720
U 00.61	HAMETOWN RD.	.67	10000	1000	11000
U 01.28	ROUTE ENDS AT SR 21	.00			
SR-619					
U 00.00B	IR 76 ENTER RAMP IN BARBERTON	.14	1380	130	1510
U 00.14B	RAMP ENTER WOOSTER RD.	.09	19150	980	20130

## AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-619					
U	00.238 NORWOOD AVE.	.54	14680	500	15180
U	00.00 WOODSTER RD. ENTER STATE ST.	.23	13700	320	14020
U	00.23 STATE ST. ENTER 5TH ST.	.79	7430	140	7570
U	01.02 PAIGE AVE.	.81	8500	200	8700
	02.18 S.E. CORP. BARBERTON	1.89	5500	170	5670
	04.07 SR 93	.77	6230	190	6420
	04.84 C-162 (STATE RD.)	1.30	10300	320	10620
	06.14 C-50 (SOUTH MAIN)	1.57	8630	250	8880
	07.72 C-15 (ARLINGTON RD.)	.79	6820	250	7070
	08.51 IR 77	.72	6820	250	7070
	09.23 SR 241	1.40	8450	320	8770
	10.63 C-244 (MAYFAIR RD)	1.12	10450	400	10850
	11.75 EQUALS STA. 0.00 IN STARK CO.	.00			
SR-764					
U	00.00 SR 93 (MANCHESTER RD.) IN AKRON	.90	7110	410	7520
U	00.90 FIRESTONE PKWY.	.13	8310	490	8800
U	01.03 MAIN ST.	.68	6460	370	6830
U	01.71 FIRESTONE BLVD.	.45	13380	440	13820
U	02.16 IR 77	.73	14210	520	14730
U	02.89 WILBETH RD. ENTER ARLINGTON ST.	.11	18400	460	18860
U	03.00 ARLINGTON ST. ENTER TRIPLETT BLVD.	1.14	8170	310	8480
U	04.14 SEIBERLING ST.	.41	15880	550	16430
	04.55 ROUTE ENDS AT SR 241 IN AKRON	.00			