

TRAFFIC SURVEY REPORT

OF THE
STATE HIGHWAY SYSTEM

WESTERN HALF



OHIO

DEPARTMENT OF TRANSPORTATION

MARION COUNTY 1
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-4					
00.00	DELAWARE CO. LINE	.64	3970	520	4490
00.64	SR 47	2.90	3350	490	3840
03.54	SR 203	2.91	4440	500	4940
06.45	T-120 (HUGHES RD.)	1.91	6700	390	7090
08.36	C-126 (GOODING RD.)	1.09	7790	440	8230
09.45	C-107 (SMELTZER RD.)	.22	10300	380	10680
09.67	C-138 (BARKS RD.)	.38	8340	470	8810
U 10.05	S. CORP. MARION	.40	8340	470	8810
U 10.45	EDGEWOOD DR.	.36	6440	470	6910
U 10.81	SR 4DA ENTER WALNUT ST.	.19	7170	360	7530
U 11.00	SR 423 ENTER DELAWARE AVE.	.09	14500	570	15070
U 11.09	DELAWARE ENTER STATE ST.	.30	6810	400	7210
U 11.39	SR 739 (COLUMBIA ST.)	.18	9730	430	10160
U 11.57	SR 95 (CHURCH ST.)	.09	7440	350	7790
U 11.66	SR 95DA (CENTER ST.)	.28	6700	370	7070
U 11.94	GEORGE ST.	.41	5940	280	6220
U 12.35	STATE ST. ENTER PATTON ST.	.07	3400	220	3620
U 12.42	SR 4DA ENTER MAIN ST.	.64	13790	640	14430
13.06	N. CORP. MARION	.50	14160	840	15000
13.56	C-162 (MARION-WILLIAMS RD.)	.29	8450	620	9070
13.66	SR 423	.73	3660	370	4030
14.39	C-167 (LIKENS RD.)	1.65	2920	320	3240
16.04	C-195 (LINN-HIPSHER RD.)	.95	2430	390	2820
16.99	US 23	3.38	3850	540	4390
20.37	EQUALS STA. 0.00 IN CRAWFORD CO.	.00			

SR-4 DIRECTIONAL ALTERNATE

U 00.00	SR 4 (WALNUT ST.) IN MARION	.24	8640	410	9050
U 00.24	SR 739 (BELLEFONTAINE AVE.)	.33	7870	430	8300
U 00.57	SR 95 (CHURCH ST.)	.10	8930	460	9390
U 00.67	SR 95DA (CENTER ST.)	.44	8020	350	8370
U 01.11	MARK ST.	.22	6840	290	7130
U 01.33	PROSPECT ST. ENTER KLERX ST.	.08	5900	260	6160
U 01.41	ROUTE ENDS AT SR 4 (MAIN ST.) IN MARION	.00			

US-23

00.00	DELAWARE CO. LINE	1.85	13510	3770	17280
01.85	SR 98	6.02	10800	2820	13620
07.87	SR 529	2.20	10800	2820	13620
10.07	SR 95	1.01	16890	3970	20860
11.08	SR 309	1.57	15500	3770	19270

MARION COUNTY 2
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-23 (Cont'd)					
12.65	C-162 (MARION-WILLIAMSPORT RD.)	3.48	9870	2880	12750
16.13	SR 4	2.89	8090	2740	10830
19.02	SR 231	.95	7670	2870	10540
19.97	EQUALS STA. 0.00 IN WYANDOT CO.	.00			
SR-37					
00.00	WYANDOT CO. LINE	3.35	650	50	700
03.35	SR 309	1.49	580	80	660
04.84	C-33 (WILDCAT PIKE)	2.49	750	40	790
U 07.33	N. CORP. LA RUE	.84	1240	70	1310
U 08.17	VINE ST.	.06	1730	90	1820
U 08.23	SR 95 (MARKET ST.)	.28	1070	50	1120
08.51	S. CORP. LA RUE	1.88	740	40	780
10.39	T-49 (LINWOOD RD.)	2.93	410	20	430
13.32	C-45 (MT. OLIVE-GREENCAMP RD.)	.54	360	20	380
13.86	EQUALS STA. 0.00 IN UNION CO.	.00			
SR-47					
00.00	DELAWARE CO. LINE	.64	SEE PREFERRED ROUTE		
00.64	SR 4	1.47	1270	150	1420
U 02.11	W. CORP. PROSPECT SR 257	.09	2040	100	2140
U 02.20	FARNUM ST.	.14	2720	140	2860
U 02.34	SR 203 (MAIN ST.)	.64	2110	100	2210
02.98	E. CORP. PROSPECT	5.41	1170	200	1370
08.39	SR 229	.27	1490	120	1610
U 08.66	S. CORP. WALDO	.31	2300	130	2430
U 08.97	MAIN ST.	.20	3100	140	3240
09.17	ROUTE ENDS AT SR 98 IN WALDO	.00			
SR-95					
U 00.00	SR 37 (HIGH ST.) IN LA RUE	.44	2500	90	2590
00.44	E. CORP. LA RUE	4.04	1850	80	1930
U 04.48	S. CORP. NEW BLOOMINGTON	.49	1410	40	1450
04.97	E. CORP. NEW BLOOMINGTON	4.92	1590	50	1640
10.04	SR 203	2.14	2570	100	2670
12.18	MARION DISPOSAL PLANT	1.10	4080	510	4590
U 13.28	W. CORP. MARION	.63	3790	440	4230
U 13.91	WATERLOO ST.	.22	5210	830	6040
U 14.13	SR 95DA ENTER DAVIDS ST.	.30	4760	520	5280
U 14.43	DAVID ST. ENTER COLUMBIA ST.	.36	7980	290	8270
U 14.79	COLUMBIA ST. ENTER BLAINE AVE.	.17	4600	260	4860
U 14.96	BLAINE AVE. ENTER CHURCH ST.	.33	10270	530	10800
U 15.29B	SR 4DA (PROSPECT ST.)	.16	12420	530	12950

MARION COUNTY 3
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-95 (Cont'd)					
U	15.45B SR 4 (STATE ST.)	.14	14000	840	14840
U	15.23 SR 95DA ENTER MT. VERNON AVE.	.39	9180	460	9640
U	15.62 BRIGHTWOOD DR.	.45	12170	380	12550
U	16.07 VERNON HTS. BLVD.	.45	17380	480	17860
U	16.52 SR 529 (RICHLAND RD.)	.15	20770	550	21320
U	16.67 CLARIDON AVE.	.10	22670	610	23280
	16.77 E. CORP. MARION	.39	22670	610	23280
	17.16 OSU BRANCH	.60	21730	610	22340
	17.76 JAMESWAY DR.	.13	16250	650	16900
	17.89 US 23	.15	12290	650	12940
	18.04 T-174 (POLE LANE)	1.77	6850	530	7380
	19.81 SR 98	4.14	4050	460	4510
	23.96 SR 746	.25	3340	600	3940
	24.21 EQUALS STA. 0.00 IN MORROW CO.	.00			
SR-95 DIRECTIONAL ALTERNATE					
U	00.00 SR 95 (DAVIDS ST.) IN MARION	.21	7540	760	8300
U	00.21 MCKINLEY PARK BLVD.	.49	10830	600	11430
U	00.70 SR 4DA (PROSPECT ST.)	.16	13020	700	13720
U	00.86 SR 4 (STATE ST.)	.14	13170	750	13920
U	01.00 SR 309DA ENTER VINE ST.	.10	3720	210	3930
	01.10 RTE ENDS AT SR95(CHURCH ST.) IN MARION	.00			
SR-98					
U	00.00 SR 47 (MARION ST.) IN WALDO	.07	4740	330	5070
	00.07 E. CORP. WALDO	.05	4740	330	5070
	00.12 US 23	2.26	2340	390	2730
	02.82 C-123 (CARDINGTON RD.)	3.90	2040	440	2480
	06.72 SR 529	2.31	2950	430	3380
	09.03 SR 95	2.36	3800	370	4170
	11.39 SR 309	1.56	2420	380	2800
	12.95 C-179 (CALEDONIA MUD PK)	4.64	2220	320	2540
	17.59 EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-100					
	00.00 SR 309	2.89	490	50	540
	02.89 EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-203					
	00.00 DELAWARE CO. LINE	.43	1050	70	1120
U	00.43 S. CORP. PROSPECT	.08	1500	70	1570
U	00.51 ELM ST.	.28	1140	60	1200

MARION COUNTY 4
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-203 (Cont'd)					
U	00.79 SR 47 (WATER ST.)	.06	1680	60	1740
U	00.85 NORTH ST.	.14	1420	80	1500
U	00.99 MARKET ST. ENTER ELM ST.	.19	1490	80	1570
	01.18 N. CORP. PROSPECT	2.07	1770	100	1870
	03.25 SR 4	4.52	1010	120	1130
	07.77 SR 739	3.44	1090	50	1140
	11.21 SR 95	1.83	1410	90	1500
	13.04 ROUTE ENDS AT SR 309	.00			
SR-229					
	00.00 SR 47	1.05	1050	130	1180
	01.05 EQUALS STA. 0.00 IN DELAWARE CO.	.00			
SR-231					
U	00.00 C & O RR IN MORRAL	1.05	1040	50	1090
	01.05 E. CORP. MORRAL	2.08	1400	80	1480
	03.13 SR 423	.30	1700	160	1860
	03.43 US 23	.10	1270	90	1360
	03.53 TWP. RD. 187	.81	810	80	890
	04.34 EQUALS STA. 0.00 IN WYANDOT CO.	.00			
SR-257					
	00.00 DELAWARE CO. LINE	.55	920	20	940
	00.55 RIVER ST. EXT. PROSPECT	.11	860	30	890
	00.66 ROUTE ENDS AT SR 47	.00			
SR-309					
	00.00 HARDIN CO. LINE	2.05	1920	480	2400
	02.05 SR 37	3.99	2070	470	2540
	06.04 C-31 (AGOSTA MEEKER RD.)	3.42	1400	290	1690
	09.46 C-33 (WILDCAT PIKE)	1.92	2710	350	3060
	11.38 SR 203	3.13	3470	360	3830
	14.51 C-175 (FAIRGROUND RD.)	.55	2830	250	3080
	15.06 C-94 (HILLMAN-FORD RD.)	.30	3710	400	4110
U	15.36 W. CORP. MARION	.46	4590	540	5130
U	15.82 SR 95 (CENTER ST.)	1.46	SEE PREFERRED ROUTE		
U	16.92 SR 95 (VINE ST.)	.42	7930	560	8490
U	17.34 SR 309DA ENTER CENTER ST.	.27	11390	740	12130
U	17.61 JEFFERSON ST.	.88	12420	740	13160
	18.49 E. CORP. MARION	.79	8990	970	9960
	19.28 US 23	2.84	6660	770	7430
	22.12 ENT. TO MFG. PLANT	.37	5760	510	6270

MARION COUNTY 5
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-309 (Cont'd)					
	22.49 SR 98	.05	5480	560	6040
	22.54 C-162 (MARION-WILLIAMSPORT RD.)	3.23	5080	540	5620
U	25.77 W. CORP. CALEDONIA	.14	4550	530	5080
U	25.91 HIGH ST.	.12	3840	670	4510
	26.03 E. CORP. CALEDONIA SR 746	.59	3460	650	4110
	26.62 ENTER MORROW CO. STA. 0.00	.00			
	26.62 LEAVE MORROW CO. STA. 2.48	3.15	4020	560	4580
	29.77 SR 100	.06	4250	590	4840
	29.83 EQUALS STA. 2.48 IN MORROW CO.	.00			
SR-309 DIRECTIONAL ALTERNATE					
U	00.00 SR 95 IN MARION	1.00	SEE PREFERRED ROUTE		
U	01.00 SR 95DA	.32	9190	410	9600
	01.32 ROUTE ENDS AT SR 309 IN MARION	.00			
SR-423					
U	00.00 SR 47 IN WALDO	.18	4970	250	5220
	00.18 N. CORP. WALDO	2.47	4970	250	5220
	02.65 T-123 (NEWMANS-CARDINGTON RD.)	1.60	5180	360	5540
	04.25 C-108 (OWENS RD.)	1.08	5790	360	6150
	05.33 C-106 (SUMMERLOT HOFFMAN RD.)	1.08	9040	260	9300
	06.41 C-136 (MARION-CARDINGTON RD.)	.88	11430	280	11710
	07.29 ENT. TO SHOPPING CENTER	.18	17040	440	17480
	07.47 C-138 (BARKS RD.)	.22	21600	400	22000
U	07.69 S. CORP. OF MARION	.54	24480	410	24890
U	08.23 VERNON HEIGHTS BLVD.	.36	18790	370	19160
	08.59 SR 4 (WALNUT ST.)	2.85	SEE PREFERRED ROUTE		
	11.44 SR 4	.15	4750	230	4980
	11.59 SELMA AVE.	1.80	3140	170	3310
	13.39 C-66 (KENTON-GALION RD.)	3.11	2100	130	2230
	16.50 SR 231	.41	SEE PREFERRED ROUTE		
	16.91 SR 231 ENTER RAMP	.16	200	80	280
	17.07 ROUTE ENDS AT US 23	.00			
SR-423 DIRECTIONAL ALTERNATE					
U	00.00 SR 4 (DELAWARE AVE.) IN MARION	1.60	SEE PREFERRED ROUTE		
U	01.60 ROUTE ENDS AT SR 4 IN MARION	.00			
SR-529					
U	00.00 SR 95 (MT. VERNON AVE.) IN MARION	.47	7400	130	7530
	00.47 S. CORP. MARION	.27	7400	130	7530
	00.74 C-169 (MARION-EDISON RD.)	.79	6170	120	6290

MARION COUNTY 6
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-529 (Cont'd)					
01.53	C-138 (BARKS RD.)	1.06	2770	40	2810
02.59	C-136 (MARION-CARDINGTON RD.)	.20	1770	60	1830
02.79	US 23	1.31	1770	60	1830
04.10	SR 98	4.96	1840	80	1920
09.06	SR 746	.27	1750	60	1810
09.33	EQUALS STA. 0.00 IN MORROW CO.	.00			
SR-739					
00.00	UNION CO. LINE	.85	1180	70	1250
00.85	C-45 (MT. OLIVE-GREEN CAMP RD.)	2.33	1560	50	1610
03.18	C-38 (LARUE-GREEN CAMP RD.)	.43	2420	50	2470
U 03.61	S.W. CORP. GREEN CAMP	.76	2420	50	2470
04.37	N. CORP. GREEN CAMP	1.01	2950	120	3070
05.38	SR 203	1.77	4100	190	4290
07.15	C-101 (CAMPBELL RD.)	.70	6890	160	7050
U 07.85	S.W. CORP. MARION	.55	9670	130	9800
U 08.40	UNCAPHER AVE.	.32	9690	130	9820
U 08.72	CHENEY AVE.	.22	11310	250	11560
U 08.94	OLNEY AVE.	.16	7950	230	8180
U 09.10	WINDSOR ST.	.37	6870	250	7120
U 09.47	SR 4DA (PROSPECT ST.) ENT. HILL ST.	.08	4890	150	5040
U 09.55	HILL ST. ENTER MAIN ST.	.15	10080	190	10270
U 09.70	MAIN ST. ENTER COLUMBIA ST.	.08	3920	50	3970
09.78	ROUTE ENDS AT SR4 (STATE ST.) IN MARION	.00			
SR-739 DIRECTIONAL ALTERNATE					
U 00.00	SR 4DA IN MARION	.59	SEE PREFERRED ROUTE		
00.59	ROUTE ENDS AT SR 4 IN MARION	.00			
SR-746					
00.00	MORROW CO. LINE	2.42	390	30	420
02.42	SR 529	4.23	400	10	410
06.65	SR 95	2.75	440	30	470
09.40	T-163 (CLARIDON WESTFIELD RD.)	.55	970	30	1000
09.95	ROUTE ENDS AT SR 309	.00			