

TRAFFIC SURVEY REPORT

OF THE
STATE HIGHWAY SYSTEM

WESTERN HALF



OHIO

DEPARTMENT OF TRANSPORTATION

SENECA COUNTY 1
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-4					
	00.00 CRAWFORD CO. LINE	4.26	1930	510	2440
	04.26 CO. RD. 35	.68	2610	600	3210
U	04.94 S. CORP. ATTICA	.31	4390	550	4940
U	05.25 US 224 (TIFFIN ST.)	.12	3710	570	4280
U	05.37 LEMMON ST.	.36	3020	620	3640
	05.73 N. CORP. ATTICA	3.88	2320	660	2980
	09.61 SR 162	3.63	2660	760	3420
	13.24 EQUALS STA. 0.00 IN HURON CO. SR 269	.00			
SR-12					
U	00.00 HANCOCK CO. LINE IN FOSTORIA	.12	3930	870	4800
U	00.12 UNION ST.	.14	5560	960	6520
U	00.26 WOOD ST.	.03	7180	1040	8220
	00.29 US 23	.32	SEE PREFERRED ROUTE		
U	00.61 US 23 ENTER SOUTH ST.	.10	6470	630	7100
U	00.71 MAIN ST.	.14	3860	520	4380
U	00.85 SOUTH ST. ENTER POPLAR ST.	.13	6260	510	6770
U	00.98 SR 613 ENTER CENTER ST.	.32	5800	490	6290
U	01.30 CENTER ST. ENTER TOWN ST.	.37	6370	520	6890
U	01.67 TOWN ST. ENTER SANDUSKY ST.	1.78	4420	470	4890
	03.45 N.E. CORP. FOSTORIA	5.80	3110	520	3630
	09.26 SR 635	.25	3440	540	3980
	09.51 SR 635	2.51	3260	510	3770
U	12.02 W. CORP. BETTSVILLE	.33	3670	530	4200
U	12.35 EMMA ST.	.11	4070	540	4610
U	12.46 SR 590 (UNION ST.)	.40	2920	460	3380
	12.86 N.E. CORP. BETTSVILLE	.25	2920	460	3380
	13.11 EQUALS STA. 0.00 IN SANDUSKY CO.	.00			
SR-18					
	00.00 HANCOCK CO. LINE IN FOSTORIA	1.31	SEE PREFERRED ROUTE		
U	01.31 US 23 (SPRINGVILLE RD.)	.24	6730	590	7320
U	01.55 LYTLER ST. ENTER COLUMBUS AVE.	.90	7280	490	7770
U	02.45 SR 587	.01	5670	520	6190
	02.46 S.E. CORP. FOSTORIA	1.86	5750	510	6260
	04.32 TWP. RD. 59	3.84	5830	490	6320
	08.16 SR 635	2.41	6920	590	7510
	10.59 C-26	1.52	5720	710	6430
	12.11 US 224	.40	12800	810	13610
U	12.51 W. CORP. TIFFIN	.21	17670	740	18410
	12.72 TWP. RD. 1087	.48	22530	660	23190

SENECA COUNTY 2
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-18 (Cont'd)					
U	13.20 SR 18DA (WENTZ ST.)	.38	15680	400	16080
U	13.58 ELMER ST.	.26	13840	360	14200
U	13.84 JACKSON ST.	.08	12000	310	12310
U	13.92 SR 53 (SANDUSKY ST.)	.55	10090	290	10380
U	14.47 SR 100 (WASHINGTON ST.)	.09	9450	280	9730
U	14.56 JEFFERSON ST.	.37	7020	290	7310
U	14.93 SR 18DA (PERRY ST.) ENTER PERRY ST.	.49	5550	270	5820
	15.42 E. CORP. TIFFIN	1.58	3770	280	4050
	17.00 CO. RD. 15	5.56	3400	290	3690
U	22.56 W. CORP. REPUBLIC	.40	3020	290	3310
U	22.96 SR 67 ENTER KILBOURNE ST.	.12	2250	190	2440
U	23.08 SR 19 (MADISON ST.)	.48	1650	240	1890
	23.56 N.E. CORP. REPUBLIC	9.77	2080	250	2330
	33.33 CO. RD. 34	1.47	2500	250	2750
	34.80 EQUALS STA. 0.00 IN SANDUSKY CO.	.00			

SR-18 DIRECTIONAL ALTERNATE

00.00	SR 18 (E. MARKET) IN TIFFIN	.44	7500	270	7770
00.44	SR 100 (WASHINGTON)	.48	8500	230	8730
00.92	SR 53 (SANDUSKY)	.67	9500	180	9680
01.59	PERRY ENTER WENTZ	.16	9860	330	10190
01.75	ROUTE ENDS SR 18 (MARKET) IN TIFFIN	.00			

SR-19

00.00	CRAWFORD CO. LINE	2.03	750	140	890
02.03	CO. RD. 6	1.53	1040	140	1180
U	03.56 S. CORP. BLOOMVILLE	.50	2200	220	2420
U	04.06 NEW HAVEN ST.	.35	2290	200	2490
	04.41 N. CORP. BLOOMVILLE	1.66	1990	210	2200
	06.07 US 224	2.52	1570	220	1790
U	08.59 S. CORP. REPUBLIC	.49	2260	210	2470
U	09.08 SR 162 (JEFFERSON ST.)	.11	1420	130	1550
U	09.19 SR 18 (KILBOURNE ST.)	.39	1340	120	1460
	09.58 N. CORP. REPUBLIC	2.58	1080	110	1190
	12.16 CO. RD. 38	3.03	820	100	920
	15.19 SR 228	1.64	550	60	610
	16.83 SR 101	.40	550	60	610
	17.23 SR 778	2.01	1250	80	1330
	19.24 CO. RD. 34	.51	1810	90	1900
U	19.75 S. CORP. GREEN SPRINGS	.42	2120	110	2230
U	20.17 EUCLID ST.	.09	2770	130	2900
	20.26 EQUALS STA. 0.00 IN SANDUSKY CO.	.00			

SENECA COUNTY 3
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-23					
	00.00 WYANDOT CO. LINE CO. RD. 58	6.69	2080	1310	3390
	06.69 US 224	3.29	2180	1310	3490
U	09.98 S.E. CORP. FOSTORIA-TWP. RD. 114	1.00	3600	1570	5170
U	10.98 ENT. TO ATLAS CRANKSHAFT CO.	.47	4170	1600	5770
U	11.45 SR 18 ENTER LYTLE ST.	.50	11300	1600	12900
U	11.95 SR 12 ENTER N-S UNDERPASS	.32	13410	2020	15430
U	12.27 SR 12 ENTER SOUTH ST.	.30	10490	1750	12240
U	12.57 SOUTH ST. ENTER COUNTY LINE ST.	.19	12280	2070	14350
U	12.76 SR 18 (NORTH ST.)	.40	12570	1780	14350
U	13.16 ELM ST.	.18	14870	1710	16580
	13.34 EQUALS STA. 0.00 IN WOOD CO.	.00			
SR-53					
	00.00 WYANDOT CO. LINE	3.94	3040	230	3270
	03.94 TWP. RD. 90	3.87	9780	1020	10800
	07.81 US 224	.54	7200	860	8060
U	08.35 S.W. CORP. TIFFIN	.85	6980	520	7500
U	09.20 SR 18 (MARKET ST.)	.11	8720	570	9290
U	09.31 SR 18DA (PERRY ST.)	.27	7220	410	7630
U	09.58 MIAMI ST.	.35	9690	450	10140
U	09.93 NOBLE ST.	.23	6900	420	7320
U	10.16 SR 100	.20	8910	450	9360
U	10.36 2ND AVE.	.66	6380	400	6780
	11.02 N. CORP. TIFFIN	5.17	6500	380	6880
	16.19 CO. RD. 30	2.50	2950	300	3250
	18.69 CO. RD. 61	.55	2710	290	3000
	19.24 EQUALS STA. 0.00 IN SANDUSKY CO.	.00			
SR-67					
	00.00 WYANDOT CO. LINE	2.33	630	60	690
	02.33 SR 100	.15	1460	100	1560
	02.48 CO. RD. 6	.07	1670	100	1770
	02.54 SR 100	4.89	580	130	710
	07.43 US 224	3.03	2200	140	2340
U	10.46 S.W. CORP. REPUBLIC	.43	2070	150	2220
U	10.89 BROADWAY ST.	.18	1940	160	2100
	11.07 SR 18 (JEFFERSON ST.)	.12	SEE PREFERRED ROUTE		
	11.19 ROUTE ENDS AT SR 19 IN REPUBLIC	.00			

SENECA COUNTY 4
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-100					
00.00	CRAWFORD CO. LINE	2.04	880	50	930
02.04	SR 67	.22	SEE PREFERRED ROUTE		
02.26	SR 67	2.07	1320	70	1390
04.33	TWP. RD. 17	1.51	2320	130	2450
05.84	CO. RD. 16	1.15	3320	420	3740
06.99	US 224	1.31	3020	170	3190
U 08.30	S.E. CORP, TIFFIN	1.01	5440	100	5540
U 09.31	SR 231 ENTER WASHINGTON ST.	.35	11080	150	11230
U 09.66	SR 18 (MARKET ST.)	.08	16080	200	16280
U 09.74	SR 18DA (PERRY ST.)	.09	9450	110	9560
U 09.83	RIVERSIDE DR.	.08	12190	140	12330
U 09.91	WATER ST.	.14	10170	110	10280
U 10.05	HUDSON ST.	.16	8730	120	8850
U 10.21	NOBLE ST.	.24	7280	120	7400
10.45	RTE ENDS SR53(SANDUSKY ST.) IN TIFFIN	.00			
SR-101					
00.00	SR 53 (SANDUSKY ST.) IN TIFFIN	1.01	SEE PREFERRED ROUTE		
U 01.01	SR 18 (PERRY ST.) ENTER MARKET ST.	.15	5920	220	6140
U 01.16	HUNTER ST.	.48	3930	110	4040
01.64	E, CORP. TIFFIN	1.64	3880	110	3990
03.28	TWP. RD. 122	6.41	1790	60	1850
09.69	SR 778	.57	1210	40	1250
10.26	SR 19	1.84	1760	60	1820
12.10	SR 228	2.75	2330	90	2420
14.85	EQUALS STA. 0.00 IN SANDUSKY CO.	.00			
SR-101 DIRECTIONAL ALTERNATE					
00.00	SR 101 (MARKET ST.) IN TIFFIN	.92	SEE PREFERRED ROUTE		
00.92	ROUTE ENDS AT SR 53 (SANDUSKY ST.)	.00			
SR-162					
U 00.00	SR 18 (KILBOURNE ST.) IN REPUBLIC	.07	1700	200	1900
U 00.07	SR 19 (MADISON ST.)	.35	1270	100	1370
00.42	E. CORP. REPUBLIC	7.82	830	120	950
08.24	SR 4	1.31	400	50	450
09.55	EQUALS STA. 0.00 IN HURON CO.	.00			

SENECA COUNTY 5
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-199					
00.00	WYANDOT CO. LINE	13.34	SEE PREFERRED ROUTE		
13.34	EQUALS STA. 0.00 IN WOOD CO.	.00			
US-224					
00.00	HANCOCK CO. LINE	1.05	4150	790	4940
01.05	US 23	2.59	3880	840	4720
03.64	SR 587	3.55	4580	900	5480
07.19	CO. RD. 7	3.08	6650	920	7570
10.27	CO. RD. 591	.36	7020	930	7950
10.63	SR 18	1.34	7250	1040	8290
11.97	SR 53	1.54	8330	850	9180
13.51	SR 231	1.23	4080	1120	5200
14.74	SR 100	5.09	2990	840	3830
19.83	SR 67	2.11	3190	800	3990
21.94	SR 19	6.72	2560	780	3340
U 28.66	W. CORP. ATTICA	.21	3530	950	4480
U 28.87	SR 4 (TIFFIN ST.)	.38	4230	980	5210
29.25	E. CORP. ATTICA	2.85	3420	800	4220
32.10	EQUALS STA. 0.00 IN HURON CO.	.00			
SR-228					
00.00	SR 19	1.30	590	40	630
01.30	ROUTE ENDS AT SR 101	.00			
SR-231					
00.00	WYANDOT CO. LINE	1.01	1370	60	1430
01.01	TWP. RD. 42	4.08	1720	50	1770
05.09	CO. RD. 16	1.38	3280	90	3370
06.47	US 224	.62	3690	30	3720
U 07.09	S. CORP. TIFFIN	.32	3720	30	3750
U 07.41	GIBSON ST.	.67	3750	30	3780
08.08	SR 100 (MELMORE ST.)	.35	SEE PREFERRED ROUTE		
08.43	ROUTE ENDS AT SR 18 IN TIFFIN	.00			
SR-587					
00.00	WYANDOT CO. LINE	4.67	1000	70	1070
U 04.67	S.E. CORP. NEW RIEGEL	.27	1660	70	1730
U 04.94	TIFFIN ST.	.29	2450	60	2510
05.23	N.W. CORP. NEW RIEGEL	2.88	1200	110	1310

SENECA COUNTY 6
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-587 (Cont'd)					
	08.11 US 224	3.96	1040	80	1120
U	12.07 S.E. CORP. FOSTORIA	.17	1190	110	1300
U	12.24 ROUTE ENDS AT SR 18	.00			
SR-590					
U	00.00 SR 12 IN BETTSVILLE	.31	1600	60	1660
	00.31 N. CORP. BETTSVILLE	.17	1920	80	2000
	00.48 EQUALS STA. 0.00 IN SANDUSKY CO.	.00			
SR-613					
U	00.00 HANCOCK CO. LINE US 23 IN FOSTORIA	.12	3330	90	3420
U	00.12 UNION ST.	.39	4090	110	4200
U	00.51 NORTH ST. ENTER POPLAR ST.	.06	3430	110	3540
	00.57 ROUTE ENDS AT SR12(CENTER)IN FOSTORIA	.00			
SR-635					
	00.00 SR 18	3.35	2200	140	2340
	03.35 CO. RD. 592	2.73	610	60	670
	06.08 SR 12	.25	SEE PREFERRED ROUTE		
	06.33 SR 12	1.18	390	40	430
	07.51 TWP. RD. 36	1.24	500	50	550
	08.75 EQUALS STA. 0.00 IN SANDUSKY CO.	.00			
SR-778					
	00.00 SR 101	.43	760	30	790
	00.43 ROUTE ENDS AT SR 19	.00			