

1992 STARK CO 1
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-21					
00.00	TUSCARAWAS CO. LINE SR 212	5.27	4060	1190	5250
U 05.27	S. CORP. NAVARRE	.20	4060	1190	5250
U 05.47	US 62 (CANAL ST.)	2.78	SEE PREFERRED ROUTE		
08.25	US 62	.12	12690	1690	14380
08.37	US 30	.27	15610	2250	17860
U 08.64	S. CORP. MASSILLON	.34	15610	2250	17860
U 08.98	ERIE ACCESS RD.	.94	15130	2350	17480
U 09.92	OBERLIN RD.	.24	14760	2270	17030
U 10.16	RAMP TO EDWIN AVE.	.32	14940	2230	17170
U 10.48	WALNUT RD.	.43	12920	1570	14490
U 10.91	SR 241 (TREMONT AVE.)	.06	12920	1570	14490
U 10.97	SR 241A (CHARLES AVE.)	.06	11180	1600	12780
U 11.03	SR 172 (LINCOLN WAY)	.36	11180	1600	12780
U 11.39	CHERRY RD.	.87	9650	1790	11440
U 12.26	SR 236 (LAKE AVE.)	.13	5090	1150	6240
12.39	N. CORP. MASSILLON	.48	5090	1150	6240
12.87	T-353 (EARL RD.)	5.62	6590	1690	8280
18.49	SR 93	2.10	7090	1770	8860
20.59	AUTOMATIC TRAFFIC RECORDER G-04	.85	7090	1770	8860
21.44	EQUALS STA. 0.00 IN WAYNE CO.	.00			
US-30					
00.00	WAYNE CO. LINE	.93	8320	2750	11070
00.93	C-314 (ALABAMA AVE.)	1.71	8910	2890	11800
02.64	SR 93	1.37	8910	2890	11800
04.01	SR 241	2.77	11420	3100	14520
U 06.78	W. CORP. MASSILLON	.92	11420	3100	14520
U 07.70	SR 21 LEAVE MASSILLON	.50	14910	4060	18970
U 08.20	RE-ENTER MASSILLON	.10	14910	4060	18970
08.30	E. CORP. MASSILLON	1.30	14910	4060	18970
09.60	SR-627	2.99	16810	3980	20790
12.59	C-219 (WHIPPLE AVE)	.48	20600	4090	24690
13.07	SR 297	.03	31160	4730	35890
U 13.10	W. CORP. CANTON	1.12	31160	4730	35890
U 14.22	HARRISON AVE. S.W.	.73	33710	4450	38160
U 14.95	IR 77	.64	31790	3370	35160
U 15.59	CHERRY AVE. S. E.	.19	21510	2580	24090
U 15.78	SR 43	1.09	24330	2780	27110
16.87	LEAVE SR 43	.79	24330	2780	27110
U 17.66	SR 172 AND BELDEN AVE.	.53	9370	1110	10480
18.19	W. CORP. CANTON	2.17	12890	1190	14080
U 20.36	E. CORP. EAST CANTON	.76	10700	1070	11770

1992 STARK CO 2
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

US-30 (Cont'd)					
U 21.12	SR 172 ENTER CEDAR ST.	.15	6380	780	7160
U 21.27	CEDAR ST. ENTER WALNUT ST.	.07	5590	730	6320
U 21.34	SR 44 (WOOD ST.)	.30	8380	1130	9510
21.64	S.E. CORP. EAST CANTON	.54	8380	1130	9510
22.18	SR 44	.40	6230	910	7140
22.58	AUTOMATIC TRAFFIC RECORDER G-10	3.95	6230	910	7140
26.53	C-119 (PARIS ROVERSVILLE RD.)	5.42	6250	810	7060
U 31.95	N.W. CORP. MINERVA	.44	8470	800	9270
U 32.39	MAIN ST.	.04	10680	790	11470
U 32.43	SR 183 (MARKET ST.)	1.03	11040	1380	12420
U 33.46	SR 183	.06	8000	1220	9220
33.52	EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
SR-43					
00.00	CARROLL CO. LINE	1.15	6460	850	7310
02.01	SR 183	.19	9620	820	10440
02.20	SR 44	7.55	7330	820	8150
09.75	C-160 (WAYNESBURG RD.)	1.39	8880	880	9760
11.31	C-150 (ORCHARD RD.)	.61	12910	1550	14460
U 11.92	S.E. CORP. CANTON	.02	12910	1550	14460
U 11.94	US 30	.06	13260	1670	14930
U 12.00	BELDEN AVE. ENTER RAMP	.15	12590	1420	14010
12.15	RAMP ENTER US 30 EXPRESSWAY	.90	SEE PREFERRED ROUTE		
U 13.05	US 30 EXPRESSWAY (ENTER RAMP)	.14	1170	100	1270
U 13.19	RAMP ENTER 11TH ST.	.10	6760	500	7260
U 13.29	11TH. ST. ENTER CHERRY AVE. S.E.	.39	11810	630	12440
U 13.68B	SR 43 DA	.12	6540	350	6890
U 13.80B	SR 172 (3RD ST.)	.15	8140	360	8500
U 13.61	SR 172 DA (2ND ST)	.43	8510	350	8860
U 14.04	LAWRENCE ST.	.33	5630	190	5820
U 14.37	SR 153 (12TH ST.)	.73	4740	180	4920
U 15.23	SR 43DA ENTER MARKET AVE.	.38	19560	420	19980
U 15.61	AUTOMATIC TRAFFIC RECORDER #123	.32	19560	420	19980
U 15.93	US 62 (EXPRESSWAY)	.11	26020	620	26640
U 16.04	30TH ST.	2.02	15160	400	15560
18.06	N. CORP. CANTON	1.03	14200	350	14550
19.09	C-98 (EASTON ST.)	2.11	14530	370	14900
21.20	C-62 (MARKET ST.)	2.75	6460	250	6710
23.95	C-192 (MIDDLE BRANCH RD.)	.69	8150	350	8500
U 24.64	S. CORP. HARTVILLE	1.21	8150	350	8500
U 25.85	SR 619 ENTER MAPLE ST.	.50	12600	640	13240
U 26.35	SR 619 ENTER KENT AVE.	.30	7670	320	7990
26.65	N. CORP. HARTVILLE	1.41	7670	320	7990
28.06	EQUALS STA. 0.00 IN PORTAGE CO.	.00			

1992 STARK CO 3
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-43 DIRECTIONAL ALTERNATE					
U 00.00	SR 43 (CONNECTOR)	.15	5270	280	5550
U 00.85	SR 172 (3RD ST.)	.15	6950	290	7240
U 01.00	SR 172 DA (2ND ST.)	.42	7660	260	7920
U 01.42	9TH ST.	.28	5550	120	5670
U 01.70	SR 153 (12TH ST.)	.40	4390	120	4510
U 02.10	WALNUT AVE. ENTER MARKET AVE.	.34	15000	250	15250
U 02.44	RTE. ENDS AT SR 43 (CHERRY) IN CANTON	.00			
SR-44					
00.00	SR 43	5.98	1290	480	1770
05.98	CO. RD. 150	1.86	1360	400	1760
07.84	US 30	.84	SEE PREFERRED ROUTE		
U 08.68	US 30 (WALNUT ST.) IN EAST CANTON	.16	4660	490	5150
U 08.84	SR 172 (NASSAU ST.)	.56	5110	620	5730
09.40	N. CORP. EAST CANTON	1.24	6150	680	6830
10.64	C-112 (HAWKINS RD.)	1.59	7540	750	8290
U 12.23	S. CORP. LOUISVILLE S. CHAPEL RD.	.51	11670	830	12500
U 12.75	SR 153 (MAIN ST.)	.95	13900	860	14760
13.70	N. CORP. LOUISVILLE	.69	13140	1000	14140
14.39	US 62	.76	9300	630	9930
15.15	C-98 (EASTON ST.)	2.05	4780	690	5470
17.20	SR 173	3.50	4310	700	5010
20.72	SR 619	2.28	4520	720	5240
23.00	PONTIUS RD.	.24	5620	870	6490
23.24	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
US-62					
00.00	HOLMES CO. LINE	.62	3450	500	3950
U 00.62	W. CORP. WILMOT	.24	2710	500	3210
U 00.86	US 250 ENTER MAIN ST.	.07	5410	1530	6940
U 00.93	US 250 ENTER MASSILLON ST.	.19	2760	400	3160
01.12	N.E. CORP. WILMOT	2.56	2760	400	3160
03.68	SR 93	.36	5090	570	5660
04.04	SR 93 MT.EATON ST.	1.43	2360	220	2580
05.47	C-319	2.87	5480	310	5790
U 08.34	S.W. CORP. NAVARRE	.16	5480	310	5790
U 08.50	WILMOT RD. ENTER CANAL ST.	.26	2890	340	3230
U 08.76	SR 21 ENTER MAIN ST.	.34	6740	1530	8270
U 09.10	WOOSTER ST.	.22	9990	1290	11280
09.32	N. CORP. NAVARRE	.71	9990	1290	11280
10.03	C-778 (MARLAND AVE.)	.42	14960	2380	17340

1992 STARK CO 4
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-62 (Cont'd)					
	10.45 AUTOMATIC TRAFFIC RECORDER G-12	.28	14960	2380	17340
	10.73 C-511 (NAVARRE RD.)	.81	16360	2600	18960
	11.54 SR 21 ENTER RAMP	.31	2050	400	2450
	11.85 US 30	6.77	SEE PREFERRED ROUTE		
U	18.62 US 30	.50	10930	1650	12580
	19.12 IR 77	3.07	SEE PREFERRED ROUTE		
	22.19 IR 77 ENTER RAMP	.03	10930	1650	12580
	22.22 SR 687	.17	54450	3640	58090
U	22.30 RE-ENTER CANTON	.55	54450	3640	58090
U	22.94 CLEVELAND AVE. (C-66)	1.09	44330	3410	47740
U	24.03 SR 43 (MARKET AVE.)	.02	32510	3080	35590
	24.05 LEAVE CANTON	.10	32510	3080	35590
	24.15 30TH ST.	.13	38110	3230	41340
	24.28 30TH ST.	1.21	38010	3220	41230
	25.49 C-67 (COLUMBUS RD.)	.19	30480	2720	33200
	25.68 REGENT RD.	.80	22910	2220	25130
	26.48 AUTOMATIC TRAFFIC RECORDER G-03	.75	20160	2200	22360
U	27.23 RE-ENTER CANTON	.04	20160	2200	22360
	27.27 N.E. CORP. CANTON	.55	20160	2200	22360
	27.82 C-199 (BROADWAY RD.)	.56	18060	1700	19760
U	28.38 W. CORP. LOUISVILLE	.47	18060	1700	19760
	28.85 LEAVE LOUISVILLE	.10	18060	1700	19760
	28.95 T-186 (CALIFORNIA AVE.)	.52	14150	1630	15780
U	29.47 RE-ENTER LOUISVILLE	.26	14150	1630	15780
	29.73 E. CORP. LOUISVILLE	.46	14150	1630	15780
	30.19 SR 44	5.31	11950	1630	13580
	35.50 US 62F ENTER RAMP	.22	4130	390	4520
	35.72 SR 173	.30	14350	1040	15390
U	36.02 W. CORP. ALLIANCE	.37	14350	1040	15390
U	36.39 CARNATION SHP. PLAZA ENT.	1.09	26690	1140	27830
U	37.48 BEECHWOOD AVE.	1.01	21660	1110	22770
U	38.49 ROCKHILL AVE.	.50	19450	1000	20450
U	38.99 SR 183 (UNION AVE.)	.45	18080	1070	19150
U	39.44 SENECA AVE.	.56	14560	890	15450
	40.00 EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
US-62 FUTURE					
	35.50 US 62	2.39	6850	1090	7940
	37.89 BEESON ST. (C-41)	1.88	3670	970	4640
	39.77 SR 183	.40	3670	970	4640
	40.17 ROUTE ENDS AT SR 225	.00			

1992 STARK CO 5
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

IR-77					
00.00	TUSCARAWAS CO. LINE	4.73	23000	2790	25790
04.73	C-252 (FOHL RD.)	1.67	25240	2920	28160
06.40	SR 627	1.74	25920	2850	28770
U 08.14	S. CORP. CANTON	.10	25920	2850	28770
U 08.24	SR 800 (CLEVELAND AVE.)	1.04	34040	3540	37580
U 09.28	US 30	.85	58380	6110	64490
U 10.13	6TH ST.	.36	58600	6330	64930
U 10.49	SR 172 (TUSCARAWAS AVE.)	.22	61800	6470	68270
U 10.71	4TH ST.	.61	68640	6690	75330
U 11.32	13TH ST. N.W.	.50	73090	7450	80540
U 11.82	AUTOMATIC TRAFFIC RECORDER #124	.03	73090	7450	80540
11.85	LEAVE CANTON	.36	73090	7450	80540
12.21	SR 687	.29	66390	7180	73570
12.50	US 62	.07	54100	6330	60430
U 12.57	RE-ENTER CANTON	1.03	54100	6330	60430
13.60	N. CORP. CANTON	1.44	54100	6330	60430
15.04	C-214 (WHIPPLE AVE.)	.12	44410	6470	50880
15.16	C-215 (EVERHARD RD.)	1.52	48760	6600	55360
16.68	C-228 (PORTAGE RD.)	1.86	45440	5690	51130
18.54	EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-93					
00.00	TUSCARAWAS CO. LINE	.39	1490	130	1620
U 00.39	S. CORP. BEACH CITY	.29	1490	130	1620
U 00.68	SR 212 (2ND ST.)	.48	2230	150	2380
01.16	N. CORP. BEACH CITY	2.20	2230	150	2380
03.36	US 62	.36	SEE PREFERRED ROUTE		
03.72	US 62	.58	3190	390	3580
U 04.30	S. CORP. BREWSTER	.49	3190	390	3580
U 04.79	7TH ST.	.95	6130	380	6510
U 05.74	CHESTNUT AVE.	.51	5350	410	5760
06.25	N. CORP. BREWSTER C-321	2.43	4560	430	4990
08.68	SR 241	.14	6580	630	7210
08.82	SR 241	1.55	3070	250	3320
10.37	US 30	1.34	3070	250	3320
11.71	SR 172	5.54	4500	290	4790
17.25	SR 21	.40	3470	230	3700
U 17.65	S. CORP. CANAL FULTON	.16	3470	230	3700
U 17.81	MILAN ST. ENTER CHERRY ST.	1.22	5240	200	5440
19.03	N.E. CORP. CANAL FULTON	1.61	4820	190	5010
20.64	EQUALS STA. 0.00 IN SUMMIT CO.	.00			

1992 STARK CO 6
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-153					
U 00.35	SR 43DA (WALNUT AVE.) IN CANTON	.09	10750	390	11140
U 00.44	SR 43 (CHERRY AVE.)	.54	10020	430	10450
U 00.98	LAWRENCE RD.	.15	15060	460	15520
U 01.13	MAHONING RD.	.25	17600	570	18170
U 01.38	HARRISBURG RD.	1.32	9660	480	10140
U 02.70	HARMONT AVE.	.64	7010	390	7400
	03.34 E. CORP. CANTON	1.10	7010	390	7400
	04.44 BROADWAY RD.	1.07	9020	380	9400
U 05.51	W. CORP. LOUISVILLE	.77	17390	620	18010
U 06.28	CONSTITUTION AVE.	.08	15130	490	15620
U 06.36	GORGAS ST.	.24	12020	400	12420
U 06.60	SR 44 (CHAPEL ST.)	.50	11750	380	12130
U 07.10	NICKEL PLATE ST.	.71	10130	320	10450
	07.81 E. CORP. LOUISVILLE	.08	8750	310	9060
	07.89 C-179 (MEESE RD.)	1.31	6740	270	7010
	09.20 T-180 (MAPLE GROVE RD.)	5.82	3550	240	3790
	15.02 ROUTE ENDS AT SR 183	.00			
SR-171					
U 00.00	SR 183 (MAIN ST.) IN WAYNESBURG	.14	4880	200	5080
U 00.14	MARKET ST.	.22	3330	150	3480
U 00.36	LISBON ST. ENTER ROSS RD.	.19	1780	90	1870
	00.55 E. CORP. WAYNESBURG	.45	1780	90	1870
	01.00 EQUALS STA. 0.00 IN CARROLL CO.	.00			
SR-172					
	00.00 WAYNE CO. LINE	2.41	5530	310	5840
	02.41 SR 93	1.54	5970	290	6260
U 03.95	W. CORP. MASSILLON	2.13	11980	260	12240
U 06.08	MAIN AVE.	.19	17530	470	18000
U 06.27	SR 21 (EXPRESSWAY)	.44	17530	470	18000
U 06.71	SR 241 (1ST ST. S.E.)	.15	18450	570	19020
U 06.86	3RD ST. S.E.	.28	24710	730	25440
U 07.14	AUTOMATIC TRAFFIC RECORDER G-05	.25	24710	730	25440
U 07.39	SR 241 (WALES RD.)	.30	26960	690	27650
U 07.69	16TH ST. S.E.	.43	22590	520	23110
U 08.12	TREMONT AVE. S.E.	.71	24010	610	24620
	08.83 E. CORP. MASSILLON	3.08	24010	610	24620
U 11.91	W. CORP. CANTON (WHIPPLE RD.)	.50	24010	610	24620
U 12.41	SR 297 (RAFF RD.)	1.10	23730	630	24360
U 13.51	IR 77	.50	20700	560	21260

1992 STARK CO 7
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-172 (Cont'd)					
U 14.01	SR172DA(TUSCARAWAS ST)ENTER CONNECTOR	.49	1370	30	1400
U 14.50	MC KINLEY AVE.	.30	2940	110	3050
U 14.80	SR 43DA (WALNUT ST.)	.10	2030	70	2100
U 14.90	SR 43 (CHERRY AVE. S.E.)	.64	1110	60	1170
U 15.54	3RD ST. S.E. ENTER CONNECTOR	.11	670	20	690
U 15.65	SR 172DA (ENTER TUSCARAWAS ST.)	.52	7560	180	7740
U 16.17	BELDEN AVE-US 30 RE-ENTERS	3.48	SEE PREFERRED ROUTE		
U 19.65	US 30 (CEDAR ST.) IN EAST CANTON	.08	5160	330	5490
U 19.73	SR 44 (WOOD ST.)	.57	3940	240	4180
20.30	E. CORP. EAST CANTON	.57	2530	210	2740
20.87	C-176 (MIDWAY)	5.18	1850	130	1980
26.05	AUTOMATIC TRAFFIC RECORDER #67	4.14	1850	130	1980
30.19	SR 183	.26	1920	90	2010
30.45	EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
SR-172 DIRECTIONAL ALTERNATE					
U 00.00	SR 172 (CONNECTOR) IN CANTON	.20	14660	290	14950
U 00.20	TUSCARAWAS ST. ENTER CONNECTOR	.08	3140	50	3190
U 00.28	SHORB AVE.	.18	2710	40	2750
U 00.46	MC KINLEY AVE.	.30	2480	60	2540
U 00.76	SR 43DA (WALNUT AVE.)	.10	1960	50	2010
U 00.86	SR 43 (CHERRY AVE.)	.24	1550	40	1590
U 01.10	HERBUCK ST.	.46	420	10	430
U 01.56	ROUTE ENDS AT SR 172 (TUSCARAWAS ST.)	.00			
SR-173					
00.00	SR 44	1.86	3500	160	3660
01.86	C-67 (COLUMBUS RD.)	2.72	7190	270	7460
04.58	US 62	4.27	SEE PREFERRED ROUTE		
08.85	EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
SR-183					
U 00.00	CARROLL CO. LINE IN MAGNOLIA	1.09	4090	490	4580
01.10	N. CORP. MAGNOLIA	.99	5050	560	5610
U 02.09	W. CORP. WAYNESBURG	.75	5050	560	5610
U 02.84	MILL ST.	.05	2830	520	3350
U 02.89	SR 171 ENTER MAIN ST.	.20	3760	450	4210
U 03.09	CANAL ST. ENTER MILL ST.	.17	7640	490	8130
03.26	N. CORP. WAYNESBURG	.29	7640	490	8130
03.55	SR 43	1.15	SEE PREFERRED ROUTE		
04.70	ENTER CARROLL CO. STA. 1.19	.00			
U 04.70	LEAVE CAR. CO. STA. 9.66 IN MINERVA	.07	6660	720	7380
U 04.77	HIGH ST.	.08	6500	830	7330

1992 STARK CO 8
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-183 (Cont'd)					
U 04.85	US 30 (LINCOLN WAY)	1.03	SEE PREFERRED ROUTE		
U 05.88	US 30 ENTER NEW ROAD	.59	4310	350	4660
U 06.15	MARKET ST. (OLD SR 183)	.08	6720	290	7010
06.23	N. CORP. MINERVA	3.65	6720	290	7010
09.88	SR 172	1.12	5440	220	5660
11.00	C-112 (GEORGETOWN)	1.44	7620	430	8050
12.44	SR 153	4.18	7270	340	7610
U 16.62	S. CORP. ALLIANCE	.10	8950	360	9310
U 16.72	MILTON ST.	.43	10630	370	11000
U 17.15	US 62 (STATE ST.)	.38	11980	360	12340
U 17.53	OVERLOOK DR.	1.19	12740	540	13280
U 18.72	ELY ST.	.34	11720	620	12340
U 19.06	SR 225 ENTER DIEHL CT.	.10	7700	350	8050
U 19.16	VINE ST.	.29	6150	330	6480
19.45	N. CORP. ALLIANCE	.26	6150	330	6480
19.71	US 62 FUTURE	.16	6150	330	6480
19.87	SR 619	2.28	4310	290	4600
22.15	CO. RD. 12	.94	3260	260	3520
U 23.09	S.E. CORP. LIMAVILLE	.57	3260	260	3520
23.66	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-212					
00.00	US 250	.44	1310	90	1400
U 00.44	W. CORP. BEACH CITY	.31	1310	90	1400
U 00.75	SR 93 (3RD AVE.)	.37	1430	120	1550
01.12	E. CORP. BEACH CITY	1.26	1430	120	1550
02.45	ENTER TUSCARAWAS CO. STA. 0.00	.00			
02.45	LEAVE TUSCARAWAS CO. STA. 1.07	3.16	1510	150	1660
05.61	EQUALS STA. 1.07 IN TUSCARAWAS CO.	.00			
SR-225					
U 00.00	SR 183 (DIEHL CT.) IN ALLIANCE	.33	4230	280	4510
00.33	N. CORP. ALLIANCE	.25	3370	380	3750
00.58	US 62 FUTURE	1.82	5250	1010	6260
02.40	C-12 (PRICE RD.)	1.84	4450	1010	5460
04.24	EQUALS STA. 0.00 IN PORTAGE CO.	.00			
SR-236					
U 00.00	SR 21 (EXPRESSWAY) IN MASSILLON	.07	11220	860	12080
U 00.07	LAKE ST. ENTER 1ST ST. N.E.	.34	7630	510	8140
00.41	N. CORP. MASSILLON	1.64	7630	510	8140
02.05	C-17 (ERIE AVE.)	.88	3770	250	4020
02.93	C-212 (REVERE AVE.)	.23	2210	70	2280

1992 STARK CO 9
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-236 (Cont'd)					
03.16	C-211 (FULTON DR.)	3.34	3160	100	3260
06.50	C-231 (STRAUSSER ST.)	1.22	2860	90	2950
07.72	EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-241					
00.00	WAYNE CO. LINE	2.80	1670	150	1820
02.80	T-328 (STANWOOD ST.)	.70	2490	150	2640
03.50	SR 93	.14	SEE PREFERRED ROUTE		
03.64	SR 93	.58	5540	450	5990
04.22	US 30	1.95	4830	180	5010
U 06.17	W. CORP. MASSILLON	.09	6120	170	6290
U 06.26	MAIN AVE.	.47	4910	150	5060
U 06.73	17TH ST. S.W.	.56	5780	110	5890
U 07.29	9TH ST. S.W.	.34	8440	150	8590
U 07.63	SR 21 (EXPRESSWAY)	.22	8440	150	8590
U 07.85	SR 241A (2ND ST.)	.19	9550	140	9690
U 08.04	TREMONT AVE. ENTER 1ST ST. S.E.	.11	4490	120	4610
U 08.15	SR 172 ENTER LINCOLN WAY	.68	SEE PREFERRED ROUTE		
U 08.83	SR 172 ENTER WALES RD. N.E.	.87	17990	420	18410
U 09.70	LAKE AVE. N.E.	.57	23870	460	24330
U 10.27	HILLS AND DALES RD.	.13	11980	440	12420
10.40	N. CORP. MASSILLON	3.03	11980	440	12420
13.43	SR 687	1.34	13770	720	14490
14.77	C-228 (PORTAGE RD.)	2.33	8130	440	8570
17.10	EQUALS STA. 0.00 IN SUMMIT CO.	.00			
SR-241 ALTERNATE					
U 00.00	SR 21 (EXPRESSWAY) IN MASSILLON	.10	4510	320	4830
U 00.10	CHARLES ST. ENTER 2ND ST. N.W.	.05	1860	50	1910
00.15	ROUTE ENDS AT SR 241 IN MASSILLON	.00			
SR-241 FUTURE					
04.50	SR 241 MILLERSBURG RD.	1.52	NO VOLUME AVAILABLE		
06.02	S. MASSILLON CORP.	1.81	NO VOLUME AVAILABLE		
07.83	SR 21 (TREMONT AVE.)	1.00	NO VOLUME AVAILABLE		
08.83	SR 241	.13	NO VOLUME AVAILABLE		
08.96	ROUTE ENDS AT SR 172	.00			
US-250					
00.00	WAYNE CO. LINE	.95	4190	1630	5820
U 00.95	W. CORP. WILMOT	.26	3000	1170	4170
01.21	US 62 (WINEBURG ST.)	.07	SEE PREFERRED ROUTE		

1992 STARK CO 10
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

US-250 (Cont'd)					
U 01.28	US 62 (MASSILLON ST.)	.14	3860	1200	5060
01.42	E. CORP. WILMOT	2.03	3860	1200	5060
03.45	SR 212	.69	2590	1180	3770
04.14	EQUALS STA. 0.00 IN TUSCARAWAS CO.	.00			
SR-297					
00.00	US 30 ENTER RAMP	.66	1390	290	1680
00.66	C-246 RAFF RD.	.03	12230	1240	13470
00.69	US 30	.70	13910	1050	14960
U 01.39	SW. CORP. CANTON 13TH ST. SW.	.64	10570	320	10890
02.03	SR 172	.50	SEE PREFERRED ROUTE		
02.53	ROUTE ENDS AT SR 172	.00			
SR-619					
00.00	SUMMIT CO. LINE	3.68	13700	660	14360
U 03.68	W. CORP. HARTVILLE	.48	13700	660	14360
04.16	SR 43 (KENT AVE.)	.50	SEE PREFERRED ROUTE		
U 04.66	SR 43 (PROSPECT AVE.)	.63	8430	410	8840
05.29	E. CORP. HARTVILLE	.51	6170	330	6500
05.80	T-57 (WILLIAM PENN AVE.)	2.92	3900	240	4140
08.72	AUTOMATIC TRAFFIC RECORDER G-09	.30	3900	240	4140
09.02	SR 44	4.24	3910	200	4110
13.26	CO. RD. 19	3.18	2870	120	2990
16.44	SR 183	.96	SEE PREFERRED ROUTE		
17.40	ROUTE ENDS AT WAYNE ST. IN ALLIANCE	.00			
SR-627					
00.00	US 30 (RAMP)	.15	1310	100	1410
00.15	C-248 (LEAVE RAMP)	3.11	3770	290	4060
03.26	C-257 (SHEPLER CHURCH)	.51	4720	330	5050
03.77	C-246 (SHERMAN CHURCH)	.71	6820	440	7260
04.48	IR 77	.07	6310	430	6740
04.55	C-267 (ENTER RAMP)	.21	1260	90	1350
04.76	ROUTE ENDS AT IR77	.00			
SR-687					
00.00	SR 241	1.31	10940	300	11240
01.31	T-227 (BRUNNER DALE AVE.)	.78	17520	330	17850
02.09	SOUTH BLVD.	.37	21730	500	22230
02.46	C-98 (EVERHARD RD.)	1.32	15490	210	15700
03.78	SR 297	.30	14240	330	14570
04.08	AUTOMATIC TRAFFIC RECORDER G-06	.09	14240	330	14570

1992 STARK CO 11
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-687 (Cont'd)					
04.17	C-226 (HILLS AND DALES RD.)	1.30	24550	350	24900
05.47	IR 77	.06	24110	440	24550
05.53	C-24 (FULTON DR.) ENTER RAMP	.17	5560	160	5720
05.70	ROUTE ENDS AT US 62	.00			
SR-800					
00.00	TUSCARAWAS CO. LINE	1.02	4940	380	5320
U 01.02	S. CORP. EAST SPARTA	.43	4940	380	5320
U 01.45	MAIN ST.	.22	7260	420	7680
01.67	N. CORP. EAST SPARTA	2.53	7260	420	7680
04.20	CO. RD. 253	4.04	12730	550	13280
08.24	32ND ST. (SOUTHGATE SHP CTR.)	.43	20480	820	21300
U 08.67	S. CORP. CANTON	.33	20480	820	21300
U 09.00	CLEVELAND AVE. ENTER RAMP	.18	6560	300	6860
U 09.18	ROUTE ENDS AT IR 77	.00			