

1994 MARION CO 1  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-4					
00.00	DELAWARE CO. LINE	.64	4920	610	5530
00.64	SR 47	2.90	3740	450	4190
03.54	SR 203	2.91	3980	380	4360
06.45	T-120 (HUGHES RD.)	1.91	6120	540	6660
08.36	C-126 (GOODING RD.)	1.31	7340	520	7860
09.67	C-138 (BARKS RD.)	.38	6390	540	6930
U 10.05	S. CORP. MARION	.40	6390	540	6930
U 10.45	EDGEWOOD DR.	.36	4610	560	5170
U 10.81	SR 4DA ENTER WALNUT ST.	.19	5040	390	5430
U 11.00	SR 423 ENTER DELAWARE AVE.	.09	14190	500	14690
U 11.09	DELAWARE ENTER STATE ST.	.30	6660	350	7010
U 11.39	SR 739 (COLUMBIA ST.)	.18	8170	540	8710
U 11.57	SR 95 (CHURCH ST.)	.09	6610	430	7040
U 11.66	SR 95DA (CENTER ST.)	.28	7130	350	7480
U 11.94	GEORGE ST.	.41	4370	320	4690
U 12.35	STATE ST. ENTER PATTON ST.	.07	2350	250	2600
U 12.42	SR 4DA ENTER MAIN ST.	.64	12430	890	13320
13.06	N. CORP. MARION	.50	12430	890	13320
13.56	C-162 (MARION-WILLIAMS RD.)	.29	7660	800	8460
13.66	SR 423	2.38	3900	530	4430
16.04	C-195 (LINN-HIPSHER RD.)	.95	2490	330	2820
16.99	US 23	3.38	3970	440	4410
20.37	EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-4 DIRECTIONAL ALTERNATE					
U 00.00	SR 4 (WALNUT ST.) IN MARION	.24	6360	490	6850
U 00.24	SR 739 (BELLEFONTAINE AVE.)	.33	7290	550	7840
U 00.57	SR 95 (CHURCH ST.)	.10	7990	490	8480
U 00.67	SR 95DA (CENTER ST.)	.44	6440	400	6840
U 01.11	MARK ST.	.22	4470	320	4790
U 01.33	PROSPECT ST. ENTER KLERX ST.	.08	3950	290	4240
U 01.41	ROUTE ENDS AT SR 4(MAIN ST.)IN MARION	.00			
US-23					
00.00	DELAWARE CO. LINE	1.85	16090	4360	20450
01.85	SR 98	6.02	12640	3830	16470
07.87	SR 529	2.20	12640	3830	16470
10.07	SR 95	1.01	16400	4200	20600
11.08	SR 309	1.57	14520	3750	18270
12.65	C-162 (MARION-WILLIAMSPORT RD.)	3.48	12420	3580	16000
16.13	SR 4	2.89	10490	3530	14020

1994 MARION CO 2  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
US-23 (Cont'd)					
19.02	SR 231	.95	10580	3370	13950
19.97	EQUALS STA. 0.00 IN WYANDOT CO.	.00			
SR-37					
00.00	WYANDOT CO. LINE	3.35	530	60	590
03.35	SR 309	1.49	390	80	470
04.84	C-33 (WILDCAT PIKE)	2.49	970	80	1050
U 07.33	N. CORP. LA RUE	.84	970	80	1050
U 08.17	VINE ST.	.06	1550	70	1620
U 08.23	SR 95 (MARKET ST.)	.28	810	50	860
08.51	S. CORP. LA RUE	4.81	810	50	860
13.32	C-45 (MT. OLIVE-GREENCAMP RD.)	.54	600	30	630
13.86	EQUALS STA. 0.00 IN UNION CO.	.00			
SR-47					
00.00	DELAWARE CO. LINE	.64	SEE PREFERRED ROUTE		
00.64	SR 4	1.47	1490	110	1600
U 02.11	W. CORP. PROSPECT SR 257	.23	2700	210	2910
U 02.34	SR 203 (MAIN ST.)	.64	2080	180	2260
02.98	E. CORP. PROSPECT	5.41	2080	180	2260
08.39	SR 229	.27	2010	130	2140
U 08.66	S. CORP. WALDO	.31	2010	130	2140
U 08.97	MAIN ST.	.20	3310	260	3570
09.17	ROUTE ENDS AT SR 98 IN WALDO	.00			
SR-95					
U 00.00	SR 37 (HIGH ST.) IN LA RUE	.44	1930	60	1990
00.44	E. CORP. LA RUE	4.04	1930	60	1990
U 04.48	S. CORP. NEW BLOOMINGTON	.49	1930	60	1990
04.97	E. CORP. NEW BLOOMINGTON	4.92	1930	60	1990
10.04	SR 203	2.14	2510	80	2590
12.18	MARION DISPOSAL PLANT	1.10	3510	380	3890
U 13.28	W. CORP. MARION	.63	3510	380	3890
U 13.91	WATERLOO ST.	.22	4850	540	5390
U 14.13	SR 95DA ENTER DAVIDS ST.	.30	4040	470	4510
U 14.43	DAVID ST. ENTER COLUMBIA ST.	.36	6960	310	7270
U 14.79	COLUMBIA ST. ENTER BLAINE AVE.	.17	4250	230	4480
U 14.96	BLAINE AVE. ENTER CHURCH ST.	.33	10960	620	11580
U 15.29B	SR 4DA (PROSPECT ST.)	.16	10490	540	11030
U 15.45B	SR 4 (STATE ST.)	.14	13420	680	14100
U 15.23	SR 95DA ENTER MT. VERNON AVE.	.39	9250	330	9580
U 15.62	BRIGHTWOOD DR.	.45	13420	370	13790
U 16.07	VERNON HTS. BLVD.	.45	22040	480	22520

1994 MARION CO 3  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-95 (Cont'd)					
U 16.52	SR 529 (RICHLAND RD.)	.15	24850	510	25360
U 16.67	CLARIDON AVE.	.10	18700	620	19320
16.77	E. CORP. MARION	1.12	18700	620	19320
17.89	US 23	.15	16780	630	17410
18.04	T-174 (POLE LANE)	1.77	7320	510	7830
19.81	SR 98	4.14	4320	530	4850
23.96	SR 746	.25	3920	540	4460
24.21	EQUALS STA. 0.00 IN MORROW CO.	.00			
SR-95 DIRECTIONAL ALTERNATE					
U 00.00	SR 95 (DAVIDS ST.) IN MARION	.21	6930	420	7350
U 00.21	MCKINLEY PARK BLVD.	.49	10210	550	10760
U 00.70	SR 4DA (PROSPECT ST.)	.16	12520	650	13170
U 00.86	SR 4 (STATE ST.)	.14	12790	620	13410
U 01.00	SR 309DA ENTER VINE ST.	.10	3440	150	3590
01.10	RTE ENDS AT SR95(CHURCH ST.)IN MARION	.00			
SR-98					
U 00.00	SR 47 (MARION ST.) IN WALDO	.07	4940	460	5400
00.07	E. CORP. WALDO	.05	4940	460	5400
00.12	US 23	6.16	2770	420	3190
06.72	SR 529	2.31	4000	460	4460
09.03	SR 95	2.36	5650	540	6190
11.39	SR 309	1.56	2940	540	3480
12.95	C-179 (CALEDONIA MUD PK)	4.64	2450	390	2840
17.59	EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-100					
00.00	SR 309	2.89	480	60	540
02.89	EQUALS STA. 0.00 IN CRAWFORD CO.	.00			
SR-203					
00.00	DELAWARE CO. LINE	.43	1380	80	1460
U 00.43	S. CORP. PROSPECT	.36	1380	80	1460
U 00.79	SR 47 (WATER ST.)	.06	1730	90	1820
U 00.85	NORTH ST.	.14	1190	100	1290
U 00.99	MARKET ST. ENTER ELM ST.	.19	1460	100	1560
01.18	N. CORP. PROSPECT	2.07	1460	100	1560
03.25	SR 4	4.52	1110	110	1220
07.77	SR 739	3.44	1180	30	1210
11.21	SR 95	1.83	1640	110	1750
13.04	ROUTE ENDS AT SR 309	.00			

1994 MARION CO 4  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-229					
00.00	SR 47	1.05	1360	110	1470
01.05	EQUALS STA. 0.00 IN DELAWARE CO.	.00			
SR-231					
U 00.00	C & O RR IN MORRAL	1.05	910	80	990
01.05	E. CORP. MORRAL	2.08	910	80	990
03.13	SR 423	.30	1310	190	1500
03.43	US 23	.10	920	60	980
03.53	TWP. RD. 187	.81	330	30	360
04.34	EQUALS STA. 0.00 IN WYANDOT CO.	.00			
SR-257					
00.00	DELAWARE CO. LINE	.66	930	70	1000
00.66	ROUTE ENDS AT SR 47	.00			
SR-309					
00.00	HARDIN CO. LINE	2.05	1320	390	1710
02.05	SR 37	6.79	1570	420	1990
08.84	C 88 (PLEASANT HILL RD)	2.54	2350	320	2670
11.38	SR 203	3.13	3420	350	3770
14.51	C-175 (FAIRGROUND RD.)	.55	2300	230	2530
15.06	C-94 (HILLMAN-FORD RD.)	.30	3850	400	4250
U 15.36	W. CORP. MARION	.46	3850	400	4250
U 15.82	SR 95 (CENTER ST.)	1.46	SEE PREFERRED ROUTE		
U 16.92	SR 95 (VINE ST.)	.32	8020	550	8570
U 17.24	CHURCH ST. ENTER SARGENT ST.	.10	7070	370	7440
U 17.34	SR 309DA ENTER CENTER ST.	1.15	12900	850	13750
18.49	E. CORP. MARION	.79	10910	1100	12010
19.28	US 23	2.84	8180	920	9100
22.12	ENT. TO MFG. PLANT	.37	7590	670	8260
22.49	SR 98	.05	6810	770	7580
22.54	C-162 (MARION-WILLIAMSPORT RD.)	3.23	4150	680	4830
U 25.77	W. CORP. CALEDONIA	.26	4150	680	4830
26.03	E. CORP. CALEDONIA SR 746	.59	3860	640	4500
26.62	ENTER MORROW CO. STA. 0.00	.00			
26.62	LEAVE MORROW CO. STA. 2.48	3.15	3860	640	4500
29.77	SR 100	.06	4320	660	4980
29.83	EQUALS STA. 2.48 IN MORROW CO.	.00			

1994 MARION CO 5  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-309 DIRECTIONAL ALTERNATE					
U 00.00	SR 95 IN MARION	1.00	SEE PREFERRED ROUTE		
U 01.00	SR 95DA	.32	10090	500	10590
	01.32 ROUTE ENDS AT SR 309 IN MARION	.00			
SR-423					
U 00.00	SR 47 IN WALDO	.18	4720	300	5020
	00.18 N. CORP. WALDO	4.07	4720	300	5020
	04.25 C-108 (OWENS RD.)	1.08	6150	370	6520
	05.33 C-106 (SUMMERLOT HOFFMAN RD.)	1.08	8030	410	8440
	06.41 C-136 (MARION-CARDINGTON RD.)	.88	9290	420	9710
	07.29 ENT. TO SHOPPING CENTER	.18	12660	390	13050
	07.47 C-138 (BARKS RD.)	.22	16170	290	16460
U 07.69	S. CORP. OF MARION	.54	26340	360	26700
U 08.23	VERNON HEIGHTS BLVD.	.36	18180	350	18530
	08.59 SR 4 (WALNUT ST.)	2.85	SEE PREFERRED ROUTE		
	11.44 SR 4	.15	3890	270	4160
	11.59 SELMA AVE.	1.80	2820	210	3030
	13.39 C-66 (KENTON-GALION RD.)	3.11	1750	150	1900
	16.50 SR 231	.41	SEE PREFERRED ROUTE		
	16.91 SR 231 ENTER RAMP	.16	170	50	220
	17.07 ROUTE ENDS AT US 23	.00			
SR-423 DIRECTIONAL ALTERNATE					
U 00.00	SR 4 (DELAWARE AVE.) IN MARION	1.60	SEE PREFERRED ROUTE		
U 01.60	ROUTE ENDS AT SR 4 IN MARION	.00			
SR-529					
U 00.00	SR 95 (MT. VERNON AVE.) IN MARION	.47	9000	140	9140
	00.47 S. CORP. MARION	.27	9000	140	9140
	00.74 C-169 (MARION-EDISON RD.)	.79	5520	130	5650
	01.53 C-138 (BARKS RD.)	1.26	2330	80	2410
	02.79 US 23	1.31	2330	80	2410
	04.10 SR 98	4.96	1950	80	2030
	09.06 SR 746	.27	1740	70	1810
	09.33 EQUALS STA. 0.00 IN MORROW CO.	.00			

1994 MARION CO 6  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-739					
	00.00 UNION CO. LINE	3.18	1070	40	1110
	03.18 C-38 (LARUE-GREEN CAMP RD.)	.43	2260	130	2390
U	03.61 S.W. CORP. GREEN CAMP	.76	2260	130	2390
	04.37 N. CORP. GREEN CAMP	1.01	2260	130	2390
	05.38 SR 203	1.77	3590	170	3760
	07.15 C-101 (CAMPBELL RD.)	.70	7140	190	7330
U	07.85 S.W. CORP. MARION	1.09	10680	200	10880
U	08.94 OLNEY AVE.	.16	7700	160	7860
U	09.10 WINDSOR ST.	.37	5740	240	5980
U	09.47 SR 4DA (PROSPECT ST.) ENT. HILL ST.	.08	3950	70	4020
U	09.55 HILL ST. ENTER MAIN ST.	.15	5190	60	5250
U	09.70 MAIN ST. ENTER COLUMBIA ST.	.08	3850	60	3910
	09.78 ROUTE ENDS AT SR4(STATE ST.)IN MARION	.00			
SR-739 DIRECTIONAL ALTERNATE					
U	00.00 SR 4DA IN MARION	.59	SEE PREFERRED ROUTE		
	00.59 ROUTE ENDS AT SR 4 IN MARION	.00			
SR-746					
	00.00 MORROW CO. LINE	2.42	440	60	500
	02.42 SR 529	4.23	400	50	450
	06.65 SR 95	3.30	660	40	700
	09.95 ROUTE ENDS AT SR 309	.00			