

1994 OTTAWA CO 1  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-2					
00.00	LUCAS CO. LINE	1.44	2980	1610	4590
01.44	SR 579	1.76	5140	2340	7480
03.20	SR 590	3.95	4690	2230	6920
07.15	SR 19	9.20	4280	1850	6130
16.35	SR 358 (ROUTE CLOSED)	.47	4470	1650	6120
16.82	C-1 (LAKESHORE DR.)	.81	4850	1760	6610
17.63	SR 163	2.04	8480	2040	10520
19.67	SR 53	.94	7210	2150	9360
U 20.61	W. CORP. PORT CLINTON	.19	7210	2150	9360
20.80	LEAVE PORT CLINTON	.82	7210	2150	9360
U 21.62	RE-ENTER PORT CLINTON	.12	7210	2150	9360
21.74	LEAVE PORT CLINTON	1.29	7210	2150	9360
U 23.03	RE-ENTER PORT CLINTON	.15	7210	2150	9360
23.18	E. CORP. PORT CLINTON	.29	7210	2150	9360
23.47	SR 2 SPUR	2.41	8190	2110	10300
25.88	SR 53	1.08	9910	2230	12140
26.96	SR 269 SPUR	1.63	10940	2290	13230
28.59	EQUALS STA. 0.00 IN ERIE CO.	.00			
SR-2 SPUR					
00.00	SR 163	.64	3970	230	4200
00.64	ROUTE ENDS AT SR 2	.00			
SR-19					
00.00	SANDUSKY CO. LINE	2.76	2870	200	3070
02.76	T-18 (PORTAGE RIVER SOUTH RD.)	.58	5290	200	5490
U 03.34	S. CORP. OAK HARBOR	.11	5290	200	5490
U 03.45	SR 105 (WATER ST.)	.84	5470	210	5680
U 04.29	S. RAILROAD ST.	.26	3560	120	3680
04.55	N. CORP. OAK HARBOR	.50	3560	120	3680
05.05	C-98 (SALEM-CARROLL RD.)	2.50	2650	90	2740
07.55	C-93 (TOUSSAINT EAST RD.)	2.53	570	60	630
10.08	ROUTE ENDS AT SR 2	.00			
SR-51					
00.00	SANDUSKY CO. LINE	.51	2090	290	2380
00.51	OHIO TURNPIKE	.49	2090	290	2380
U 01.00	S.W. CORP. ELMORE C-18	.36	2620	240	2860
U 01.36	RICE ST. ENTER TOLEDO ST.	.10	7920	280	8200
01.46	N. CORP. ELMORE	.13	7920	280	8200

1994 OTTAWA CO 2  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-51 (Cont'd)					
01.59	SR 105	3.32	4900	260	5160
04.91	SR 163	1.56	6330	470	6800
06.47	C-51 GENOA-CLAY CENTER RD.	.11	9900	520	10420
U 06.58	N.E. CORP. GENOA	.08	9900	520	10420
06.66	N.W. CORP. GENOA	2.77	9900	520	10420
09.43	SR 795	.97	12270	570	12840
10.40	EQUALS STA. 0.00 IN WOOD CO. C-2	.00			
SR-53					
00.00	SANDUSKY CO. LINE	4.37	4540	450	4990
04.37	C-12 (DARR-HOPFINGER RD.)	.76	7670	660	8330
05.13	C-53 (FREMONT RD.) ENTER RAMP	.19	1180	150	1330
05.32	SR 2	6.09	SEE PREFERRED ROUTE		
11.41	SR 2	1.50	6500	300	6800
12.91	SR 163	.28	7430	290	7720
13.19	CO. RD. 30	4.68	2510	90	2600
17.87	ROUTE ENDS AT LAKE ERIE	.00			
SR-105					
00.00	SANDUSKY CO. LINE	1.00	2300	110	2410
01.00	OHIO TURNPIKE	1.71	2300	110	2410
02.71	SR 51	1.09	2750	100	2850
03.80	C-208 (ELLISTON-TROWBRIDGE RD.)	1.11	2120	90	2210
04.91	T-19 (GRAYTOWN RD.)	2.03	1480	70	1550
06.94	SR 590	3.65	1460	120	1580
U 10.59	S.W. CORP. OAK HARBOR	.07	1460	120	1580
U 10.66	SR 163 (BENTON ST.)	.32	4610	420	5030
U 10.98	CHURCH ST.	.12	7970	400	8370
11.10	RTE ENDS AT SR19(LOCUST)IN OAK HARBOR	.00			
SR-163					
00.00	WOOD CO. LINE	2.40	2400	680	3080
U 02.40	W. CORP. GENOA	.50	2700	280	2980
U 02.90	MAIN ST.	.36	1990	230	2220
03.26	E. CORP. GENOA	.79	1990	230	2220
04.05	SR 51	5.93	3630	340	3970
09.98	SR 590	3.26	3630	330	3960
U 13.24	W. CORP. OAK HARBOR	.57	3630	330	3960
13.81	SR 105 ENTER WATER ST.	.44	SEE PREFERRED ROUTE		
U 14.25	SR 19 (LOCUST ST.)	.26	8120	390	8510
U 14.51	MAPLE ST.	.76	5950	360	6310
15.27	E. CORP. OAK HARBOR	5.58	3770	320	4090
20.85	SR 358	1.04	4060	300	4360

1994 OTTAWA CO 3  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-163 (Cont'd)					
	21.89 SR 2	.53	1650	80	1730
	22.42 CO. RD. 1	1.61	3290	150	3440
U	24.03 W. CORP. PORT CLINTON	1.25	5610	190	5800
U	25.28 MONROE ST. ENTER PERRY ST.	.10	7930	230	8160
U	25.38 MADISON ST.	.38	11800	270	12070
U	25.76 FULTON ST.	1.28	13730	360	14090
	27.04 E. CORP. PORT CLINTON	.06	13730	360	14090
	27.10 SR 2 SPUR	.30	10150	150	10300
	27.40 T-31 (SAND RD.)	2.36	7090	180	7270
	29.67 SR 53	1.62	6450	210	6660
	31.29 SR 269	.42	7610	310	7920
	31.71 SR 269	1.81	8890	350	9240
	33.52 T-257 (NORTH SHORE BLVD.)	2.56	5420	290	5710
U	36.08 W. CORP. MARBLEHEAD	1.17	1710	70	1780
U	37.25 PLEASANT ST.	2.16	1060	50	1110
	39.41 S. CORP. MARBLEHEAD	.02	410	20	430
	39.43 RTE ENDS AT T-142 (ALEXANDER PIKE RD)	.00			
SR-269					
	00.24 DEAD END (BARRICADE)	1.21	NO VOLUME AVAILABLE		
	01.45 C-135 (BAYSHORE RD.)	.26	810	20	830
	01.71 C-135 (BAYSHORE RD.)	.25	1150	40	1190
	01.96 SR 269 SPUR	1.71	2580	140	2720
	03.67 SR 163	.42	SEE PREFERRED ROUTE		
	04.09 SR 163	1.16	1640	90	1730
	05.25 ROUTE ENDS AT ENT. EAST HARBOR ST. PK	.00			
SR-269 SPUR					
	00.00 SR 2	.96	3720	190	3910
	00.96 ROUTE ENDS AT SR 269	.00			
SR-357					
	00.00 ROUTE BEGINS ON SOUTH BASS ISLAND	.57	500	20	520
U	00.57 W. CORP. PUT-IN-BAY	1.00	600	30	630
	01.57 N.E. CORP. PUT-IN-BAY	.89	400	20	420
	02.46 RT. ENDS AT LAKE ERIE ON S. BASS IS.	.00			
SR-358					
	00.00 SR 163	.92	280	90	370
	00.92 SR 2	.49	450	20	470
	01.41 ROUTE ENDS AT ENT. TO CAMP PERRY	.00			

1994 OTTAWA CO 4  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-579					
00.00	WOOD CO. LINE (C-2)	.98	3890	510	4400
00.98	T-54 BILLMAN RD.	3.02	4970	990	5960
04.00	T-7 (WILLISTON RD.)	4.04	3600	880	4480
08.04	C-19 (GRAYTOWN RD.) (TRUCK STOP)	.28	2230	760	2990
08.32	ROUTE ENDS AT SR 2	.00			
SR-590					
00.00	SANDUSKY CO. LINE T-9	2.23	1600	160	1760
02.23	T-18 (PORTAGE RIVER SOUTH RD.)	.22	2000	150	2150
02.45	SR 105	1.59	1010	100	1110
04.04	SR 163	4.04	860	70	930
08.08	T-67 (TROWBRIDGE RD.)	2.02	500	80	580
10.10	ROUTE ENDS AT SR 2	.00			
SR-795					
00.00	WOOD CO. LINE C-2 (CO. LINE RD.)	.71	3030	270	3300
00.71	ROUTE ENDS AT SR 51	.00			