

2000 ASHLAND CO 1
 AVERAGE 24-HR TRAFFIC VOLUME

| SECT. BEGINS | TRAFFIC SECTION | SECT. LENGTH | PASS & A COM'L | B & C COM'L | TOTAL VEH. |
|-----------------|--------------------------------|-----------------|---------------------|----------------|---------------|
| ----- | | | | | |
| SR-3 | | | | | |
| 00.00 | KNOX CO. LINE | 3.33 | 2890 | 230 | 3120 |
| 03.33 | SR 97 | .69 | 5180 | 280 | 5460 |
| U 04.02 | S.W. CORP. LOUDONVILLE | .10 | 5180 | 280 | 5460 |
| 04.12 | LEAVE LOUDONVILLE | .27 | 5180 | 280 | 5460 |
| U 04.39 | RE-ENTER LOUDONVILLE | .90 | 5180 | 280 | 5460 |
| 05.29 | LEAVE LOUDONVILLE | .04 | 5180 | 280 | 5460 |
| U 05.33 | RE-ENTER LOUDONVILLE | .60 | 5180 | 280 | 5460 |
| U 05.93 | SR 39 ENTER MAIN ST. | .15 | 7580 | 540 | 8120 |
| U 06.08 | SR 39 ENTER UNION ST. | .17 | 5130 | 560 | 5690 |
| U 06.25 | SR 60 ENTER WASHINGTON ST. | .16 | 4390 | 380 | 4770 |
| U 06.41 | JEFFERSON ST. | .39 | 3080 | 300 | 3380 |
| 06.80 | ENTER HOLMES CO. STA. 0.00 | .00 | | | |
| 06.80 | LEAVE HOLMES CO. STA. 4.44 | 1.36 | 2090 | 260 | 2350 |
| 08.16 | EQUALS STA. 0.00 IN WAYNE CO. | .00 | | | |
| US-30 | | | | | |
| 00.00 | RICHLAND CO. LINE | .08 | 11690 | 4090 | 15780 |
| 00.08 | SR 603 | 3.79 | 7870 | 3460 | 11330 |
| 03.87 | SR 511 | 2.27 | 7360 | 3530 | 10890 |
| 06.14 | SR 60 | 4.10 | 7530 | 3560 | 11090 |
| 10.24 | SR 89 | 3.05 | 6820 | 3390 | 10210 |
| 13.29 | EQUALS STA. 0.00 IN WAYNE CO. | .00 | | | |
| SR-39 | | | | | |
| 00.00 | RICHLAND CO. LINE | 1.57 | 1870 | 200 | 2070 |
| 01.57 | SR 511 | 2.41 | 2140 | 230 | 2370 |
| 03.98 | SR 95 | .10 | 3570 | 150 | 3720 |
| U 04.08 | N. CORP. PERRYSVILLE | .60 | 3570 | 150 | 3720 |
| 04.68 | S.E. CORP. PERRYSVILLE | 3.45 | 3570 | 150 | 3720 |
| U 08.13 | N.W. CORP. LOUDONVILLE | .75 | 4210 | 160 | 4370 |
| U 08.88 | MT VERNON AVE. ENTER MAIN ST. | .39 | 6920 | 270 | 7190 |
| U 09.27 | SR 3 (MARKET ST.) | .15 | SEE PREFERRED ROUTE | | |
| U 09.42 | SR 3 (UNION ST.) | .51 | 4110 | 240 | 4350 |
| 09.93 | EQUALS STA. 0.00 IN HOLMES CO. | .00 | | | |
| US-42 | | | | | |
| 00.00 | RICHLAND CO. LINE | 1.01 | 9920 | 590 | 10510 |
| 01.01 | SR 603 | 2.58 | 11160 | 540 | 11700 |
| 03.59 | CLAREMONT AVE. | .70 | 8070 | 550 | 8620 |
| U 04.29 | S.W. CORP. ASHLAND | .33 | 8070 | 550 | 8620 |

2000 ASHLAND CO 2
AVERAGE 24-HR TRAFFIC VOLUME

| SECT. BEGINS | TRAFFIC SECTION | SECT. LENGTH | PASS & A COM'L | B & C COM'L | TOTAL VEH. |
|-----------------|---------------------------------------|-----------------|---------------------|----------------|---------------|
| ----- | | | | | |
| US-42 (Cont'd) | | | | | |
| | 04.62 LEAVE ASHLAND | 1.84 | 8070 | 550 | 8620 |
| | 06.46 SR 511 CONNECTOR | .10 | 7070 | 770 | 7840 |
| | 06.56 SR 60 | .44 | 7070 | 770 | 7840 |
| U | 07.00 RE-ENTER ASHLAND | .15 | 7070 | 770 | 7840 |
| | 07.15 LEAVE ASHLAND | .42 | 7070 | 770 | 7840 |
| U | 07.57 RE-ENTER ASHLAND | .28 | 7070 | 770 | 7840 |
| U | 07.85 US 250 (RAMP) | .22 | 7740 | 2480 | 10220 |
| | 08.07 LEAVE ASHLAND | .49 | 7740 | 2480 | 10220 |
| | 08.56 RE-ENTER ASHLAND | .39 | 7740 | 2480 | 10220 |
| | 08.95 US 250 | .11 | 4110 | 380 | 4490 |
| | 09.06 E. CORP. ASHLAND | .20 | 4110 | 380 | 4490 |
| | 09.26 CO. RD. 42B | 4.14 | 3560 | 370 | 3930 |
| | 13.40 SR 89 | 1.40 | 2560 | 230 | 2790 |
| | 14.80 SR 302 | .10 | 2510 | 350 | 2860 |
| | 14.90 SR 604 | 2.15 | 2070 | 230 | 2300 |
| | 17.05 CO. RD. 175 | 2.36 | 2230 | 200 | 2430 |
| | 19.41 EQUALS STA. 0.00 IN WAYNE CO. | .00 | | | |
| SR-58 | | | | | |
| | 00.00 US 250 | .19 | 1170 | 220 | 1390 |
| | 00.19 CONNECTOR RD. ENTER ORANGE ST. | .13 | 4040 | 150 | 4190 |
| | 00.32 US 250 | .25 | 4040 | 150 | 4190 |
| | 00.57 N. CORP. ASHLAND | 2.64 | 4040 | 150 | 4190 |
| | 03.21 SR 302 | 4.38 | 3030 | 120 | 3150 |
| | 07.59 CO. RD. 620 | 1.36 | 1600 | 70 | 1670 |
| | 08.95 ATR 519 | .20 | 1600 | 70 | 1670 |
| | 09.15 SR 89 | 2.49 | 2970 | 300 | 3270 |
| | 11.64 US 224 | 2.48 | 3840 | 420 | 4260 |
| | 14.12 EQUALS STA. 0.00 IN LORAIN CO. | .00 | | | |
| SR-60 | | | | | |
| | 00.00 SR 39 (MAIN ST.) IN LOUDONVILLE | .68 | SEE PREFERRED ROUTE | | |
| U | 00.68 SR 3 (WASHINGTON ST.) | .54 | 2820 | 240 | 3060 |
| | 01.22 N. CORP. LOUDONVILLE | 4.38 | 2820 | 240 | 3060 |
| | 05.60 SR 95 | 4.89 | 2520 | 190 | 2710 |
| | 10.49 CO. RD. 775 | .07 | 4090 | 170 | 4260 |
| U | 10.56 S. CORP. HAYESVILLE | .25 | 4090 | 170 | 4260 |
| U | 10.81 SR 179 (MAIN ST.) | .51 | 5850 | 470 | 6320 |
| | 11.32 N. CORP. HAYESVILLE | .34 | 5850 | 470 | 6320 |
| | 11.66 US 30 | 3.62 | 4920 | 240 | 5160 |
| | 15.28 CO. RD. 1775 | .52 | 6110 | 300 | 6410 |
| | 15.80 IR 71 | .63 | 6110 | 300 | 6410 |
| | 16.43 SR 511 | .04 | 6650 | 170 | 6820 |
| | 16.47 US 42 | .09 | 6650 | 170 | 6820 |

2000 ASHLAND CO 3
AVERAGE 24-HR TRAFFIC VOLUME

| SECT. BEGINS | TRAFFIC SECTION | SECT. LENGTH | PASS & A COM'L | B & C COM'L | TOTAL VEH. |
|-----------------|-------------------------------|-----------------|---------------------|----------------|---------------|
| ----- | | | | | |
| SR-60 (Cont'd) | | | | | |
| U 16.56 | S. CORP. ASHLAND | .99 | 6650 | 170 | 6820 |
| U 17.55 | MORGAN AVE. | .60 | 10510 | 170 | 10680 |
| U 18.15 | WASHINGTON ST. | .16 | 6530 | 70 | 6600 |
| U 18.31 | SR 96 ENTER E. MAIN ST. | .19 | 11300 | 400 | 11700 |
| U 18.50 | SR 96 SANDUSKY ST. | .67 | 9480 | 230 | 9710 |
| U 19.17 | SR 511 (W. 13TH ST.) | .67 | 4710 | 240 | 4950 |
| 19.84 | US 250 | 6.45 | SEE PREFERRED ROUTE | | |
| 26.29 | US 250 | 4.10 | 1290 | 100 | 1390 |
| 30.39 | US 224 | 2.52 | 2110 | 160 | 2270 |
| 32.91 | EQUALS STA. 0.00 IN HURON CO. | .00 | | | |
| IR-71 | | | | | |
| 00.00 | RICHLAND CO. LINE SR 603 | 5.27 | 27930 | 14380 | 42310 |
| 05.27 | SR 511 | .61 | 27930 | 14380 | 42310 |
| 05.88 | SR 60 | 2.06 | 27930 | 14380 | 42310 |
| 07.94 | US 250 | 2.73 | 26690 | 13740 | 40430 |
| 10.67 | SR 89 | 2.13 | 26690 | 13740 | 40430 |
| 12.80 | ATR 159 | .88 | 26690 | 13740 | 40430 |
| 13.68 | SR 302 | 1.91 | 26690 | 13740 | 40430 |
| 15.59 | SR 604 | .55 | 26690 | 13740 | 40430 |
| 16.14 | EQUALS STA. 0.00 IN WAYNE CO. | .00 | | | |
| SR-89 | | | | | |
| 00.00 | SR 95 | 3.64 | 1440 | 70 | 1510 |
| 03.64 | US 30 | 1.06 | 1290 | 70 | 1360 |
| U 04.75 | S. CORP. JEROMESVILLE | .25 | 1290 | 70 | 1360 |
| U 05.00 | PLUM ST. | .43 | 1910 | 110 | 2020 |
| 05.43 | N. CORP. JEROMESVILLE | 3.61 | 1390 | 70 | 1460 |
| 09.04 | US 250 | 1.28 | 1350 | 190 | 1540 |
| 10.32 | IR 71 | 1.83 | 1350 | 190 | 1540 |
| 12.15 | US 42 | 1.35 | 1950 | 300 | 2250 |
| 13.50 | SR 302 | 1.19 | 2220 | 280 | 2500 |
| U 14.69 | S. CORP. POLK | 1.02 | 2220 | 280 | 2500 |
| 15.71 | N. CORP. POLK | 2.89 | 1750 | 320 | 2070 |
| 18.60 | ROUTE ENDS AT SR 58 | .00 | | | |
| SR-95 | | | | | |
| 00.00 | RICHLAND CO. LINE | 1.46 | 1740 | 120 | 1860 |
| 01.46 | SR 39 | 5.02 | 1080 | 80 | 1160 |
| 06.48 | SR 60 | 3.21 | 950 | 30 | 980 |
| 09.69 | SR 179 | .47 | 1000 | 100 | 1100 |
| 10.16 | SR 89 | 3.33 | 880 | 50 | 930 |
| 13.49 | EQUALS STA. 0.00 IN WAYNE CO. | .00 | | | |

2000 ASHLAND CO 4
AVERAGE 24-HR TRAFFIC VOLUME

| SECT. BEGINS | TRAFFIC SECTION | SECT. LENGTH | PASS & A COM'L | B & C COM'L | TOTAL VEH. |
|-----------------|---|-----------------|---------------------|----------------|---------------|
| ----- | | | | | |
| SR-96 | | | | | |
| | 00.00 RICHLAND CO. LINE | 1.52 | 2250 | 140 | 2390 |
| | 01.52 TWP. RD. 1353 | 2.75 | 3480 | 130 | 3610 |
| U | 04.27 W. CORP. ASHLAND | .45 | 3480 | 130 | 3610 |
| U | 04.72 PARKSIDE DR. | .74 | 3610 | 160 | 3770 |
| | 05.46 SR 60 COTTAGE ST. | .19 | SEE PREFERRED ROUTE | | |
| | 05.65 SR 60 CENTER ST. | .39 | 7370 | 300 | 7670 |
| U | 06.04 EASTERN AVE. | 1.01 | 9320 | 380 | 9700 |
| | 07.05 US 250 | .11 | SEE PREFERRED ROUTE | | |
| | 07.16 ROUTE ENDS AT US 250 | .00 | | | |
| SR-97 | | | | | |
| | 00.00 RICHLAND CO. LINE | 4.39 | 1040 | 60 | 1100 |
| | 04.39 ROUTE ENDS AT SR 3 | .00 | | | |
| SR-179 | | | | | |
| | 00.00 HOLMES CO. LINE | 5.27 | 700 | 100 | 800 |
| | 05.27 SR 95 | 4.47 | 1120 | 40 | 1160 |
| | 09.74 CO. RD. 30A | .12 | 2320 | 210 | 2530 |
| | 09.86 E. CORP. HAYESVILLE | .64 | 2320 | 210 | 2530 |
| | 10.50 ROUTE ENDS AT SR 60 IN HAYESVILLE | .00 | | | |
| US-224 | | | | | |
| | 00.00 HURON CO. LINE | .90 | 3070 | 1430 | 4500 |
| | 00.90 US 250 | 1.31 | 2520 | 1900 | 4420 |
| | 02.21 SR 60 | 4.60 | 2570 | 2040 | 4610 |
| | 06.81 SR 511 | 4.33 | 2500 | 1950 | 4450 |
| | 11.14 SR 58 | 2.60 | 2960 | 2240 | 5200 |
| | 13.74 EQUALS STA. 0.00 IN MEDINA CO. | .00 | | | |
| US-250 | | | | | |
| | 00.00 HURON CO. LINE | 1.61 | 1910 | 2380 | 4290 |
| | 01.61 US 224 | 4.68 | 2100 | 1460 | 3560 |
| | 06.29 SR 60 | .06 | 4400 | 1650 | 6050 |
| U | 06.35 N. CORP. SAVANNAH | .50 | 4400 | 1650 | 6050 |
| U | 06.85 SR 545 (NORTH ST.) | .34 | 4240 | 1540 | 5780 |
| U | 07.19 SR 302 | .06 | 4110 | 1510 | 5620 |
| | 07.25 S. CORP. SAVANNAH | .52 | 4110 | 1510 | 5620 |
| U | 07.77 N.W. CORP. BAILEY LAKES | .63 | 4110 | 1510 | 5620 |
| | 08.40 S. CORP. BAILEY LAKES | 4.34 | 4880 | 1540 | 6420 |

2000 ASHLAND CO 5
AVERAGE 24-HR TRAFFIC VOLUME

| SECT. BEGINS | TRAFFIC SECTION | SECT. LENGTH | PASS & A COM'L | B & C COM'L | TOTAL VEH. |
|-----------------|----------------------------------|-----------------|---------------------|----------------|---------------|
| ----- | | | | | |
| US-250 (Cont'd) | | | | | |
| U 12.74 | SR 60 N. CORP. ASHLAND | .38 | 2780 | 1780 | 4560 |
| U 13.12 | LEAVE ASHLAND | .10 | 2780 | 1780 | 4560 |
| U 13.22 | SR 511 | .51 | 3360 | 1830 | 5190 |
| U 13.73 | RE-ENTER ASHLAND | .01 | 3360 | 1830 | 5190 |
| U 13.74 | SR 58 (CONNECTOR RD.) | 1.26 | 3700 | 1870 | 5570 |
| U 15.00 | US 42 | 1.10 | SEE PREFERRED ROUTE | | |
| U 16.10 | US 42 ENTER RAMP | .20 | 2740 | 910 | 3650 |
| U 16.30 | SR 96 | .08 | 10070 | 1200 | 11270 |
| U 16.38 | US 42 | .66 | 10070 | 1200 | 11270 |
| 17.04 | E. CORP. ASHLAND | .69 | 10070 | 1200 | 11270 |
| 17.73 | CO. RD. 1575 | .32 | 12150 | 3020 | 15170 |
| 18.05 | IR 71 | .37 | 6250 | 1840 | 8090 |
| 18.42 | TWP. RD. 653 | 2.00 | 4700 | 1750 | 6450 |
| 20.42 | SR 89 | 4.76 | 4030 | 1480 | 5510 |
| 25.18 | EQUALS STA. 0.00 IN WAYNE CO. | .00 | | | |
| SR-302 | | | | | |
| 00.00 | WAYNE CO. LINE | 2.44 | 1040 | 70 | 1110 |
| 02.44 | IR 71 | 1.68 | 1040 | 70 | 1110 |
| 04.12 | US 42 | 1.17 | 780 | 50 | 830 |
| 05.29 | SR 89 | 1.53 | 720 | 50 | 770 |
| 06.82 | CO. RD. 601 | 2.03 | 1260 | 70 | 1330 |
| 08.85 | SR 58 | 2.05 | 940 | 50 | 990 |
| 10.90 | SR 511 | .35 | 1840 | 70 | 1910 |
| 11.25 | SR 511 | 3.04 | 640 | 20 | 660 |
| U 14.29 | S.E. CORP. SAVANNAH | .26 | 640 | 20 | 660 |
| 14.55 | ROUTE ENDS AT US 250 IN SAVANNAH | .00 | | | |
| SR-430 | | | | | |
| 00.00 | RICHLAND CO. LINE | .60 | 1420 | 50 | 1470 |
| 00.60 | ROUTE ENDS AT SR 603 | .00 | | | |
| SR-511 | | | | | |
| 00.00 | SR 39 | 6.07 | 940 | 50 | 990 |
| 06.07 | CO. RD. 30A | .90 | 1360 | 120 | 1480 |
| 06.97 | US 30 | 3.67 | 2010 | 70 | 2080 |
| 10.77 | IR 71 | .64 | 2010 | 70 | 2080 |
| 11.41 | SR 511 CONNECTOR | .10 | 4570 | 220 | 4790 |
| 11.51 | SR 60 | 2.74 | SEE PREFERRED ROUTE | | |
| U 14.25 | SR 60 (COTTAGE ST.) IN ASHLAND | .12 | 3050 | 90 | 3140 |
| U 14.37 | 13TH ST. ENTER TROY RD. | .33 | 2060 | 50 | 2110 |
| 14.70 | N. CORP. ASHLAND | 3.49 | 2060 | 50 | 2110 |
| 18.19 | SR 302 | .35 | SEE PREFERRED ROUTE | | |

2000 ASHLAND CO 6
 AVERAGE 24-HR TRAFFIC VOLUME

| SECT. BEGINS | TRAFFIC SECTION | SECT. LENGTH | PASS & A COM'L | B & C COM'L | TOTAL VEH. |
|------------------|----------------------------------|-----------------|-------------------|----------------|---------------|
| ----- | | | | | |
| SR-511 (Cont'd) | | | | | |
| 18.54 | SR 302 | 6.78 | 1440 | 80 | 1520 |
| 25.35 | US 224 | 2.55 | 1310 | 100 | 1410 |
| 27.90 | EQUALS STA. 0.00 IN LORAIN CO. | .00 | | | |
| SR-511 CONNECTOR | | | | | |
| 00.00 | SR 511 | .04 | 5270 | 250 | 5520 |
| 00.04 | ROUTE ENDS AT US 42 | .00 | | | |
| SR-545 | | | | | |
| 00.00 | RICHLAND CO. LINE | 5.00 | 740 | 40 | 780 |
| U 05.00 | S. CORP. SAVANNAH | .47 | 740 | 40 | 780 |
| 05.47 | ROUTE ENDS AT US 250 IN SAVANNAH | .00 | | | |
| SR-603 | | | | | |
| 00.00 | RICHLAND CO. LINE | 3.64 | 1410 | 260 | 1670 |
| U 03.64 | S. CORP. MIFFLIN | .22 | 1410 | 260 | 1670 |
| U 03.86 | NORTH ST. ENTER MARKET ST. | .25 | 2620 | 260 | 2880 |
| 04.11 | W. CORP. MIFFLIN | .04 | 2620 | 260 | 2880 |
| 04.15 | SR 430 | .61 | 2100 | 280 | 2380 |
| 04.84 | US 30 | 1.57 | 1180 | 60 | 1240 |
| 06.41 | IR 71 | .10 | 1180 | 60 | 1240 |
| 06.51 | ENTER RICHLAND CO. STA. 5.86 | .00 | | | |
| 06.51 | LEAVE RICHLAND CO. STA. 6.29 | 1.03 | 1180 | 60 | 1240 |
| 07.54 | US 42 | 3.20 | 960 | 50 | 1010 |
| 10.74 | CO. RD. 1356 | 1.05 | 770 | 30 | 800 |
| 11.79 | EQUALS STA. 6.29 IN RICHLAND CO. | .00 | | | |
| SR-604 | | | | | |
| 00.00 | US 42 | 2.96 | 630 | 30 | 660 |
| 02.96 | IR 71 | .40 | 630 | 30 | 660 |
| 03.36 | EQUALS STA. 0.00 IN WAYNE CO. | .00 | | | |