

2003 OTTAWA CO 1
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-2					
00.00	LUCAS CO. LINE	1.44	5420	3010	8430
01.44	SR 579	1.76	7170	3620	10790
03.20	SR 590	3.95	6690	3640	10330
07.15	SR 19	9.20	6330	3450	9780
16.35	SR 358	.66	8130	3230	11360
17.01	ATR # 734	.62	8130	3230	11360
17.63	SR 163	2.04	12570	3760	16330
19.67	SR 53	.94	14170	3970	18140
U 20.61	W. CORP. PORT CLINTON	.19	14170	3970	18140
20.80	LEAVE PORT CLINTON	.82	14170	3970	18140
U 21.62	RE-ENTER PORT CLINTON	.12	14170	3970	18140
21.74	LEAVE PORT CLINTON	1.29	14170	3970	18140
U 23.03	RE-ENTER PORT CLINTON	.15	14170	3970	18140
23.18	E. CORP. PORT CLINTON	.29	14170	3970	18140
23.47	SR 2 SPUR	2.41	14650	3940	18590
25.88	SR 53	1.08	16060	3420	19480
26.96	SR 269	1.63	19730	3610	23340
28.59	EQUALS STA. 0.00 IN ERIE CO.	.00			
SR-2 SPUR					
00.00	SR 163	.64	7150	290	7440
00.64	ROUTE ENDS AT SR 2	.00			
SR-19					
00.00	SANDUSKY CO. LINE	2.76	3690	140	3830
02.76	T-18 (PORTAGE RIVER SOUTH RD.)	.58	6280	270	6550
U 03.34	S. CORP. OAK HARBOR	.11	6280	270	6550
U 03.45	SR 105 (WATER ST.)	1.10	4190	160	4350
04.55	N. CORP. OAK HARBOR	.50	4190	160	4350
05.05	C-98 (SALEM-CARROLL RD.)	5.03	2220	80	2300
10.08	ROUTE ENDS AT SR 2	.00			
SR-51					
00.00	SANDUSKY CO. LINE	.50	2890	230	3120
00.50	OHIO TURNPIKE	.50	2890	230	3120
U 01.00	S.W. CORP. ELMORE C-18	.46	6380	300	6680
01.46	N. CORP. ELMORE	.13	6380	300	6680
01.59	SR 105	3.32	4580	250	4830
04.91	SR 163	1.67	10280	640	10920
U 06.58	N.E. CORP. GENOA	.08	10280	640	10920

2003 OTTAWA CO 2
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-51 (Cont'd)					
06.66	N.W. CORP. GENOA	2.77	10280	640	10920
09.43	SR 795	.97	9140	530	9670
10.40	EQUALS STA. 0.00 IN WOOD CO. C-2	.00			
SR-53					
00.00	SANDUSKY CO. LINE	4.35	6030	390	6420
04.35	C-12 (DARR-HOPFINGER RD.)	.78	11000	530	11530
05.13	C-53 (FREMONT RD.) ENTER RAMP	.19	2630	200	2830
05.32	SR 2	6.09	SEE PREFERRED ROUTE		
11.41	SR 2	1.34	9000	420	9420
12.75	ATR # 202	.16	9000	420	9420
12.91	SR 163	.15	9400	360	9760
13.06	ATR # 201	.14	9400	360	9760
13.20	CO. RD. 30	4.67	4820	170	4990
17.87	ROUTE ENDS AT LAKE ERIE	.00			
SR-105					
00.00	SANDUSKY CO. LINE	1.00	2160	110	2270
01.00	OHIO TURNPIKE	1.71	2160	110	2270
02.71	SR 51	4.23	2440	170	2610
06.94	SR 590	3.65	2000	120	2120
U 10.59	S.W. CORP. OAK HARBOR	.07	2000	120	2120
U 10.66	SR 163 (BENTON ST.)	.44	6150	610	6760
11.10	RTE ENDS AT SR19(LOCUST)IN OAK HARBOR	.00			
SR-163					
00.00	WOOD CO. LINE	2.40	1950	420	2370
U 02.40	W. CORP. GENOA	.86	2280	610	2890
03.26	E. CORP. GENOA	.79	2280	610	2890
04.05	SR 51	5.93	4080	370	4450
09.98	SR 590	3.26	5270	410	5680
U 13.24	W. CORP. OAK HARBOR	.57	5270	410	5680
13.81	SR 105 ENTER WATER ST.	.44	SEE PREFERRED ROUTE		
U 14.25	SR 19 (LOCUST ST.)	1.02	6780	440	7220
15.27	E. CORP. OAK HARBOR	5.58	5980	510	6490
20.85	SR 358	1.04	5310	520	5830
21.89	SR 2	2.14	3130	140	3270
U 24.03	W. CORP. PORT CLINTON	1.25	5770	160	5930
U 25.28	MONROE ST. ENTER PERRY ST.	.09	9100	420	9520
U 25.37	MADISON ST.	.38	13360	690	14050
U 25.75	FULTON ST.	1.29	18190	480	18670
27.04	E. CORP. PORT CLINTON	.06	18190	480	18670
27.10	SR 2 SPUR	.28	16560	330	16890

2003 OTTAWA CO 3
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-163 (Cont'd)					
27.38	T-31 (SAND RD.)	2.22	8510	220	8730
29.60	ATR # 200	.14	8510	220	8730
29.74	SR 53	1.41	9070	290	9360
31.15	ATR # 204	.21	8790	290	9080
31.36	SR 269	.34	12060	490	12550
31.70	ATR # 206	.08	12060	490	12550
31.78	SR 269	1.99	10520	410	10930
33.77	ATR # 209	.13	8860	350	9210
33.90	T-257 (NORTH SHORE BLVD.)	.28	5440	300	5740
34.18	ATR # 210	1.98	5440	300	5740
U 36.16	W. CORP. MARBLEHEAD	1.28	5180	110	5290
U 37.44	PLEASANT ST.	2.67	1720	90	1810
40.11	S. CORP. MARBLEHEAD	1.28	1720	90	1810
41.39	RTE ENDS AT T-142 (ALEXANDER PIKE RD)	.00			
SR-269					
00.00	ERIE CO. LINE	1.54	SEE PREFERRED ROUTE		
01.54	SR 2 ENTER RAMP	.09	2660	140	2800
01.63	ENTER EXPRESSWAY	.52	5880	280	6160
02.15	C-136 (OLD SR 269)	1.72	4020	340	4360
03.87	SR 163	.42	SEE PREFERRED ROUTE		
04.29	SR 163	1.17	2840	150	2990
05.46	ROUTE ENDS AT T-139 BUCK RD.	.00			
SR-357					
00.00	ROUTE BEGINS ON SOUTH BASS ISLAND	.57	500	20	520
U 00.57	W. CORP. PUT-IN-BAY	1.00	600	30	630
01.57	N.E. CORP. PUT-IN-BAY	.89	400	20	420
02.46	RT. ENDS AT LAKE ERIE ON S. BASS IS.	.00			
SR-358					
00.00	SR 163	.92	280	40	320
00.92	SR 2	.49	530	20	550
01.41	ROUTE ENDS AT ENT. TO CAMP PERRY	.00			
SR-579					
00.00	WOOD CO. LINE (C-2)	.98	4830	350	5180
00.98	T-54 BILLMAN RD.	7.34	4490	370	4860
08.32	ROUTE ENDS AT SR 2	.00			

2003 OTTAWA CO 4
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-590					
00.00	SANDUSKY CO. LINE T-9	2.45	1360	80	1440
02.45	SR 105	1.59	1030	80	1110
04.04	SR 163	4.04	960	90	1050
08.08	T-67 (TROWBRIDGE RD.)	2.02	530	150	680
10.10	ROUTE ENDS AT SR 2	.00			
SR-795					
00.00	WOOD CO. LINE C-2 (CO. LINE RD.)	.71	3760	500	4260
00.71	ROUTE ENDS AT SR 51	.00			