

2005 MAHONING CO 1
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-7					
	00.00 COLUMBIANA CO. LINE	3.15	5690	620	6310
	03.15 SR 165	.30	6460	880	7340
	03.45 SR 164	1.55	9750	1050	10800
	05.00 OHIO TURNPIKE	1.20	10860	660	11520
	06.20 SR 626	2.52	16330	590	16920
	08.72 US 224	.24	17840	400	18240
	08.96 ROCKDALE AVE.	2.30	17110	420	17530
U	11.26 S. CORP. YOUNGSTOWN SR 625	.74	15110	380	15490
U	12.00 SOUTHERN BLVD.	.12	19240	510	19750
	12.12 US 62 (INDIANOLA AVE.)	6.35	SEE PREFERRED ROUTE		
	18.47 EQUALS STA. 0.00 IN TRUMBULL CO.	.00			
SR-7 DIRECTIONAL ALTERNATE					
	00.00 BEGINS AT US 62DA IN YOUNGSTOWN	.64	SEE PREFERRED ROUTE		
	00.64 ROUTE ENDS AT US 62DA IN YOUNGSTOWN	.00			
SR-7 TEMPORARY					
	00.00 US 62 (MARKET ST.) IN YOUNGSTOWN	.36	SEE PREFERRED ROUTE		
	00.36 ROUTE ENDS AT HIMROD AVE.	.00			
SR-11					
	00.00 COLUMBIANA CO. LINE SR 14 ALT.	1.94	9950	2150	12100
	01.94 SR 46	1.11	13650	2570	16220
	03.05 SR 165	5.81	13650	2570	16220
	08.86 US 224	.55	28520	3510	32030
	09.41 OHIO TURNPIKE	.70	28520	3510	32030
	10.11 US 62	4.01	28520	3510	32030
	14.12 C-18 (MAHONING AVE.)	.83	38620	4260	42880
	14.95 ATR # 554	1.24	38620	4260	42880
	16.19 IR 80	.70	SEE PREFERRED ROUTE		
	16.89 EQUALS STA. 0.00 IN TRUMBULL CO.	.00			
SR-14					
	00.00 PORTAGE CO. LINE	4.01	3790	480	4270
	04.01 SR 534	.59	3420	440	3860
	04.60 SR 165	2.17	3290	460	3750
	06.77 SR 14 TEMP	1.15	3210	450	3660
	07.92 ENTER COLUMBIANA CO. STA. 0.00	.00			
	07.92 LEAVE COLUMBIANA CO. STA. 4.34	2.08	10040	580	10620

2005 MAHONING CO 2
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-14 (Cont'd)					
10.00	EQUALS STA. 4.34 IN COLUMBIANA CO.	.00			
SR-14 TEMPORARY					
00.00	SR 14	.91	840	50	890
00.91	COLUMBIANA CO. LINE	.00			
SR-45					
00.00	COLUMBIANA CO. LINE CO. RD. 20	.99	3960	220	4180
00.99	SR 165	5.55	3060	300	3360
06.54	US 224	5.78	4740	290	5030
12.32	IR 76	1.47	6620	490	7110
13.79	OHIO TURNPIKE	.36	6620	490	7110
14.15	EQUALS STA. 0.00 IN TRUMBULL CO.	.00			
SR-46					
00.00	COLUMBIANA CO. LINE SR 14	2.31	7060	820	7880
02.31	SR 11	1.32	3710	480	4190
03.63	SR 165	4.38	2900	280	3180
08.01	C-74 (LEFFINGWELL RD.)	.63	6290	320	6610
08.64	SR 446	.16	4880	130	5010
U 08.80	S. CORP. CANFIELD	.49	4880	130	5010
U 09.29	SR 46DA (COURT ST.)	.10	2900	170	3070
09.39	US 62 (LISBON ST.)	1.44	SEE PREFERRED ROUTE		
10.83	US 62	2.78	8920	160	9080
13.61	C-162 (NEW RD.)	1.08	17650	380	18030
14.69	C-18 (MAHONING AVE.)	1.22	13720	340	14060
15.91	C-178 (SILICA RD.)	.44	14380	750	15130
16.35	IR 80	.42	13410	1290	14700
16.77	C-192 (WEBB RD.)	.31	12360	790	13150
17.08	EQUALS STA. 0.00 IN TRUMBULL CO.	.00			
SR-46 DIRECTIONAL ALTERNATE					
00.00	US 62 IN CANFIELD	.29	SEE PREFERRED ROUTE		
U 00.29	US 62 (LISBON ST.)	.08	1560	30	1590
00.37	ROUTE ENDS AT SR 46 IN CANFIELD	.00			
US-62					
00.00	COLUMBIANA CO. LINE CO. RD. 20	1.01	6850	340	7190
01.01	SR 165	6.59	5930	340	6270
07.60	SR 446	.01	4090	220	4310
U 07.61	S.W. CORP. CANFIELD	.75	4090	220	4310

2005 MAHONING CO 3
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

US-62 (Cont'd)					
U 08.36	US 62DA-1 (S.B. BROAD ST.)	.04	3050	210	3260
U 08.40	SR 46 ENTER BROAD ST.	.09	4730	380	5110
U 08.49	US 224 (MAIN ST.)	.20	5520	170	5690
U 08.69	US 62DA-1 (S.B. BROAD ST.)	.98	10870	310	11180
	09.67 N. CORP. CANFIELD	.02	10870	310	11180
	09.69 OHIO TURNPIKE	.15	10870	310	11180
	09.84 SR 46	.91	6950	180	7130
	10.75 SR 11	2.41	6950	180	7130
U 13.16	S.W. CORP. YOUNGSTOWN MERIDIAN RD.	1.41	10070	240	10310
U 14.57	SR 625 (ARDEN BLVD.)	.63	11420	400	11820
U 15.20	SR 625 ENTER GLENWOOD AVE.	.07	11610	410	12020
U 15.27	GLENWOOD AVE. ENTER INDIANOLA AVE.	.94	4650	170	4820
U 16.21	SR 7 ENTER MARKET ST.	.97	20340	610	20950
U 17.18	MARKET ST. ENTER WILLIAMSON AVE.	.31	4530	190	4720
U 17.49	US 62DA (RAMP FROM IR 680 S.B.)	.02	5230	480	5710
U 17.51	IR 680	.22	5230	480	5710
U 17.73	WILLIAMSON AVE. ENTER SOUTH AVE.	.37	10950	360	11310
U 18.10	SOUTH AVE. ENTER RAMP	.09	3140	140	3280
U 18.19	US 62DA ENTER EAST RIVER CROSSING	.58	26340	1940	28280
U 18.77	SR 289DA (HIMROD AVE.)	.27	19070	1320	20390
U 19.04	US 62 TEMP ENTER RAMP	.03	4210	470	4680
U 19.07	SR 289DA (OAK ST.)	.22	4210	470	4680
U 19.29	US 422 (MADISON AVE. FREEWAY)	.28	4210	470	4680
U 19.57	US 422 ENTER MADISON AVE. FREEWAY	.04	18440	1330	19770
U 19.61	US 62 TEMP (E. RIVER CROSSING)	.36	18440	1330	19770
U 19.97	US 422 ENTER RAMP	.11	2830	70	2900
U 20.08	RAMP ENTER WESTBOUND SERVICE RD.	.04	3130	140	3270
U 20.12	WESTBOUND SERVICE RD. ENTER WICK AVE.	.18	8240	290	8530
U 20.30	WICK AVE. ENTER MC GUFFEY RD.	.50	3540	90	3630
U 20.80	MC GUFFEY RD. ENTER ALBERT ST.	.94	9240	810	10050
U 21.74	ALBERT ST. ENTER HUBBARD RD.	.82	7460	460	7920
	22.56 EQUALS STA. 0.00 IN TRUMBULL CO.	.00			
US-62 DIRECTIONAL ALTERNATE 1					
U 00.00	US 62 (LISBON ST.) IN CANFIELD	.20	4310	120	4430
U 00.20	US 224 (MAIN ST.)	.09	3060	90	3150
	00.29 ROUTE ENDS AT US 62 IN CANFIELD	.00			
US-62 DIRECTIONAL ALTERNATE					
U 00.00	US 62 IN YOUNGSTOWN	.35	13280	750	14030
U 00.35	IR 680	.29	2970	150	3120
	00.64 RTE. ENDS AT US 62 IN YOUNGSTOWN	.00			

2005 MAHONING CO 4
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

US-62 TEMPORARY					
U 00.00	US62 (RAMP "J" US422 FREEWAY) Y'TOWN	.04	8800	540	9340
U 00.04	SR 289DA (OAK ST.)	.23	8800	540	9340
U 00.27	US 62 (MADISON AVE. FRWY)	.27	10100	610	10710
U 00.54	ROUTE ENDS AT ALBERT ST. IN YOUNGSTOW	.00			
IR-76					
00.00	PORTAGE CO. LINE (CONSTRUCTION)	2.84	20290	10840	31130
02.84	SR 534 (CONSTRUCTION)	3.20	23740	9650	33390
06.04	C-65 (BAILEY RD.) (CONSTRUCTION)	1.57	28460	10170	38630
07.61	SR 45 (CONSTRUCTION)	1.04	28460	10170	38630
08.65	ROUTE ENDS AT OHIO TURNPIKE	.00			
IR-80					
00.00	OHIO TURNPIKE	2.49	37220	15950	53170
02.49	ATR # 530	1.32	37220	15950	53170
03.81	SR 46	1.00	46010	16520	62530
04.81	IR 680	.94	34760	16750	51510
05.75	EQUALS STA. 0.00 IN TRUMBULL CO.	.00			
SR-164					
U 00.00	COL. CO. LN. SR 14 IN COLUMBIANA	.19	8690	360	9050
00.19	N. CORP. COLUMBIANA	3.40	8690	360	9050
03.59	SR 165	.38	10020	650	10670
03.97	SR 7	1.02	8950	780	9730
04.99	SR 626	.03	11210	960	12170
05.02	OHIO TURNPIKE	.06	11210	960	12170
05.08	SR 626	.20	10450	1000	11450
05.28	IR 680	2.07	10450	1000	11450
07.35	IR 680	.08	10450	1000	11450
07.43	C-32 (WESTERN RESERVE RD.) ENTER RAMP	.36	240	30	270
07.79	ROUTE ENDS AT IR 680	.00			
SR-165					
00.00	COLUMBIANA CO. LINE US 62	.66	3020	110	3130
U 00.66	S. CORP. BELOIT	1.01	3020	110	3130
01.67	N. CORP. BELOIT	3.36	2340	110	2450
05.03	SR 534	.43	1770	120	1890
05.46	SR 14	4.75	1910	150	2060
10.21	SR 45	1.00	2500	240	2740

2005 MAHONING CO 5
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-165 (Cont'd)					
11.21	US 62	5.43	4710	420	5130
16.64	SR 46	.65	5300	450	5750
17.29	SR 11	3.04	5300	450	5750
20.33	SR 164	.29	2030	160	2190
20.62	SR 7	1.18	2400	190	2590
21.80	SR 626	2.81	5260	600	5860
24.61	SR 617	1.34	3410	230	3640
25.95	EQUALS STA. 0.00 IN COLUMBIANA CO.	.00			
SR-170					
00.00	COLUMBIANA CO. LINE	.86	1700	340	2040
00.86	SR 617	.09	3090	410	3500
00.95	SR 617	.34	2620	510	3130
01.29	OHIO TURNPIKE	2.14	2620	510	3130
03.43	C-62 (COLUMBIANA RD.)	.86	4320	240	4560
U 04.29	S. CORP. NEW MIDDLETOWN	.17	4320	240	4560
U 04.46	MIDDLETOWN RD.	1.14	5250	600	5850
05.60	N. CORP. NEW MIDDLETOWN	.07	5250	600	5850
05.67	SR 630	2.14	6220	540	6760
07.81	C-258 (SPITLER RD.)	1.59	8470	670	9140
U 09.40	S.E. CORP. POLAND	.11	8470	670	9140
U 09.51	NEW SPRINGFIELD RD.	.45	15680	650	16330
U 09.96	SR 616 (WATER ST.)	.06	15420	640	16060
U 10.02	US 224 ENTER YOUNGSTOWN ST.	.92	9140	380	9520
10.94	N. CORP. POLAND	.11	9140	380	9520
11.05	C-102 (MATHEWS RD.)	1.51	11680	300	11980
U 12.56	S. CORP. YOUNGSTOWN SR 625	.25	12570	550	13120
U 12.81	SHERIDAN RD.	.37	14250	320	14570
U 13.18	IR 680	.04	14250	320	14570
13.22	LEAVE YOUNGSTOWN	.12	14250	320	14570
13.34	SR 625 ENTER ON RAMP TO IR 680	.28	2120	90	2210
13.62	ROUTE ENDS AT IR 680	.00			
SR-193					
U 00.00	IR 680 ENTER RAMP IN YOUNGSTOWN	.17	6420	330	6750
U 00.17	IR 680 (WICKLIFFE DR.)	.35	28130	1450	29580
U 00.52	CRESCENT ST.	.36	27750	1420	29170
U 00.88	MADISON AVE. FREEWAY ENTER RAMP	.11	4960	390	5350
00.99	US 422	.04	SEE PREFERRED ROUTE		
U 01.03	US 422 (RAMP) ENTER WIRT ST.	.02	4560	110	4670
U 01.05	US 422 (YOUNGSTOWN FREEWAY)	.89	4560	110	4670
U 01.94	WIRT ST. ENTER BELMONT ST.	.63	19800	370	20170
02.57	EQUALS STA. 0.00 IN TRUMBULL CO.	.00			

2005 MAHONING CO 6
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

US-224					
	00.00 PORTAGE CO. LINE	2.88	4600	750	5350
	02.88 SR 534	4.72	4080	480	4560
	07.60 SR 45	3.64	5770	540	6310
	11.26 C-136 (PALMYRA RD.)	.17	9280	580	9860
U	11.43 W. CORP. CANFIELD	.21	9280	580	9860
U	11.64 SR 446	1.04	10500	510	11010
U	12.68 US 62DA-1 (S.B. BROAD ST.)	.04	15550	520	16070
U	12.72 US 62 (N.B. BROAD ST.)	.95	17510	1290	18800
	13.67 E. CORP. CANFIELD	.13	17510	1290	18800
	13.80 SR 11	.86	28190	970	29160
	14.66 OHIO TURNPIKE	.62	28190	970	29160
	15.28 SR 625	2.55	30610	820	31430
	17.83 SR 7	1.86	33590	1130	34720
	19.69 IR 680	.47	25670	1370	27040
U	20.16 W. CORP. POLAND	.19	25670	1370	27040
U	20.35 SR 170 (YOUNGSTOWN ST.)	.07	18200	1170	19370
U	20.42 SR 616 (WATER ST.)	.38	14390	1100	15490
	20.80 E. CORP. POLAND	.77	14390	1100	15490
	21.57 C-177 (CLINGAN RD.)	1.26	10410	790	11200
	22.83 STRUTHERS RD.	2.52	6250	900	7150
	25.35 PENNA. STATE LINE	.00			
SR-289					
U	00.00 SR 193 (RAMP) IN YOUNGSTOWN	.39	5420	290	5710
U	00.39 FEDERAL ST. ENTER RAYEN AVE.	1.36	4710	110	4820
U	01.75 SR 289DA ENTER HINE ST.	.30	1810	260	2070
U	02.05 SR 289DA ENTER HIMROD AVE.	.11	3630	360	3990
U	02.16 HIMROD AVE. ENTER WILSON AVE.	.09	4010	270	4280
U	02.25 US 62	1.46	4010	270	4280
U	03.71 W. CORP. CAMPBELL	.21	4010	270	4280
U	03.92 COITSVILLE RD.	.79	6320	170	6490
U	04.71 7TH. ST.	.35	4150	110	4260
U	05.06 ROBINSON RD.	.63	3270	100	3370
U	05.69 N. CORP. STRUTHERS	.27	3270	100	3370
U	05.96 SR 616 (BRIDGE ST.)	1.32	2440	80	2520
U	07.28 W. CORP. LOWELLVILLE	2.29	2440	80	2520
	09.57 E. CORP. LOWELLVILLE	.36	240	10	250
	09.93 PENNA. STATE LINE	.00			

2005 MAHONING CO 7
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-289 DIRECTIONAL ALTERNATE					
U 00.00	SR 289 IN YOUNGSTOWN	.05	4360	290	4650
U 00.05	US 62 (EAST RIVER CROSSING)	.11	4360	290	4650
U 00.16	HIMROD AVE. ENTER LANE AVE.	.26	1190	160	1350
U 00.42	US 422 ENTER OAK ST.	.11	4430	270	4700
U 00.53	US 62 TEMP (EAST RIVER CROSSING)	.07	4430	270	4700
00.60	ROUTE ENDS AT SR 289 IN YOUNGSTOWN	.00			
US-422					
U 00.00	TRUMBULL CO. LINE N. CORP. YOUNGSTOWN	.79	14760	1000	15760
U 00.79	SR 711	1.11	10910	610	11520
U 01.90	SR 193 ENTER WIRT ST. CONNECTOR	.04	5340	230	5570
U 01.94	SR 193 (WIRT ST.) ENTER MADISON AVE	.04	2520	180	2700
U 01.98	MADISON AVE. ENTER RAMP	.11	1890	220	2110
U 02.09	LEAVE RAMP ENTER MADISON AVE. FREEWAY	.34	22620	1190	23810
U 02.43	BELMONT AVE.	.21	15150	1010	16160
U 02.64	5TH. AVE.	.49	25180	1470	26650
U 03.13	WICK AVE.	.16	18440	1330	19770
U 03.29	US 62 (RAMP TO GRACE ST.)	.38	SEE PREFERRED ROUTE		
U 03.67	US 62 (RAMP FROM EAST RIVER CROSSING)	.23	6870	480	7350
U 03.90	SR 289DA LANE AVE. ENTER OAK ST.	1.00	12830	1140	13970
U 04.90	LANSLOWNE BLVD.	.42	13820	650	14470
05.32	LEAVE YOUNGSTOWN	1.78	13820	650	14470
U 07.10	RE-ENTER YOUNGSTOWN JACOBS RD.	.48	6930	470	7400
07.58	E. CORP. YOUNGSTOWN SR 616	2.56	7470	330	7800
10.14	PENNSYLVANIA STATE LINE	.00			
SR-446					
00.00	US 224 IN CANFIELD	.10	2340	310	2650
00.10	S.W. CORP. CANFIELD	.66	2340	310	2650
00.76	US 62	.75	2820	270	3090
01.51	ROUTE ENDS AT SR 46	.00			
SR-534					
00.00	COLUMBIANA CO. LINE US 62	3.02	1630	100	1730
03.02	SR 165	.39	1850	130	1980
03.41	SR 14	5.19	2010	140	2150
08.62	US 224	5.18	3490	300	3790
13.80	C-18 (MAHONING AVE.)	.32	5150	380	5530
14.12	IR 76	2.21	4050	200	4250
16.33	EQUALS STA. 0.00 IN TRUMBULL CO.	.00			

2005 MAHONING CO 8
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-616					
U 00.00	SR 170 (MAIN ST.) IN POLAND	.03	1340	50	1390
U 00.03	US 224 (BOARDMAN RD.)	.63	4950	190	5140
	00.66 N. CORP. POLAND	.46	4950	190	5140
U 01.12	S. CORP. STRUTHERS 5TH. ST.	.08	5950	210	6160
	01.20 LEAVE STRUTHERS	.06	5950	210	6160
U 01.26	RE-ENTER STRUTHERS	1.50	5950	210	6160
U 02.76	LOWELLVILLE RD.	.42	9520	550	10070
U 03.18	SR 289 (BROAD ST.)	.63	6490	340	6830
U 03.81	S. CORP. CAMPBELL	.03	6490	340	6830
U 03.84	STRUTHERS LIBERTY RD. ENT. UPLAND AVE	.02	3360	80	3440
	03.86 LEAVE CAMPBELL	.68	3360	80	3440
U 04.54	RE-ENTER CAMPBELL	.35	3360	80	3440
	04.89 E. CORP. CAMPBELL	1.03	3360	80	3440
	05.92 US 422	2.96	5560	230	5790
	08.88 EQUALS STA. 0.00 IN TRUMBULL CO.	.00			
SR-617					
00.00	SR 165	3.68	960	230	1190
03.68	SR 170	.09	SEE PREFERRED ROUTE		
03.77	SR 170	.97	820	200	1020
04.74	PENNA. STATE LINE	.00			
SR-625					
00.00	US 224	.13	16370	300	16670
00.13	C-17 (TIPPECANOE RD.)	1.55	6760	170	6930
01.68	C-100 (SHIELDS RD.)	1.36	2460	60	2520
U 03.04	S. CORP. YOUNGSTOWN	.32	2460	60	2520
	03.36 US 62 ENTER CANFIELD RD.	.63	SEE PREFERRED ROUTE		
U 03.99	US 62 ENTER GLENWOOD AVE.	.73	12080	410	12490
	04.72 LEAVE YOUNGSTOWN ENT. MIDLOTHIAN BLVD	.58	9060	230	9290
U 05.30	RE-ENTER YOUNGSTOWN SR 7 (MARKET ST.)	.74	12910	340	13250
	06.04 LEAVE YOUNGSTOWN	.20	12910	340	13250
U 06.24	RE-ENTER YOUNGSTOWN	.02	12910	340	13250
	06.26 LEAVE YOUNGSTOWN	.44	12910	340	13250
	06.70 C-239 (LAKE PARK RD.)	.22	18370	670	19040
	06.92 SR 170	.78	SEE PREFERRED ROUTE		
	07.70 ROUTE ENDS AT SR 170	.00			

2005 MAHONING CO 9
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-626					
00.00	SR 165	1.09	4560	400	4960
01.09	SR 164	.09	SEE PREFERRED ROUTE		
01.18	SR 164	2.33	2710	210	2920
03.51	ROUTE ENDS AT SR 7	.00			
SR-630					
U 00.00	N.W. CORP. NEW MIDDLETOWN SR 170	.69	2260	370	2630
00.69	E. CORP. NEW MIDDLETOWN	1.87	2260	370	2630
02.56	PENNSYLVANIA STATE LINE	.00			
IR-680					
00.00	IR 80 (CONSTRUCTION)	2.07	28960	3230	32190
U 02.07	N.W. CORP. YOUNGSTOWN MERIDIAN RD.	.95	35420	3450	38870
U 03.02	SR 711 (DIVISION ST. EXPRESSWAY)	.72	38310	3620	41930
U 03.74	BELLE VISTA AVE. (CONSTRUCTION)	.40	36390	3580	39970
U 04.14	STEEL ST. (CONSTRUCTION)	.26	48590	3850	52440
U 04.40	SR 193 (WEST RIVER CROSSING)	.28	49990	3760	53750
U 04.68	MAHONING AVE.	.40	53670	3880	57550
U 05.08	EDWARDS ST.	.95	48180	3720	51900
U 06.03	MARKET ST.	.29	31060	3220	34280
U 06.32	US 62DA (E. RIVER X-WAY)	.29	31060	3220	34280
U 06.61	US 62 (WILLIAMSON AVE.)	.44	49340	4470	53810
U 07.05	SOUTH AVE.	1.29	47440	4480	51920
U 08.34	SHIRLEY BLVD.	.89	46220	4520	50740
U 09.23	SR 170 (MIDLOTHIAN BLVD.)	.12	35790	4080	39870
09.35	S. CORP. YOUNGSTOWN	.36	35790	4080	39870
09.71	ATR # 753	2.10	35790	4080	39870
11.81	US 224	2.56	17480	2600	20080
14.37	SR 164	1.96	2720	940	3660
16.33	SR 164	.10	2720	940	3660
16.43	ROUTE ENDS AT OHIO TURNPIKE	.00			
SR-711					
U 00.00	IR 680 ENTER RAMP IN YOUNGSTOWN	.26	2390	160	2550
U 00.26	IR 680 (WICKLIFFE DR.) (CONSTRUCTION)	.38	12500	850	13350
U 00.64	RAMPS FOR STEPHENS ST. (CONSTRUCTION)	.65	13610	860	14470
U 01.29	US 422 (MLK BLVD.) ENTER RAMP	.11	1590	250	1840
U 01.40	ROUTE ENDS AT US 422 IN YOUNGSTOWN	.00			