

2010 AUGLAIZE COUNTY 1  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-29					
	00.00 MERCER CO. LINE	.75	9520	970	10490
	00.75 SR 364	1.13	9500	1000	10500
	01.88 ENTER RAMP	.43	1110	60	1170
	02.31 RAMP ENTER INDIANA AVE.	.15	7540	260	7800
U	02.46 N.W. CORP. ST. MARYS	.91	7540	260	7800
U	03.37 SR 116 (DEFIANCE RD.)	.23	8440	290	8730
U	03.60 INDIANA AVE. ENTER MAIN ST.	.27	7180	280	7460
U	03.87 SR 66 ENTER SPRING ST.	.36	6870	270	7140
U	04.23 SR 66 (SPRUCE ST.)	.61	6600	290	6890
U	04.84 KNOXVILLE AVE.	.19	4340	230	4570
	05.03 E. CORP. ST. MARYS	.01	4340	230	4570
	05.04 C-33A (PLANK PK.)	4.20	1510	160	1670
	09.24 C-81 (GLYNWOOD-NEW KNOXVILLE RD.)	.44	2550	180	2730
U	09.68 N. CORP. NEW KNOXVILLE	.29	2550	180	2730
U	09.97 SR 219 (SPRING ST.)	.47	2820	200	3020
	10.44 S. CORP. NEW KNOXVILLE	.51	2820	200	3020
	10.95 EQUALS STA. 0.00 IN SHELBY CO.	.00			
SR-29 INTERCHANGE CONNECTOR					
	00.00 ROUTE BEGINS AT SR 29	.73	8220	1930	10150
	00.73 ROUTE ENDS AT US 33	.00			
US-33					
	00.00 MERCER CO. LINE	2.79	3370	2660	6030
	02.79 SR 29 ENTER RAMP	.67	970	1040	2010
	03.46 RAMP ENTER EXPRESSWAY	.47	12910	3220	16130
	03.93 SR 116	1.01	12910	3220	16130
	04.94 SR 66	4.35	12080	3510	15590
	09.29 C-91 (MOULTON-FT. AMANDA RD.)	3.55	11900	3510	15410
	12.84 C-33A (PLANK PK.)	1.82	9960	3850	13810
	14.66 C-133A (HARDIN PK.)	.50	10920	3890	14810
	15.16 SR 67	1.03	11850	3920	15770
	16.19 IR 75	.03	2820	1410	4230
U	16.22 S.E. CORP. WAPAKONETA	.26	2820	1410	4230
	16.48 LEAVE WAPAKONETA	.31	2820	1410	4230
	16.79 C-33A (WAPAKONETA-FISHER RD.)	3.92	3850	1690	5540
	20.71 SR 65	2.05	4470	2170	6640
	22.76 SR 65	4.88	3580	1750	5330
	27.64 SR 196	1.56	4570	1500	6070
	29.20 EQUALS STA. 0.00 IN LOGAN CO.	.00			

2010 AUGLAIZE COUNTY 2  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
US-33 INTERCHANGE CONNECTOR					
00.00	ROUTE BEGINS AT US 33	.14	2040	1080	3120
00.14	ROUTE ENDS AT SR 29	.00			
SR-65					
00.00	SHELBY CO. LINE T-90 (SOUTHLAND RD.)	1.16	1100	130	1230
01.16	SR 720	4.11	1300	150	1450
05.27	US 33	2.05	SEE PREFERRED ROUTE		
07.32	US 33	2.97	1520	410	1930
U 10.29	S. CORP. UNIOPOLIS	.22	1520	410	1930
U 10.51	SR 67 (OHIO ST.)	.09	2160	550	2710
10.60	N. CORP. UNIOPOLIS	2.76	2160	550	2710
13.36	EQUALS STA. 0.00 IN ALLEN CO.	.00			
SR-66					
00.00	SHELBY CO. LINE	.50	4380	490	4870
U 00.50	S. CORP. MINSTER	.01	4380	490	4870
U 00.51	SR 362 (1ST. ST.)	.50	5680	590	6270
U 01.01	SR 119 (4TH. ST.)	.71	7560	580	8140
01.72	N. CORP. MINSTER	.30	7560	580	8140
02.02	SR 119	1.40	8140	620	8760
U 03.42	S. CORP. NEW BREMEN	.64	8140	620	8760
U 04.06	SR 274 (MONROE ST.)	.51	6290	660	6950
04.57	N. CORP. NEW BREMEN	3.54	4300	190	4490
08.11	SR 219	2.58	5900	400	6300
U 10.69	S. CORP. ST. MARYS	.81	5900	400	6300
U 11.50	SR 29 ENTER SPRING ST.	.36	SEE PREFERRED ROUTE		
U 11.86	SR 29 ENTER SPRUCE ST.	.05	4300	220	4520
U 11.91	HIGH ST.	.74	8330	420	8750
12.65	N. CORP. ST. MARYS	.08	8330	420	8750
12.73	US 33	2.28	2920	250	3170
15.01	C-160 (GLYNWOOD RD.)	5.34	2280	220	2500
20.35	SR 197	2.06	1940	290	2230
22.41	EQUALS STA. 0.00 IN ALLEN CO.	.00			
SR-67					
00.00	US 33 ENTER RAMP	.25	410	70	480
00.25	C-25A (DIXIE HWY.) LEAVE RAMP	.09	3100	140	3240
00.34	US 33	.07	3100	140	3240
U 00.41	S. CORP. WAPAKONETA	.77	3100	140	3240
U 01.18	SR 198 ENTER PEARL ST.	.30	1400	30	1430

2010 AUGLAIZE COUNTY 3  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-67 (Cont'd)					
U	01.48 WATER ST.	.25	1980	70	2050
U	01.73 PEARL ST. ENTER WOOD ST.	.45	2870	130	3000
U	02.18 NORTH ST.	.57	5200	150	5350
	02.75 N.E. CORP. WAPAKONETA	.70	2790	70	2860
	03.45 IR 75	4.40	1410	70	1480
U	07.85 W. CORP. UNIOPOLIS	.13	1410	70	1480
U	07.98 SR 65 (MAIN ST.)	.27	1400	70	1470
	08.25 E. CORP. UNIOPOLIS	5.23	1400	70	1470
U	13.48 W. CORP. WAYNESFIELD	.44	1400	70	1470
U	13.92 SR 196 (WESTMINSTER ST.)	.53	1860	120	1980
	14.45 E. CORP. WAYNESFIELD	.43	1860	120	1980
	14.88 SR 196	4.06	330	30	360
	18.94 EQUALS STA. 0.00 IN HARDIN CO. SR 117	.00			
IR-75					
	00.00 SHELBY CO. LINE	4.97	23020	12490	35510
	04.97 US 33	.15	25120	12180	37300
U	05.12 S. CORP. WAPAKONETA	.29	25120	12180	37300
U	05.41 WAPAKONETA-FISHER RD.	.12	24210	12190	36400
	05.53 N. CORP. WAPAKONETA	1.67	24210	12190	36400
	07.20 SR 67	1.43	24240	12250	36490
	08.63 ATR # 50	3.68	24240	12250	36490
	12.31 C-208 (NATIONAL RD.)	.21	24550	12370	36920
	12.52 EQUALS STA. 0.00 IN ALLEN CO.	.00			
SR-116					
U	00.00 SR 29 (SPRING ST.) IN ST. MARYS	.50	SEE PREFERRED ROUTE		
U	00.50 SR 29 ENTER DEFIANCE RD.	.81	3440	150	3590
	01.31 US 33	.12	3440	150	3590
	01.43 C-41A (APPROACH TO RIVER RD.)	2.78	850	20	870
	04.21 T-170 (NOBLE RD.)	3.03	360	10	370
	07.24 SR 197	3.84	80	10	90
	11.08 EQUALS STA. 0.00 IN VAN WERT CO.	.00			
SR-117					
	00.00 ALLEN CO. LINE	3.91	4030	600	4630
	03.91 EQUALS STA. 0.00 IN HARDIN CO. SR 67	.00			
SR-119					
	00.00 MERCER CO. LINE JACQERM LINE RD.	1.14	2260	280	2540
	01.14 SR 364	3.02	2320	280	2600
	04.16 SR 66	1.01	SEE PREFERRED ROUTE		

2010 AUGLAIZE COUNTY 4  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-119 (Cont'd)					
U	05.17 SR 66 ENTER 4TH. ST. IN MINSTER	.62	2840	540	3380
	05.79 E. CORP. MINSTER	.89	2840	540	3380
	06.68 SR 363	.51	2880	550	3430
	07.19 EQUALS STA. 0.00 IN SHELBY CO.	.00			
SR-196					
	00.00 US 33	3.19	1330	30	1360
	03.19 SR 67	.96	SEE PREFERRED ROUTE		
U	04.15 SR 67 (WAPAKONETA ST.) IN WAYNESFIELD	.63	2650	80	2730
	04.78 N. CORP. WAYNESFIELD	2.39	2650	80	2730
	07.17 EQUALS STA. 0.00 IN ALLEN CO.	.00			
SR-197					
	00.00 MERCER CO. LINE MERCER LINE RD.	3.13	180	20	200
	03.13 SR 116	4.31	380	20	400
	07.44 SR 66	5.79	490	30	520
	13.23 C-111 (MAIN ST.)	.21	460	30	490
U	13.44 N. CORP. BUCKLAND	.50	460	30	490
	13.94 S. CORP. BUCKLAND	2.09	460	30	490
	16.03 ROUTE ENDS AT SR 198	.00			
SR-198					
	00.00 US 33	1.18	SEE PREFERRED ROUTE		
U	01.18 SR 67 (WILLIPIE ST.) IN WAPAKONETA	.18	1830	70	1900
U	01.36 WILLIPIE ST. ENTER AUGLAIZE ST.	.12	5270	200	5470
U	01.48 AUGLAIZE ST. ENTER BLACKHOOF ST.	.11	9220	360	9580
U	01.59 BLACKHOOF ST. ENTER DEFIANCE ST.	.60	6440	250	6690
U	02.19 SR 501	.48	4400	60	4460
	02.67 N.W. CORP. WAPAKONETA	.51	4400	60	4460
	03.18 C-166 (INFIRMARY RD.)	1.67	1770	110	1880
	04.85 SR 197	6.16	1140	40	1180
	11.01 EQUALS STA. 0.00 IN ALLEN CO.	.00			
SR-219					
	00.00 MERCER CO. LINE	1.09	1360	150	1510
	01.09 SR 364	3.02	1620	120	1740
	04.11 SR 66	2.70	1200	120	1320
U	06.81 W. CORP. NEW KNOXVILLE	.52	1200	120	1320
U	07.33 SR 29 (MAIN ST.)	.38	950	110	1060
	07.71 E. CORP. NEW KNOXVILLE	5.22	950	110	1060
	12.93 C-133A (HARDIN PK.)	1.30	870	100	970
	14.23 C-25A (DIXIE HWY.)	1.03	2080	170	2250

2010 AUGLAIZE COUNTY 5  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-219 (Cont'd)					
15.26	EQUALS STA. 0.00 IN SHELBY CO.	.00			
SR-274					
00.00	MERCER CO. LINE JACQERM LINE RD.	1.12	2630	420	3050
01.12	SR 364	2.17	2570	610	3180
U 03.29	W. CORP. NEW BREMEN	.68	4480	450	4930
U 03.97	SR 66 (WASHINGTON ST.)	.14	5770	590	6360
U 04.11	JEFFERSON ST.	.89	3580	550	4130
05.00	E. CORP. NEW BREMEN	1.15	3580	550	4130
06.15	EQUALS STA. 0.00 IN SHELBY CO.	.00			
SR-362					
00.00	SHELBY CO. LINE	.82	690	10	700
U 00.82	S. CORP. MINSTER	.50	690	10	700
01.32	ROUTE ENDS SR66 (MAIN ST.) IN MINSTER	.00			
SR-363					
00.00	SHELBY CO. LINE	1.01	490	10	500
01.01	ROUTE ENDS AT SR 119	.00			
SR-364					
00.00	MERCER CO. LINE	3.69	1140	90	1230
03.69	SR 119	2.02	1460	120	1580
05.71	SR 274	4.02	1870	50	1920
09.73	SR 219	2.11	2450	60	2510
11.84	C-114A (GREENVILLE RD.)	1.56	3000	60	3060
U 13.40	S. CORP. ST. MARYS	.14	3000	60	3060
U 13.54	SR 703	.01	7590	440	8030
13.55	W. CORP. ST. MARYS	1.57	7590	440	8030
15.12	SR 703	.36	1760	70	1830
15.48	C-15 (KOENIG RD.) ENTER RAMP	.18	370	20	390
15.66	ROUTE ENDS AT SR 29	.00			
SR-364 INTERCHANGE CONNECTOR					
00.00	ROUTE BEGINS AT SR 364	.17	420	20	440
00.17	ROUTE ENDS AT C-15 (KOENIG RD.)	.00			

2010 AUGLAIZE COUNTY 6  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-385					
00.00	US 33	3.93	690	160	850
03.93	EQUALS STA. 0.00 IN HARDIN CO.	.00			
SR-501					
00.00	US 33	2.19	SEE PREFERRED ROUTE		
U 02.19	SR 198 (DEFIANCE ST.)	.34	3510	90	3600
02.53	N. CORP. WAPAKONETA	5.06	3510	90	3600
07.59	EQUALS STA. 0.00 IN ALLEN CO.	.00			
SR-703					
00.00	MERCER CO. LINE	.59	3150	110	3260
00.59	SR 364	1.58	SEE PREFERRED ROUTE		
U 02.17	W. CORP. ST. MARYS SR 364	.18	8080	420	8500
02.35	LEAVE ST. MARYS	.14	8080	420	8500
U 02.49	RE-ENTER ST. MARYS	.15	8080	420	8500
U 02.64	ENTRANCE/EXIT TO SHOPPING CENTER	.07	8360	200	8560
02.71	LEAVE ST. MARYS	.03	8360	200	8560
U 02.74	RE-ENTER ST. MARYS	.63	8360	200	8560
U 03.37	JACKSON ST. ENTER WAYNE ST.	.24	5310	140	5450
U 03.61	WAYNE ST. ENTER SPRING ST.	.08	3610	100	3710
03.69	RTE. ENDS SR29 (MAIN ST.) IN ST. MARYS	.00			
SR-720					
00.00	SR 65	2.81	320	10	330
02.81	EQUALS STA. 0.00 IN LOGAN CO.	.00			