

2010 TUSCARAWAS COUNTY 1  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-21					
00.00	US 250	1.47	5120	620	5740
01.47	EQUALS STA. 0.00 IN STARK CO. SR 212	.00			
US-36					
	00.00 COSHOCTON CO. LINE	.82	4950	1230	6180
U	00.82 N.W. CORP. NEWCOMERSTOWN	.24	4950	1230	6180
	01.06 LEAVE NEWCOMERSTOWN	.37	4950	1230	6180
U	01.43 RE-ENTER NEWCOMERSTOWN	.15	4950	1230	6180
U	01.58 SR 258 (PILLING ST.)	.01	9800	2200	12000
	01.59 E. CORP. NEWCOMERSTOWN	1.97	9800	2200	12000
	03.56 IR 77 / ATR # 165 AT LOG. PT. 04.87	2.75	3880	840	4720
U	06.31 S. CORP. PORT WASHINGTON	.99	3880	840	4720
	07.30 N. CORP. PORT WASHINGTON	4.18	3880	840	4720
	11.48 SR 416	2.39	3180	710	3890
	13.87 C-39 (WOLFES CROSSING RD.)	3.08	7990	970	8960
U	16.95 W. CORP. UHRICHSVILLE	.02	7990	970	8960
	16.97 E. CORP. UHRICHSVILLE	.70	7990	970	8960
	17.67 ROUTE ENDS AT US 250	.00			
SR-39					
	00.00 HOLMES CO. LINE	.62	6450	630	7080
U	00.62 W. CORP. SUGARCREEK	.21	6450	630	7080
U	00.83 SR 93 (MILL ST.)	2.62	9590	930	10520
	03.45 E. CORP. SUGARCREEK	4.72	6890	1060	7950
	08.17 T-384 (RED HILL RD.)	1.71	9190	1410	10600
	09.88 SR 516	.14	7160	1240	8400
	10.02 IR 77	.12	17940	1740	19680
	10.14 SR 211	.12	3860	230	4090
U	10.26 W. CORP. DOVER	.01	3860	230	4090
	10.27 LEAVE DOVER	.84	3860	230	4090
	11.11 3RD. ST.	.03	5840	220	6060
	11.14 IR 77	.08	5840	220	6060
U	11.22 RE-ENTER DOVER	.15	5840	220	6060
	11.37 S.W. CORP. DOVER	1.28	5840	220	6060
U	12.65 W. CORP. NEW PHILADELPHIA	.13	5840	220	6060
U	12.78 US 250	.04	13540	490	14030
U	12.82 IR 77	.33	17040	720	17760
	13.15 LEAVE NEW PHILADELPHIA	.11	17040	720	17760
U	13.26 RE-ENTER NEW PHILADELPHIA	.14	17040	720	17760
	13.40 LEAVE NEW PHILADELPHIA	.01	17040	720	17760
	13.41 FRONT ST. EXT. NEW PHILADELPHIA	.06	15040	490	15530

2010 TUSCARAWAS COUNTY 2  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-39 (Cont'd)					
U	13.47 RE-ENTER NEW PHILADELPHIA	.79	15040	490	15530
U	14.26 SR 800 (4TH. ST.)	.35	10250	460	10710
U	14.61 SR 416 (BROADWAY ST.)	.34	8300	370	8670
U	14.95 SR 259 ENTER BEAVER AVE. N.E.	.50	5910	230	6140
	15.45 N.E. CORP. NEW PHILADELPHIA	4.49	3250	120	3370
U	19.94 W. CORP. ROSWELL	.67	3250	120	3370
	20.61 E. CORP. ROSWELL	4.62	3250	120	3370
	25.23 EQUALS STA. 0.00 IN CARROLL CO.	.00			
IR-77					
	00.00 GUERNSEY CO. LINE	3.78	10660	5060	15720
	03.78 SR 258	1.50	10660	5060	15720
	05.28 US 36	7.41	13270	4700	17970
	12.69 SR 751	.46	14390	4610	19000
U	13.15 S. CORP. STONE CREEK	.29	14390	4610	19000
	13.44 N. CORP. STONE CREEK	7.29	14390	4610	19000
	20.73 US 250	.16	30210	6690	36900
U	20.89 S.W. CORP. NEW PHILADELPHIA SR 39	.02	30210	6690	36900
	20.91 N. CORP. NEW PHILADELPHIA	.04	30210	6690	36900
	20.95 US 250	.64	30210	6690	36900
U	21.59 S. CORP. DOVER	.76	30210	6690	36900
U	22.35 SR 39	.43	30210	6690	36900
	22.78 N. CORP. DOVER	.59	30210	6690	36900
	23.37 SR 39	4.35	27980	6570	34550
	27.72 US 250	2.56	24730	3920	28650
	30.28 ATR # 617	3.13	24730	3920	28650
U	33.41 S. CORP. BOLIVAR	.02	24730	3920	28650
U	33.43 SR 212	.47	27920	4210	32130
	33.90 N. CORP. BOLIVAR	1.07	27920	4210	32130
	34.97 EQUALS STA. 0.00 IN STARK CO.	.00			
SR-93					
	00.00 COSHOCTON CO. LINE	.49	1710	170	1880
U	00.49 S. CORP. BALTIC	.25	1710	170	1880
U	00.74 SR 651	.34	2280	300	2580
	01.08 ENTER HOLMES CO. STA. 0.00	.00			
	01.08 LEAVE HOLMES CO. STA. 4.18	.66	3200	310	3510
U	01.74 S. CORP. SUGARCREEK	.75	2920	310	3230
U	02.49 SR 39 (MAIN ST.)	.76	2120	300	2420
	03.25 N. CORP. SUGARCREEK	.78	2120	300	2420
	04.03 C-75 (GERBER VALLEY RD.)	4.63	1860	260	2120
	08.66 SR 516	4.91	1130	160	1290
	13.57 US 250	1.16	SEE PREFERRED ROUTE		
	14.73 US 250	.12	1310	60	1370

2010 TUSCARAWAS COUNTY 3  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-93 (Cont'd)					
14.85	EQUALS STA. 0.00 IN STARK CO.	.00			
SR-183					
00.00	SR 800	1.09	3240	610	3850
01.09	ATR # 776	.97	3240	610	3850
02.06	EQUALS STA. 0.00 IN CARROLL CO.	.00			
SR-211					
00.00	SR 39	.05	10190	740	10930
U 00.05	W. CORP. DOVER	.17	10190	740	10930
U 00.22	SLINGLUFF AVE.	.79	5120	430	5550
U 01.01	TUSCARAWAS AVE. ENTER FRONT ST.	.22	4800	400	5200
U 01.23	ROUTE ENDS AT SR 800 IN DOVER	.00			
SR-212					
00.00	STARK CO. LINE	.51	1360	50	1410
00.51	SR 21	.56	1330	90	1420
01.07	ENTER STARK CO. STA. 2.38	.00			
01.07	LEAVE STARK CO. STA. 5.54	1.19	1330	90	1420
U 02.26	N.W. CORP. BOLIVAR	.58	2000	100	2100
U 02.84	POPLAR ST. ENTER PARK AVE.	.33	4980	250	5230
U 03.17	FT. LAURENS RD.	.14	7680	380	8060
U 03.31	IR 77	.06	11140	470	11610
03.37	S.E. CORP. BOLIVAR	.31	11140	470	11610
03.68	C-103 (N. ORCHARD RD.)	2.22	4840	400	5240
U 05.90	N. CORP. ZOAR	.76	4840	400	5240
06.66	S. CORP. ZOAR	2.43	3030	250	3280
09.09	SR 800	.18	4740	480	5220
09.27	ATR # 780	.22	4740	480	5220
09.49	SR 800	1.98	2760	300	3060
11.47	T-386 (RIGGLE HILL RD.)	6.76	1610	140	1750
18.23	EQUALS STA. 0.00 IN CARROLL CO.	.00			
US-250					
00.00	STARK CO. LINE	.22	3550	620	4170
00.22	SR 93	1.16	4990	1510	6500
01.38	SR 93	.84	5060	1460	6520
02.22	SR 21	.81	9250	1920	11170
U 03.03	N. CORP. STRASBURG	2.00	10800	2190	12990
05.03	S. CORP. STRASBURG	.18	10800	2190	12990
05.21	C-74 (COLUMBIA RD.) ENTER RAMP	.42	4480	970	5450
05.63	IR 77	6.25	SEE PREFERRED ROUTE		

2010 TUSCARAWAS COUNTY 4  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
US-250 (Cont'd)					
	11.88 IR 77 ENTER RAMP	.29	9950	1040	10990
U	12.17 W. CORP. NEW PHILADELPHIA SR 39	.03	19710	1880	21590
	12.20 LEAVE NEW PHILADELPHIA	1.92	19710	1880	21590
U	14.12 RE-ENTER NEW PHILADELPHIA SR 416	.03	17950	1810	19760
	14.15 E. CORP. NEW PHILADELPHIA	.49	17950	1810	19760
	14.64 SR 800	2.51	17950	1810	19760
	17.15 SR 259	1.22	16750	1620	18370
	18.37 ATR # 618	.53	16750	1620	18370
	18.90 C-68 (BARNHILL RD.)	.18	16200	1590	17790
U	19.08 N.W. CORP. MIDVALE	.93	16200	1590	17790
	20.01 S. CORP. MIDVALE	1.43	16200	1590	17790
	21.44 C-250 (MCCAULEY RD.)	.45	23060	2260	25320
	21.89 US 36 ENTER RAMP	.44	4270	500	4770
	22.33 SR 800	.18	12140	1390	13530
	22.51 C-64 (EASTPORT RD.)	.95	9510	1370	10880
	23.46 SR 800	3.69	5660	1170	6830
	27.15 EQUALS STA. 0.00 IN HARRISON CO.	.00			
US-250 INTERCHANGE CONNECTOR					
	00.00 ROUTE BEGINS AT C-74 (COLUMBIA RD.)	.31	1360	630	1990
	00.31 ROUTE ENDS AT US 250	.00			
SR-258					
U	00.00 US 36 IN NEWCOMERSTOWN	.14	3280	180	3460
	00.14 LEAVE NEWCOMERSTOWN	.19	3280	180	3460
U	00.33 RE-ENTER NEWCOMERSTOWN	.06	3280	180	3460
U	00.39 LEAVE NEWCOMERSTOWN	.02	3280	180	3460
U	00.41 STATE ST.	2.58	2070	60	2130
	02.99 IR 77	4.30	1370	40	1410
	07.29 C-3 (SALT FORK RD.)	5.88	260	10	270
	13.17 ENTER GUERNSEY CO. STA. 0.00	.00			
	13.17 LEAVE GUERNSEY CO. STA. 1.37	3.38	200	10	210
	16.55 SR 342	2.90	260	10	270
	19.45 ENTER HARRISON CO. STA. 0.00	.00			
	19.45 LEAVE HARRISON CO. STA. 3.02	1.78	260	10	270
	21.23 ROUTE ENDS AT SR 800	.00			
SR-259					
	00.00 SR 416	1.21	2340	90	2430
	01.21 C-62 (BRIGHTWOOD RD.)	.17	5720	220	5940
	01.38 US 250	.52	9160	260	9420
U	01.90 S.E. CORP. NEW PHILADELPHIA	.12	9160	260	9420
	02.02 LEAVE NEW PHILADELPHIA	.22	9160	260	9420

2010 TUSCARAWAS COUNTY 5  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-259 (Cont'd)					
U	02.24 RE-ENTER NEW PHILADELPHIA	.02	9160	260	9420
	02.26 LEAVE NEW PHILADELPHIA	.26	9160	260	9420
U	02.52 RE-ENTER NEW PHILADELPHIA	.06	9160	260	9420
	02.58 LEAVE NEW PHILADELPHIA	.14	9160	260	9420
U	02.72 RE-ENTER NEW PHILADELPHIA	.04	9160	260	9420
	02.76 LEAVE NEW PHILADELPHIA	.04	9160	260	9420
U	02.80 RE-ENTER NEW PHILADELPHIA	.05	9160	260	9420
	02.85 LEAVE NEW PHILADELPHIA	.49	9160	260	9420
	03.34 C-25 (DELAWARE DR.)	.19	10170	200	10370
U	03.53 RE-ENTER NEW PHILADELPHIA	.88	10170	200	10370
	04.41 ROUTE ENDS AT SR 39 IN NEW PHILA.	.00			
SR-342					
	00.00 SR 258	.40	290	20	310
	00.40 EQUALS STA. 0.00 IN HARRISON CO.	.00			
SR-416					
	00.00 US 36	3.81	1670	110	1780
U	03.81 S. CORP. TUSCARAWAS	.19	1670	110	1780
U	04.00 CHERRY ST.	.59	4300	110	4410
	04.59 N. CORP. TUSCARAWAS	3.28	4300	110	4410
	07.87 SR 259	2.08	4040	80	4120
U	09.95 S. CORP. NEW PHILADELPHIA	.45	4040	80	4120
U	10.40 CANAL AVE. ENTER COMMERCIAL AVE.	.34	6320	230	6550
U	10.74 COMMERCIAL AVE. ENTER BROADWAY ST.	.09	19200	690	19890
U	10.83 US 250	.59	16730	1100	17830
U	11.42 FRONT ST.	.12	10500	690	11190
U	11.54 SR 39 (HIGH AVE.)	.96	12390	450	12840
U	12.50 WABASH AVE.	.48	4070	90	4160
	12.98 N. CORP. NEW PHILADELPHIA	2.00	4070	90	4160
	14.98 ROUTE ENDS AT SR 800	.00			
SR-516					
	00.00 SR 93	7.10	1710	80	1790
	07.10 T-207 (BAR RD.)	.60	3160	150	3310
	07.70 ROUTE ENDS AT SR 39	.00			
SR-651					
U	00.00 COSHOCTON CO. LINE W. CORP. BALTIC	.31	460	40	500
U	00.31 BUTLER ST.	.14	1700	140	1840
	00.45 ROUTE ENDS AT SR 93 IN BALTIC	.00			

2010 TUSCARAWAS COUNTY 6  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-751					
	00.00 COSHOCTON CO. LINE	3.58	770	40	810
U	03.58 S.W. CORP. STONE CREEK	.49	770	40	810
U	04.07 JEFFERSON ST. ENTER BRIDGE ST.	.15	1720	160	1880
	04.22 S.E. CORP. STONE CREEK	.10	1720	160	1880
	04.32 IR 77	.06	1720	160	1880
	04.38 C-53 (WILLIAMS LAKE RD.) ENTER RAMP	.16	700	30	730
	04.54 ROUTE ENDS AT IR 77	.00			
SR-800					
	00.00 HARRISON CO. LINE	2.02	1200	120	1320
	02.02 SR 258	5.81	2560	160	2720
U	07.83 S.E. CORP. DENNISON	.97	3050	130	3180
U	08.80 JEWETT AVE. ENT. STILLWATER ST.	.16	3630	110	3740
	08.96 N. CORP. DENNISON	.17	3630	110	3740
	09.13 US 250	1.13	SEE PREFERRED ROUTE		
	10.26 US 250 ENTER RAMP	.22	4090	530	4620
	10.48 US 250	7.09	SEE PREFERRED ROUTE		
	17.57 US 250 ENTER RAMP	.18	3810	90	3900
U	17.75 S. CORP. NEW PHILADELPHIA ENTER GRAFF	.39	5650	110	5760
	18.14 SR 416 (BROADWAY) LEAVE RAMP	1.01	SEE PREFERRED ROUTE		
U	19.15 SR 39 (HIGH) ENTER 4TH. ST.	.23	7420	120	7540
U	19.38 RAY AVE.	.70	9590	160	9750
U	20.08 WABASH AVE.	.42	11750	200	11950
U	20.50 S.E. CORP. DOVER	.90	11750	200	11950
U	21.40 UNION AVE.	.54	16270	270	16540
U	21.94 SR 211 ENTER FRONT ST.	.41	5950	340	6290
U	22.35 CRATER AVE.	.14	4790	270	5060
U	22.49 FRONT ST. ENTER JOHNSON AVE.	.25	3380	250	3630
	22.74 E. CORP. DOVER	1.96	3380	250	3630
	24.70 SR 416	4.04	3750	280	4030
	28.74 SR 212	.40	SEE PREFERRED ROUTE		
	29.14 SR 212	1.40	3320	280	3600
U	30.54 S.W. CORP. MINERAL CITY	1.17	3320	280	3600
	31.71 N.W. CORP. MINERAL CITY	2.21	3320	280	3600
	33.92 SR 183	.99	4620	390	5010
	34.91 EQUALS STA. 0.00 IN STARK CO.	.00			