

2011 LAKE COUNTY 1
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-2					
U 00.00	CUY CO LINE W CORP WICKLIFFE (CONST.)	.56	67830	2670	70500
U 00.56	LLOYD RD. CONNECTOR/ATR #586 AT 01.21	1.25	64110	2580	66690
U 01.81	E. 305TH. ST. (CONSTRUCTION)	1.41	59510	2150	61660
U 03.22	SR 91 (SOLON WILLOUGHBY RD.) (CONST.)	.78	52450	1870	54320
U 04.00	SR 640 (VINE ST.) (CONSTRUCTION)	1.42	59990	2160	62150
U 05.42	LOST NATION RD. (CONSTRUCTION)	1.52	56690	2090	58780
U 06.94	SR 306 (REYNOLDS)/ATR #590 AT 09.12	2.61	46710	1670	48380
U 09.55	SR 615 (CENTER ST.) (CONSTRUCTION)	3.27	44790	1560	46350
U 12.82	SR 44 (HEISLEY RD.) (CONSTRUCTION)	.72	41040	1680	42720
13.54	SR 44 (CONSTRUCTION)	1.28	33480	1880	35360
14.82	SR 283 (RICHMOND ST.) (CONSTRUCTION)	2.70	27760	1670	29430
17.52	SR 535 (CONSTRUCTION)	1.34	18790	1060	19850
18.86	ROUTE ENDS AT US 20	.00			
US-6					
U 00.00	CUY. CO. LN. W CORP WILLOUGHBY HILLS	.43	10370	550	10920
U 00.43	SR 84 (BISHOP RD.)	2.17	6080	200	6280
U 02.60	SR 91 (S.O.M. CENTER RD.)	1.16	8500	250	8750
U 03.76	SR 174 (RIVER RD.)	3.64	8340	180	8520
U 07.40	SR 306 (CHILLICOTHE RD.)	2.83	5460	120	5580
10.23	EQUALS STA. 0.00 IN GEAUGA CO.	.00			
US-20					
U 00.00	CUY. CO. LINE W. CORP. WICKLIFFE	.02	11780	780	12560
U 00.02	IR 90	.30	10100	400	10500
U 00.32	CRANEING RD.	.59	8430	340	8770
U 00.91	SR 633 (LLOYD RD.)	2.33	11140	450	11590
U 03.24	SR 91 (S.O.M. CENTER RD.)	1.00	25960	740	26700
U 04.24	INDUSTRIAL PKWY.	1.12	14640	410	15050
U 05.36	SR 174 (SHARPE AVE.) ENTER ERIE ST.	.20	16750	470	17220
U 05.56	SR 640 ENTER MENTOR AVE. (CONST.)	1.05	14090	890	14980
U 06.61	W. CORP. MENTOR (CONSTRUCTION)	.69	15200	970	16170
U 07.30	SR 306 (REYNOLDS RD.) (CONSTRUCTION)	1.48	22180	1410	23590
U 08.78	GARFIELD RD./HOLLYCRAFT LN. (CONST.)	.69	19080	1210	20290
U 09.47	SR 615 (CENTER ST.) (CONSTRUCTION)	2.26	20450	1300	21750
U 11.73	HEISLEY RD. (CONSTRUCTION)	2.61	16410	1040	17450
U 14.34	SR 44 (CONSTRUCTION)	1.09	10630	680	11310
U 15.43	WASHINGTON ST. (CONSTRUCTION)	.50	5450	130	5580
U 15.93	SR 283 (RICHMOND ST.) (CONSTRUCTION)	.25	11250	270	11520
U 16.18	ST. CLAIR ST. (CONSTRUCTION)	.10	9800	270	10070
U 16.28	SR 86 (STATE ST.) (CONSTRUCTION)	2.12	7320	200	7520

2011 LAKE COUNTY 2
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

US-20 (Cont'd)					
18.40	SR 535 (CONSTRUCTION)	1.01	11320	450	11770
19.41	SR 2 (CONSTRUCTION)	.62	23310	1480	24790
20.03	C-104 (NARROWS RD.) (CONSTRUCTION)	2.57	13880	880	14760
22.60	C-115 (CENTER RD.) (CONSTRUCTION)	5.41	14480	920	15400
28.01	SR 528 (CONSTRUCTION)	1.71	10340	660	11000
29.72	C-1 (DOCK RD.) (CONSTRUCTION)	.69	8130	520	8650
30.41	EQUALS STA. 0.00 IN ASHTABULA CO.	.00			
SR-44					
00.00	GEAUGA CO. LINE	1.82	14250	880	15130
01.82	C-409 (AUBURN RD.)	.25	14020	920	14940
02.07	IR 90	1.78	27160	1460	28620
03.85	SR 84	1.25	21750	1490	23240
U 05.10	JACKSON ST.	1.10	32690	1770	34460
06.20	SR 2 ENTER RAMP "E"	.32	11150	610	11760
06.52	SR 2	.46	SEE PREFERRED ROUTE		
U 06.98	SR 2 ENTER RAMP "D" IN MENTOR	.12	6490	490	6980
U 07.10	LEAVE RAMP ENTER HEISLEY RD.	.74	15200	1810	17010
U 07.84	SR 283	1.69	2630	660	3290
09.53	ROUTE ENDS AT C-518 (HEADLANDS RD.)	.00			
SR-84					
00.00	CUY. CO. LINE W CORP WILLOUGHBY HILLS	.43	SEE PREFERRED ROUTE		
U 00.43	US 6 IN WILLOUGHBY HILLS	.39	18370	730	19100
U 00.82	IR 90	.51	6380	210	6590
U 01.33	ST. MARYS DR.	1.56	6640	220	6860
U 02.89	RUSH RD.	.72	10740	200	10940
U 03.61	SR 91 (S.O.M. CENTER RD.)	1.89	10470	260	10730
U 05.50	SR 174 (RIVER RD.)	.34	13500	340	13840
U 05.84	SR 174 ENTER JOHNNYCAKE RIDGE RD.	2.30	7710	80	7790
U 08.14	SR 306 (BROADMOOR RD.)	2.20	12680	340	13020
U 10.34	SR 615 (CENTER ST.)	5.18	14220	300	14520
15.52	C-331 (FAIRGROUNDS RD.)	.61	14710	370	15080
16.13	SR 44	1.30	11150	270	11420
17.43	PAINESVILLE-RAVENNA RD.	.25	7280	140	7420
U 17.68	SR 86 (BANK ST.) ENTER STATE ST.	.80	2790	130	2920
U 18.48	SR 86 (STATE ST.) ENTER WALNUT AVE.	.14	3510	160	3670
U 18.62	BANK ST.	2.95	8180	260	8440
21.57	C-306 (MADISON AVE.)	6.69	4170	70	4240
U 28.26	W. CORP. MADISON	1.15	5240	190	5430
U 29.41	SR 528 (RIVER ST.)	.14	11280	720	12000
U 29.55	SR 528 (LAKE ST.)	.91	4560	140	4700
30.46	E. CORP. MADISON (BATES RD.)	1.47	2560	80	2640
31.93	EQUALS STA. 0.00 IN ASHTABULA CO.	.00			

2011 LAKE COUNTY 3
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-86					
U	00.00 US 20 (ERIE ST.) IN PAINESVILLE	.38	8160	620	8780
U	00.38 WASHINGTON ST.	.20	5160	390	5550
U	00.58 BANK ST.	.26	3280	250	3530
	00.84 SR 84 (WALNUT AVE.)	.80	SEE PREFERRED ROUTE		
U	01.64 SR 84 (BANK ST.)	3.78	9160	700	9860
	05.42 C-227 (VROOMAN RD.)	2.19	7570	350	7920
	07.61 C-219 (BRAKEMAN RD.)	2.44	3400	220	3620
	10.05 EQUALS STA. 0.00 IN GEAUGA CO.	.00			
IR-90					
U	00.00 CUY. CO. LN. W CORP WICKLIFFE	.09	70090	5040	75130
U	00.09 US 20 (EUCLID AVE.)	.71	70180	5250	75430
U	00.80 SR 84 (BISHOP RD.)/ATR #587 AT 01.51	1.63	68990	5010	74000
U	02.43 IR 271	.85	74150	10500	84650
U	03.28 SR 91 (SOM CENTER)/ATR #588 AT 05.05	4.39	64940	9590	74530
U	07.67 SR 306 (BROADMOOR RD.)	1.78	54160	8970	63130
U	09.45 SR 615 (CENTER ST.)	5.22	43810	8950	52760
	14.67 SR 44/ATR #596 AT 17.46 (CONST.)	4.54	35380	8930	44310
	19.21 C-227 (VROOMAN RD.)	7.66	28880	8850	37730
U	26.87 SR 528 (RIVER ST.)	2.34	26540	8690	35230
	29.21 EQUALS STA. 0.00 IN ASHTABULA CO.	.00			
SR-91					
U	00.00 CUY. CO. LINE S CORP WILLOUGHBY HILLS	1.22	10790	430	11220
U	01.22 US 6 (EUCLID-CHARDON RD.)	.91	19960	800	20760
U	02.13 IR 90	.36	33330	1280	34610
U	02.49 MAPLE GROVE RD.	.10	29720	1140	30860
U	02.59 SR 84 (RIDGE RD.)	1.22	23140	1470	24610
U	03.81 US 20 (EUCLID AVE.)	.75	30460	1930	32390
U	04.56 SR 2	.19	24950	1290	26240
U	04.75 CURTIS BLVD.	.29	22940	1190	24130
U	05.04 SR 640 (VINE ST.)	.44	18530	740	19270
U	05.48 STEVENS BLVD.	1.00	17970	720	18690
U	06.48 ROUTE ENDS AT SR 283 IN TIMBERLAKE	.00			
SR-174					
U	00.00 CUY. CO. LINE S CORP WILLOUGHBY HILLS	1.55	2470	10	2480
U	01.55 US 6 (EUCLID-CHARDON RD.)	2.50	5320	40	5360
	04.05 SR 84 ENTER RIDGE RD.	.34	SEE PREFERRED ROUTE		
U	04.39 SR 84 ENTER RIVER ST.	1.15	2670	70	2740

2011 LAKE COUNTY 4
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-174 (Cont'd)					
05.54	US 20 (MENTOR AVE.)	.20	SEE PREFERRED ROUTE		
05.74	ROUTE ENDS AT US 20 IN WILLOUGHBY	.00			
IR-271					
U 00.00	CUY. CO. LINE S CORP WILLOUGHBY HILLS	1.75	94690	9190	103880
01.75	ROUTE ENDS AT IR 90	.00			
SR-283					
U 00.00	CUYAHOGA CO. LINE W. CORP. WILLOWICK	1.43	13710	550	14260
U 01.43	SR 640 (VINE ST.)	2.40	7520	300	7820
U 03.83	SR 91 (E. 349TH. ST.)	1.10	16750	380	17130
U 04.93	HILLCREST DR.	2.43	7380	130	7510
U 07.36	LOST NATION RD.	1.18	14470	570	15040
U 08.54	SR 306 (REYNOLDS RD.)	.90	17500	690	18190
U 09.44	S. CORP. MENTOR-ON-THE-LAKE SR 615	.33	10270	340	10610
U 09.77	SOUTHLAND RD.	1.68	5970	90	6060
U 11.45	HOPKINS RD.	2.14	7650	130	7780
U 13.59	CORDUROY RD.	.72	12090	220	12310
U 14.31	SR 44 (HEISLEY RD.)	.98	4240	180	4420
U 15.29	SINGER AVE. ENTER RIVER ST.	1.01	5590	210	5800
U 16.30	W CORP PAINESVILLE SR535 (CONST.)	.13	9610	400	10010
U 16.43	SR 2 (CONSTRUCTION)	.77	12820	530	13350
17.20	ROUTE ENDS AT US 20 IN PAINESVILLE	.00			
SR-306					
U 00.00	GEAUGA CO. LINE IN KIRTLAND	.95	7640	200	7840
U 00.95	US 6 (EUCLID-CHARDON RD.)	1.47	8190	230	8420
U 02.42	EAGLE RD.	1.71	10920	450	11370
U 04.13	SR 615 (CHILLICOTHE RD.)	.23	12450	380	12830
U 04.36	MARKELL RD.	.82	14140	630	14770
U 05.18	IR 90	.35	28920	1160	30080
U 05.53	SR 84 (JOHNNYCAKE RIDGE RD.)	.60	15090	1130	16220
U 06.13	US 20 (MENTOR AVE.)	.44	29740	1190	30930
U 06.57	INDUSTRIAL PARK BLVD.	.32	33380	1330	34710
U 06.89	SR 2 (ST. CLAIR ST.)	.80	23360	930	24290
U 07.69	FARNHAM DR.	1.75	16730	670	17400
09.44	ROUTE ENDS AT SR 283 IN MENTOR	.00			
SR-307					
00.00	SR 528	2.32	1720	90	1810
02.32	EQUALS STA. 0.00 IN ASHTABULA CO.	.00			

2011 LAKE COUNTY 5
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-528					
	00.00 GEAUGA CO. LINE	1.39	2280	190	2470
	01.39 C-27 (LEDGE RD.)	1.53	4820	390	5210
	02.92 SR 307	.27	5380	240	5620
U	03.19 IR 90	.88	8470	390	8860
	04.07 SR 84 (RIVER ST.) ENTER MAIN ST.	.14	SEE PREFERRED ROUTE		
U	04.21 SR 84 (MAIN ST.) ENTER LAKE ST.	2.11	7780	390	8170
	06.32 ROUTE ENDS AT US 20	.00			
SR-535					
U	00.00 SR 283 (RICHMOND ST.) IN PAINESVILLE	.57	9830	440	10270
U	00.57 RICHMOND ST. ENTER EAST ST.	.92	5230	170	5400
U	01.49 EAST ST. ENTER 6TH. ST.	.61	1940	140	2080
	02.10 ENTRANCE DIAMOND ALKALAI PLANT	2.59	3210	300	3510
	04.69 SR 2	.16	8980	660	9640
	04.85 ROUTE ENDS AT US 20	.00			
SR-608					
	00.00 GEAUGA CO. LINE	3.57	2560	100	2660
	03.57 ROUTE ENDS AT C-360 (RAVENNA RD.)	.00			
SR-615					
U	00.00 SR 306 (CHILLICOTHE RD.) IN KIRTLAND	1.37	4200	70	4270
U	01.37 CHILLICOTHE RD. ENTER CENTER RD.	1.45	20510	850	21360
U	02.82 SR 84 (JOHNNYCAKE RIDGE RD.)	.50	18070	700	18770
U	03.32 US 20 (MENTOR AVE.)	1.13	22870	910	23780
U	04.45 TYLER BLVD.	.24	28080	1120	29200
U	04.69 SR 2 (ST. CLAIR ST.)	2.24	13780	290	14070
	06.93 RTE. ENDS SR283 (LAKESHORE) IN MENTOR	.00			
SR-633					
U	00.00 US 20 (EUCLID AVE.) IN WICKLIFFE	.58	5870	450	6320
	00.58 ROUTE ENDS LAKELAND BLVD. WICKLIFFE	.00			
SR-640					
U	00.00 SR283 (LAKE SHORE BLVD.) IN WILLOWICK	.73	9550	240	9790
U	00.73 WILLOWICK DR.	.45	13760	550	14310
U	01.18 E. 337TH. ST.	.56	21910	880	22790
U	01.74 SR 91 (S.O.M. CENTER RD.)	.61	17600	700	18300

2011 LAKE COUNTY 6
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.

SR-640 (Cont'd)					
U 02.35	SR 2	.26	18190	1150	19340
U 02.61	BENHUR AVE.	.74	10820	690	11510
03.35	ROUTE ENDS AT US 20 IN WILLOUGHBY	.00			