

2011 TRUMBULL COUNTY 1  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-5					
00.00	PORTAGE CO. LINE	1.61	4910	680	5590
01.61	SR 534	1.47	6560	910	7470
03.08	OHIO TURNPIKE	1.56	10410	1520	11930
04.64	C-848 (RAVENNA-WARREN RD.)	.76	11030	1610	12640
05.40	SR 82	1.48	15350	2240	17590
06.88	C-322 (W. MARKET ST.)	1.73	11950	1700	13650
08.61	US 422	2.16	18140	2590	20730
10.77	SR 45	2.09	24150	2560	26710
12.86	C-149 (PERKINS-JONES RD.)	1.31	26340	2630	28970
14.17	SR 82 ENTER RAMP "K"	.21	4120	270	4390
14.38	C-328 (ELM RD.)	.22	22550	820	23370
14.60	C-203 (HOAGLAND-BLACKSTUB RD.)	1.03	16220	590	16810
15.63	C-330 (WARREN-MEADVILLE RD.)	1.78	11690	470	12160
17.41	SR 305	.86	9310	280	9590
U 18.27	SR 46	.14	15070	450	15520
U 18.41	SR 46	.73	13210	280	13490
U 19.14	WALNUT ST.	.97	4970	120	5090
20.11	N. CORP. CORTLAND	.69	2680	70	2750
20.80	C-192 (BRADLEY-BROWNLEE RD.)	1.51	2980	120	3100
22.31	SR 11	2.05	3870	220	4090
24.36	SR 88	.25	5130	290	5420
24.61	SR 193	1.41	4320	240	4560
26.02	SR 88	4.94	2470	100	2570
30.96	SR 7	.25	4770	250	5020
31.21	SR 5DA	.06	2270	130	2400
31.27	SR 5DA	.88	3870	230	4100
32.15	SR 87	.35	3060	180	3240
32.50	SR 7	3.02	950	20	970
35.52	PENNSYLVANIA STATE LINE	.00			
SR-5 DIRECTIONAL ALTERNATE					
00.00	SR 5	.06	3050	150	3200
00.06	ROUTE ENDS AT SR 5	.00			
SR-7					
00.00	MAHONING CO. LINE	5.71	SEE PREFERRED ROUTE		
05.71	US 62	.43	5270	1040	6310
06.14	US 62 ALT.	2.46	4560	1020	5580
08.60	SR 82	.20	5500	220	5720
08.80	SR 7DA	.18	2500	100	2600
08.98	SR 7DA	1.11	4020	160	4180

2011 TRUMBULL COUNTY 2  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-7 (Cont'd)					
10.09	C-168 (MERWIN-CHASE RD.)	4.14	2480	120	2600
14.23	SR 305	.10	3080	150	3230
14.33	SR 305DA	1.68	2980	140	3120
16.01	SR 609	3.53	2700	140	2840
19.54	SR 88	3.99	2270	120	2390
23.53	SR 5	1.54	SEE PREFERRED ROUTE		
25.07	SR 5	2.77	1350	130	1480
27.84	EQUALS STA. 0.00 IN ASHTABULA CO.	.00			
SR-7 DIRECTIONAL ALTERNATE					
00.00	SR 7	.18	2740	130	2870
00.18	ROUTE ENDS AT SR 7	.00			
SR-7 DIRECTIONAL ALTERNATE 1					
00.00	SR 7	.35	SEE PREFERRED ROUTE		
00.35	ROUTE ENDS AT US 62	.00			
SR-11					
00.00	MAHONING CO. LINE	3.45	SEE PREFERRED ROUTE		
03.45	IR 80	2.78	34690	3670	38360
06.23	C-28 (TIBBETTS CORNERS-WICK RD.)	3.36	34480	3640	38120
09.59	SR 82/ATR #555 AT 10.16	3.02	12410	1530	13940
12.61	C-158 (KING GRAVES RD.)	2.72	10540	1430	11970
15.33	SR 305	4.05	6980	1750	8730
19.38	SR 5	6.51	4930	1620	6550
25.89	SR 87	2.58	4600	1590	6190
28.47	EQUALS STA. 0.00 IN ASHTABULA CO.	.00			
SR-45					
U 00.00	MAHONING CO. LINE S. CORP. LORDSTOWN	4.91	7760	830	8590
04.91	N. CORP. LORDSTOWN	2.41	9580	640	10220
U 07.32	US 422 (MARKET ST.)	.59	5280	350	5630
U 07.91	TOD AVE. ENTER SUMMIT ST.	.30	10470	690	11160
U 08.21	SUMMIT ST. ENTER MAHONING AVE.	2.37	10170	440	10610
10.58	SR 5	1.15	16940	1070	18010
11.73	C-200 (CHAMPION AVE.)	1.18	10720	330	11050
12.91	SR 305	1.85	6520	250	6770
14.76	T-204 (PRENTICE RD.)	3.78	5400	220	5620
18.54	SR 88	1.49	3350	170	3520
20.03	C-236 (HYDE-OAKFIELD RD.)	3.66	2530	130	2660
23.69	SR 87	2.72	2590	130	2720
26.41	EQUALS STA. 0.00 IN ASHTABULA CO.	.00			

2011 TRUMBULL COUNTY 3  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-46					
	00.00 MAHONING CO. LINE	1.69	9210	980	10190
	01.69 C-64 (SALT SPRINGS RD.)	1.57	13320	940	14260
U	03.26 PARK AVE.	.18	11750	830	12580
U	03.44 SR 169 ENTER ROBBINS AVE.	.28	16390	570	16960
U	03.72 SR 169 ENTER VIENNA AVE.	1.89	12880	450	13330
U	05.61 US 422 (WARREN-YOUNGSTOWN RD.)	.73	19170	1220	20390
	06.34 EASTWOOD MALL BLVD.	.97	30260	1920	32180
	07.31 SR 82	2.47	14140	360	14500
	09.78 C-142 (N. RIVER RD.)	.83	8120	110	8230
	10.61 C-201 (MCCLEARY-JACOBY RD.)	2.19	6190	80	6270
	12.80 SR 305	.66	7250	170	7420
	13.46 SR 5	.14	SEE PREFERRED ROUTE		
U	13.60 SR 5 IN CORTLAND	1.31	2980	190	3170
	14.91 N. CORP. CORTLAND	3.58	2740	180	2920
	18.49 SR 46DA	.03	2910	190	3100
	18.52 SR 88	.03	2840	180	3020
	18.55 SR 46DA	5.15	1630	60	1690
	23.70 SR 87	2.64	860	40	900
	26.34 EQUALS STA. 0.00 IN ASHTABULA CO.	.00			
SR-46 DIRECTIONAL ALTERNATE					
	00.00 SR 46	.03	2940	180	3120
	00.03 SR 88	.03	2780	170	2950
	00.06 ROUTE ENDS AT SR 46	.00			
US-62					
	00.00 MAHONING CO. LINE	2.77	6300	240	6540
U	02.77 SR 304 ENTER LIBERTY ST.	.80	12280	490	12770
U	03.57 SR 304 ENTER MAIN ST.	.44	8920	1040	9960
U	04.01 MYRON ST.	.92	11720	1370	13090
	04.93 IR 80	.78	15380	1800	17180
	05.71 SR 7	.55	10040	770	10810
	06.26 US 62 ALT.	2.28	9880	570	10450
	08.54 SR 82	.72	12520	1020	13540
	09.26 PENNSYLVANIA STATE LINE	.00			
US-62 ALTERNATE					
	00.00 SR 7	.35	1240	20	1260
	00.35 ROUTE ENDS AT US 62	.00			

2011 TRUMBULL COUNTY 4  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
IR-80					
	00.00 MAHONING CO. LINE	.99	38540	15480	54020
	00.99 C-64 (SALT SPRINGS RD.)	1.21	38470	14880	53350
U	02.20 US 422 (STATE ST.)/ATR #762 AT 02.89	1.21	32560	14460	47020
	03.41 SR 11 (CONSTRUCTION)	.62	25240	13560	38800
	04.03 C-352 (LIBERTY RD.) (CONSTRUCTION)	.18	21290	13350	34640
	04.21 SR 193/ATR #141 AT 07.63 (CONST.)	5.37	21530	13300	34830
	09.58 US 62/ATR #553 AT 10.78	2.75	14240	13680	27920
	12.33 PENNSYLVANIA STATE LINE	.00			
SR-82					
	00.00 PORTAGE CO. LINE	1.43	1930	100	2030
	01.43 SR 303	.20	3810	230	4040
	01.63 SR 534	3.68	2540	170	2710
	05.31 SR 5	8.77	SEE PREFERRED ROUTE		
	14.08 SR 5	2.72	25740	2560	28300
U	16.80 E. MARKET ST.	1.27	40100	3800	43900
	18.07 SR 46/ATR #764 AT 18.97	1.68	36300	3540	39840
	19.75 SR 11	2.39	14690	1930	16620
	22.14 SR 193	2.47	12760	1850	14610
	24.61 C-43 (WARNER RD.)	2.55	10090	1840	11930
	27.16 SR 7	2.56	6670	920	7590
	29.72 US 62 ENTER RAMP	.17	920	210	1130
	29.89 ROUTE ENDS AT US 62	.00			
SR-82 INTERCHANGE CONNECTOR					
	00.00 ROUTE BEGINS AT SR 82	.06	5030	340	5370
	00.06 RTE. ENDS AT C331 (HUBBARD SHARON RD)	.00			
SR-87					
	00.00 GEAUGA CO. LINE	2.49	3940	260	4200
	02.49 SR 534DA	.02	3960	260	4220
	02.51 SR 534	4.55	2300	170	2470
	07.06 SR 45	6.36	1530	140	1670
	13.42 SR 46	1.75	1350	120	1470
	15.17 SR 11	2.48	910	80	990
	17.65 SR 193	4.71	760	70	830
	22.36 ROUTE ENDS AT SR 5	.00			

2011 TRUMBULL COUNTY 5  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-88					
00.00	GEAUGA CO. LINE	2.54	2900	170	3070
02.54	SR 534 (CONSTRUCTION)	4.49	3040	220	3260
07.03	SR 45	6.93	2740	200	2940
13.96	SR 46DA	.06	SEE PREFERRED ROUTE		
14.02	SR 46	1.51	2390	130	2520
15.53	SR 11	1.94	1770	130	1900
17.47	SR 5	1.66	SEE PREFERRED ROUTE		
19.13	SR 5	3.67	1760	150	1910
22.80	SR 7	2.73	1180	170	1350
25.53	PENNSYLVANIA STATE LINE	.00			
SR-169					
U 00.00	US 422 (SOUTH ST.) IN WARREN	1.78	5600	410	6010
01.78	S.E. CORP. WARREN	1.81	6830	390	7220
U 03.59	HEATON-NORTH RD.	.71	13500	690	14190
U 04.30	SR 46 ENTER N. MAIN ST.	.28	SEE PREFERRED ROUTE		
U 04.58	SR 46 (VIENNA-CORTLAND RD.)	2.19	10930	640	11570
06.77	ROUTE ENDS AT US 422	.00			
SR-193					
00.00	MAH. CO. LINE N. CORP. YOUNGSTOWN	1.02	17070	680	17750
01.02	LIBERTY PLAZA	.46	22620	900	23520
01.48	IR 80 (CONSTRUCTION)	.49	16230	650	16880
01.97	SR 304	4.69	9480	380	9860
06.66	SR 82	2.93	4860	240	5100
09.59	C-158 (KING GRAVES RD.)	2.74	2540	120	2660
12.33	SR 305	2.81	1680	90	1770
15.14	C-192 (BRADLEY-BROWNLEE RD.)	2.66	1190	70	1260
17.80	SR 5	5.09	950	60	1010
22.89	SR 87	2.55	500	50	550
25.44	EQUALS STA. 0.00 IN ASHTABULA CO.	.00			
SR-303					
00.00	PORTAGE CO. LINE	1.28	1810	140	1950
01.28	ROUTE ENDS AT SR 82	.00			

2011 TRUMBULL COUNTY 6  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
SR-304					
U	00.00 US 422 (STATE ST.) IN GIRARD	2.03	8220	230	8450
	02.03 SR 193	1.62	11090	300	11390
	03.65 C-52 (LOGANWAY-WICK RD.)	2.65	6230	180	6410
	06.30 US 62 (YOUNGSTOWN RD.)	.80	SEE PREFERRED ROUTE		
U	07.10 US 62 (MAIN ST.)	.10	7700	300	8000
U	07.20 OAK KNOLL DR.	1.50	3210	110	3320
	08.70 E. CORP. HUBBARD	1.27	3250	80	3330
	09.97 PENNSYLVANIA STATE LINE	.00			
SR-305					
	00.00 PORTAGE CO. LINE	1.59	1530	40	1570
	01.59 US 422	.88	1770	50	1820
	02.47 SR 534	3.18	2360	60	2420
	05.65 C-206 (STATE RD.)	1.55	1620	40	1660
	07.20 T-207 (DOWNS RD.)	1.51	3230	130	3360
	08.71 SR 45	5.95	4400	100	4500
	14.66 C-330 (WARREN-MEADVILLE RD.)	.14	2920	110	3030
	14.80 SR 5	.58	4280	220	4500
	15.38 SR 46	1.40	5980	360	6340
	16.78 SR 11	2.61	3070	130	3200
	19.39 SR 193	4.50	1980	110	2090
	23.89 SR 305DA	.11	850	50	900
	24.00 SR 7	.05	SEE PREFERRED ROUTE		
	24.05 SR 7	2.56	1500	100	1600
	26.61 PENNSYLVANIA STATE LINE	.00			
SR-305 DIRECTIONAL ALTERNATE					
	00.00 SR 7	.05	SEE PREFERRED ROUTE		
	00.05 SR 7	.11	880	60	940
	00.16 ROUTE ENDS AT SR 305	.00			
US-422					
	00.00 PORTAGE CO. LINE	2.12	8310	1550	9860
	02.12 SR 305	1.12	7750	1540	9290
	03.24 SR 534	1.92	8200	1510	9710
	05.16 C-123 (BARCLAY-MESSERLY RD.)	2.93	11770	1540	13310
	08.09 SR 5 (CONSTRUCTION)	3.15	9910	500	10410
U	11.24 PARKMAN RD. ENTER MARKET ST. (CONST.)	.19	14110	900	15010
U	11.43 SR 45 (TOD AVE.)	1.03	14270	910	15180
U	12.46 SR 169	4.18	15060	960	16020

2011 TRUMBULL COUNTY 7  
 AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
-----					
US-422 (Cont'd)					
U 16.64	SR 46/ATR #543 AT 17.40	2.04	17990	470	18460
18.68	SR 169	1.60	14640	930	15570
20.28	SR 304	.94	17200	1090	18290
21.22	IR 80	1.31	9380	600	9980
22.53	EQUALS STA. 0.00 IN MAHONING CO.	.00			
SR-534					
00.00	MAHONING CO. LINE	2.74	3850	140	3990
U 02.74	S. CORP. NEWTON FALLS	1.04	6300	280	6580
U 03.78	MAPLE DR.	.56	8890	320	9210
U 04.34	CENTER ST.	.23	8810	320	9130
U 04.57	W. BROAD ST. ENTER RIDGE AVE.	.61	5730	210	5940
05.18	N. CORP. NEWTON FALLS	.51	4570	190	4760
05.69	SR 5	2.27	3410	240	3650
07.96	SR 82	4.56	2120	170	2290
12.52	US 422	.74	1910	150	2060
13.26	SR 305	5.90	1350	110	1460
19.16	SR 88	4.66	1650	140	1790
23.82	SR 534DA	.03	1780	250	2030
23.85	SR 87	.35	900	160	1060
24.20	SR 534DA	2.70	1420	240	1660
26.90	EQUALS STA. 0.00 IN ASHTABULA CO.	.00			
SR-534 DIRECTIONAL ALTERNATE					
00.00	SR 534	.35	1050	160	1210
00.35	SR 87	.03	920	140	1060
00.38	ROUTE ENDS AT SR 534	.00			
SR-609					
00.00	SR 7	2.65	600	20	620
02.65	PENNA. ST. LINE E. CORP. ORANGEVILLE	.00			
SR-616					
00.00	MAHONING CO. LINE	.63	4310	170	4480
U 00.63	S. CORP. HUBBARD	.96	5650	200	5850
01.59	ROUTE ENDS AT US 62 IN HUBBARD	.00			
SR-711					
00.00	MAHONING CO. LINE (GYPSY LANE RAMPS)	1.01	23080	1410	24490
01.01	IR 80	.29	19120	1600	20720
01.30	ROUTE ENDS AT SR 11	.00			