

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-3					
00.00	SR 264 (5TH. ST.) IN CINCINNATI	19.27	SEE	PREFERRED	ROUTE
19.27	EQUALS STA. 0.00 IN WARREN CO.	0.00			
SR-3 DIRECTIONAL ALTERNATE					
00.00	US 22 IN CINCINNATI	1.00	SEE	PREFERRED	ROUTE
01.00	RTE. ENDS AT US27 (CENTRAL) IN CINCY.	0.00			
SR-4					
U 00.00	US 42 (READING RD.) IN CINCINNATI	0.86	7920	340	8260
U 00.86	TENNESSEE AVE.	0.34	18970	780	19750
U 01.20	SR 562 (NORWOOD LATERAL.)	0.67	14990	620	15610
U 01.87	TOWNE AVE.	0.62	14630	610	15240
U 02.49	SR 561 (SEYMOUR AVE.)	0.17	26590	1100	27690
U 02.66	IR 75	0.26	23460	1140	24600
U 02.92	VINE ST. / SR 126 AT 3.46	1.00	15770	770	16540
03.92	C-101 (GALBRAITH RD.)	3.16	17190	840	18030
U 07.08	GLENDALE-MILFORD RD. IN WOODLAWN	0.46	24920	1210	26130
U 07.54	SR 747 ENTER SPRINGFIELD PK.	1.52	11040	310	11350
U 09.06	NORTHLAND AVE. IN SPRINGDALE	0.31	17990	510	18500
U 09.37	KEMPER RD.	0.57	22620	640	23260
U 09.94	IR 275	0.47	42740	3090	45830
10.41	EQUALS STA. 0.00 IN BUTLER CO.	0.00			
US-22					
U 00.00	SR 264 (5TH. ST.) IN CINCINNATI	0.09	5320	390	5710
U 00.09	US 27 DA	0.08	4850	350	5200
U 00.17	US 27 (CENTRAL AVE.) ENTER 7TH. ST.	0.08	8660	630	9290
U 00.25	US27 DA (PLUM ST.)	0.08	9200	670	9870
U 00.33	US 42 (ELM ST.)	0.54	10300	750	11050
U 00.87	BROADWAY ST. ENTER GILBERT AVE.	0.24	9100	660	9760
U 01.11	US 22 DA (8TH. ST.)	0.15	15440	1120	16560
U 01.26	RAMP TO IR 71 N.B.	0.19	5220	380	5600
U 01.45	IR 71	1.05	8770	640	9410
U 02.50	FLORENCE AVE.	0.71	11460	830	12290
U 03.21	WEHRMAN AVE.	0.43	8890	640	9530

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-22 (Cont'd)					
U 03.64	VICTORY PKWY.	0.73	6640	370	7010
U 04.37	DUCK CREEK RD. IN NORWOOD	0.09	10190	740	10930
U 04.46	IR 71	1.47	15760	1140	16900
U 05.93	SR 561 (SHERMAN RD.)	0.53	14900	1080	15980
U 06.46	SR 561 (ROSS AVE.) IN CINCINNATI	1.78	9430	390	9820
U 08.24	RIDGE RD.	1.97	10000	450	10450
10.21	C-327 (STEWART RD.)	0.86	14920	1080	16000
11.07	C-269 (KENWOOD RD.)	0.34	21740	1570	23310
11.41	IR 71	0.27	23190	1680	24870
11.68	HOSBROOK RD. IN MADEIRA	0.23	18700	1350	20050
11.91	C-249 (GALBRAITH RD.)	0.62	13270	960	14230
12.53	C-270 (MIAMI RD.)	0.77	15760	1140	16900
U 13.30	SR 126 (RONALD REAGAN HWY.)	0.26	23120	1670	24790
U 13.56	REMINGTON RD.	0.14	15930	1150	17080
U 13.70	SR 126 (REMINGTON RD.)	1.53	16300	1180	17480
U 15.23	PFEIFFER RD.	0.92	20710	1500	22210
16.15	IR 275	0.12	27950	2030	29980
U 16.27	RE-ENTER MONTGOMERY	0.21	35190	2550	37740
16.48	C-256 (CORNELL RD.)	0.71	25080	1820	26900
17.19	C-266 (KEMPER RD.)	2.08	23780	950	24730
19.27	EQUALS STA. 0.00 IN WARREN CO.	0.00			
US-22 DIRECTIONAL ALTERNATE					
00.00	US 22 (GILBERT AVE.) IN CINCINNATI	0.11	SEE PREFERRED ROUTE		
U 00.11	US 22 ENTER GILBERT CONNECTOR	0.29	7020	510	7530
U 00.40	8TH. ST. ENTER MAIN ST.	0.07	6310	460	6770
U 00.47	MAIN ST. ENTER 9TH. ST.	0.35	7640	550	8190
U 00.82	US 42 (ELM ST.)	0.09	5860	420	6280
U 00.91	US 27 DA (PLUM ST.)	0.09	8170	590	8760
01.00	RTE. ENDS US27 (CENTRAL) IN CINCINNATI	0.00			
US-27					
U 00.00	KENTUCKY STATE LINE	0.23	6810	2150	8960
U 00.23	PETE ROSE WAY ENTER MEHRING WAY	0.25	3610	560	4170
U 00.48	US 27 DA (BROADWAY ST.)	0.52	4700	680	5380

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-27 (Cont'd)					
U 01.00	ELM ST.	0.24	5450	390	5840
U 01.24	MEHRING WAY ENTER CENTRAL AVE.	0.14	2560	190	2750
U 01.38	PETE ROSE WAY	0.12	4160	300	4460
U 01.50	US 42 (3RD. ST.)	0.17	7550	550	8100
	01.67 US 22 (5TH. ST.)	0.17	SEE PREFERRED ROUTE		
U 01.84	US 22 (7TH. ST.)	0.12	4250	310	4560
U 01.96	US 22 DA (9TH. ST.)	0.33	1520	110	1630
U 02.29	CENTRAL AVE. ENTER EZZARD CHARLES DR.	0.10	9850	710	10560
U 02.39	US 27 DA ENTER CENTRAL PKWY.	0.28	10400	750	11150
U 02.67	LIBERTY ST.	0.60	12740	920	13660
U 03.27	RAVINE ST.	0.51	14190	1030	15220
U 03.78	WESTERN HILLS VIADUCT	1.07	11400	830	12230
U 04.85	US 52 (HOPPLE ST.)	0.11	24250	1750	26000
U 04.96	US 127 (CENTRAL PKWY.) ENTER BATES AVE.	0.08	6640	480	7120
U 05.04	BATES AVE. ENTER RAMP	0.13	17020	430	17450
	05.17 IR 75	0.45	SEE PREFERRED ROUTE		
U 05.62	IR 75 ENTER RAMP	0.06	50570	2240	52810
	05.68 IR 74	0.83	SEE PREFERRED ROUTE		
U 06.51	IR 74 ENTER RAMP	0.49	21590	670	22260
U 07.00	WEST FORK RD.	2.43	13200	960	14160
U 09.43	KIRBY RD.	2.42	20680	1500	22180
	11.85 C-453 (REAGAN HWY.) / SR 126 AT 11.70	1.63	27750	2010	29760
	13.48 C-96 (SPRINGDALE RD.)	0.58	30710	2220	32930
	14.06 IR 275	0.22	32080	2320	34400
	14.28 C-74 (DRY RIDGE RD.)	2.52	24480	1770	26250
	16.80 C-266 (KEMPER RD.)	1.68	18880	650	19530
	18.48 EQUALS STA. 0.00 IN BUTLER CO.	0.00			
US-27 DIRECTIONAL ALTERNATE					
U 00.00	US 27 (CENTRAL PKWY.) IN CINCINNATI	0.20	13730	990	14720
U 00.20	US 42DA (CENTRAL PKWY) ENTER PLUM ST.	0.12	4870	350	5220
U 00.32	US 22 DA (9TH. ST.)	0.11	3880	280	4160
U 00.43	US 22 (7TH. ST.)	0.08	3110	230	3340
U 00.51	PLUM ST. ENTER 6TH. ST.	0.08	8170	590	8760
	00.59 6TH. ST. ENTER US22 (CENTRAL AVE.)	1.28	SEE PREFERRED ROUTE		

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-27 DIRECTIONAL ALTERNATE (Cont'd)					
U 01.87	US 27 (MEHRING WAY) ENTER BROADWAY ST.	0.17	900	90	990
02.04	ROUTE ENDS AT US 27	0.00			
SR-28					
00.00	US 50 IN MILFORD	0.04	SEE PREFERRED ROUTE		
00.04	EQUALS STA. 0.00 IN CLERMONT CO.	0.00			
SR-32					
U 00.00	US 50 (COLUMBIA AVE.) IN CINCINNATI	0.06	7380	210	7590
U 00.06	APPROACH FROM EASTERN AVE.	0.07	8850	310	9160
U 00.13	RAMP ENTER SR 561 (BEECHMONT AVE.)	0.25	31260	1960	33220
U 00.38	WILMER AVE.	1.15	28860	2350	31210
01.53	SR 125	0.06	15820	710	16530
01.59	RAMPS FOR SR 125	0.56	17300	1030	18330
02.15	C-358 (CLOUGH PK.)	2.31	9750	580	10330
U 04.46	ROUND BOTTOM RD. IN NEWTOWN	1.46	17740	960	18700
05.92	E. CORP. NEWTOWN	1.56	20030	750	20780
07.48	EQUALS STA. 0.00 IN CLERMONT CO.	0.00			
US-42					
U 00.00	KENTUCKY STATE LINE IN CINCINNATI	0.24	13560	1200	14760
U 00.24	PETE ROSE WAY	0.07	9440	870	10310
U 00.31	SMITH ST. ENTER US 42 (3RD. ST.)	0.16	5680	780	6460
00.47	US 27 (CENTRAL AVE.)	0.50	SEE PREFERRED ROUTE		
U 00.97	US 22 (7TH. ST.)	0.12	3460	590	4050
U 01.09	US 22 DA (9TH. ST.)	0.12	3420	590	4010
U 01.21	US 42 DA ENTER CENTRAL PKWY.	0.44	13490	1320	14810
U 01.65	SYCAMORE ST.	0.41	14930	1420	16350
U 02.06	13TH. ST.	0.25	26500	2260	28760
U 02.31	IR 71	3.38	17720	1620	19340
U 05.69	SR 4 (PADDOCK RD.)	0.60	10630	1110	11740
U 06.29	VICTORY PKWY.	0.59	20590	1830	22420
U 06.88	SR 562 (NORWOOD LATERAL.)	0.99	16300	1520	17820
U 07.87	LANGDON FARM RD.	0.37	13700	1330	15030
U 08.24	SR 561 (SEYMOUR AVE.)	1.69	14410	1390	15800

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-42 (Cont'd)					
U 09.93	SR 126 (RONALD REAGAN HWY.) IN READING	1.29	10530	1100	11630
U 11.22	E. COLUMBIA RD.	2.01	15140	1440	16580
U 13.23	GLENDALE-MILFORD RD. IN EVENDALE	1.09	15510	1470	16980
U 14.32	US 42S (READING RD.) ENTER SHARON RD.	0.10	10200	1080	11280
U 14.42	SHARON RD. ENTER MAIN ST.	0.28	9080	1000	10080
U 14.70	US 42S (MAIN ST.) ENTER READING RD.	0.07	20320	1810	22130
U 14.77	READING RD. ENTER LEBANON RD.	0.81	13310	910	14220
U 15.58	KEMPER RD.	0.54	19390	1180	20570
U 16.12	IR 275	0.16	23190	2020	25210
U 16.28	HAUCK RD.	0.48	21280	1880	23160
16.76	EQUALS STA. 0.00 IN BUTLER CO.	0.00			
US-42 DIRECTIONAL ALTERNATE					
00.00	US 42 (CENTRAL PKWY.) IN CINCINNATI	0.85	SEE PREFERRED ROUTE		
U 00.85	US 42 (ELM ST.) ENTER CENTRAL PKWY.	0.09	13070	950	14020
00.94	US 27 DA (PLUM ST.)	0.81	SEE PREFERRED ROUTE		
01.75	ROUTE ENDS AT US 42 (3RD ST.)	0.00			
US-42 SOUTH					
U 00.00	US 42 (MAIN ST.) IN SHARONVILLE	0.37	11190	810	12000
00.37	ROUTE ENDS AT US 42 IN SHARONVILLE	0.00			
US-50					
00.00	INDIANA STATE LINE	2.76	13620	490	14110
02.76	C-13 (KILBY RD.)	0.97	12400	450	12850
03.73	SR 128	0.76	16780	1230	18010
U 04.49	SR 264 (STATE ST.) IN CLEVES	2.35	11460	830	12290
U 06.84	SEKITAN AVE. IN ADDYSTON	7.37	12560	910	13470
U 14.21	ANDERSON FERRY RD. IN CINCINNATI	3.30	11820	860	12680
U 17.51	SOUTHGATE AVE.	1.09	24960	1810	26770
U 18.60	SR 264 (STATE ST.)	0.43	17060	2780	19840
U 19.03	RAMP ENTER 6TH. ST. EXPRESSWAY	0.51	34350	2650	37000
U 19.54	HARRIET ST.	0.22	31050	2470	33520
U 19.76	FREEMAN AVE.	0.17	28720	2030	30750
U 19.93	LINN ST.	0.29	38340	2560	40900

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-50 (Cont'd)					
U 20.22	SR 264 (5TH. ST.)	0.06	36730	2520	39250
U 20.28	IR 75	0.48	49910	3600	53510
	20.76 IR 71	0.61	SEE PREFERRED ROUTE		
U 21.37	IR 71	0.36	46430	3790	50220
U 21.73	2ND. AND 3RD. ST. RAMPS	0.18	55750	4030	59780
U 21.91	IR 471	0.45	26290	1900	28190
U 22.36	MARTIN DR.	0.17	23220	1680	24900
U 22.53	BAINS ST.	1.86	23910	1730	25640
U 24.39	WILLIAM H. TAFT RD.	1.47	29070	2100	31170
U 25.86	DELTA AVE.	0.21	26630	1930	28560
U 26.07	STANLEY AVE.	1.57	21360	1550	22910
U 27.64	SR 32 (BEECHMONT AVE.)	0.46	8410	530	8940
U 28.10	HEEKIN AVE.	1.25	15170	1100	16270
U 29.35	RED BANK RD. IN FAIRFAX	0.50	20580	660	21240
U 29.85	SOUTHERN AVE.	1.81	15510	500	16010
	31.66 C-336 (WALTON CREEK RD.)	0.48	20280	650	20930
	32.14 C-374 (NEWTOWN RD.)	3.90	10490	340	10830
U 36.04	SR 126 (WOOSTER PK.) ENTER MILL ST.	0.04	13570	560	14130
	36.08 EQUALS STA. 0.00 IN CLERMONT CO.	0.00			
US-52					
	00.00 INDIANA STATE LINE	20.17	SEE PREFERRED ROUTE		
U 20.17	W. CORP. CINCINNATI / IR 75 S.B. RAMP	0.13	12860	560	13420
U 20.30	RAMP FROM IR 75 N.B.	0.07	20470	650	21120
U 20.37	RAMP ENTER HOPPLE ST.	0.07	19810	1560	21370
U 20.44	IR 75	0.13	23610	1710	25320
	20.57 US 27 ENTER CENTRAL PKWY.	4.58	SEE PREFERRED ROUTE		
U 25.15	US 27	0.16	7180	590	7770
U 25.31	L & N BRIDGE	0.12	7090	510	7600
U 25.43	IR 471	0.76	6470	470	6940
U 26.19	BAINS ST.	3.22	8740	630	9370
U 29.41	DELTA AVE.	0.22	7550	550	8100
U 29.63	STANLEY AVE.	0.89	9980	710	10690
U 30.52	WILMER AVE.	1.55	15820	1140	16960
U 32.07	SALEM RD.	1.15	11510	830	12340

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
US-52 (Cont'd)					
	33.22 RENSLAR AVE.	0.63	9930	720	10650
U	33.85 IR 275	0.10	7170	540	7710
U	33.95 KELLOGG AVE. ENTER RAMP	0.18	4870	530	5400
	34.13 IR 275	1.16	SEE PREFERRED ROUTE		
	35.29 IR 275 ENTER RAMP	0.32	10000	520	10520
	35.61 S.E. CORP CINCINNATI / RAMP ENTER HWY.	0.40	11790	510	12300
	36.01 C-351 (KELLOGG RD.)	4.15	15380	660	16040
	40.16 EQUALS STA. 0.00 IN CLERMONT CO.	0.00			
US-52 DIRECTIONAL ALTERNATE					
	00.00 US 52 IN CINCINNATI	2.42	SEE PREFERRED ROUTE		
	02.42 RTE. ENDS AT US 27 (CENTRAL PKWY.)	0.00			
IR-71					
U	00.00 KENTUCKY ST. LINE / S. CORP. CINCINNATI	0.22	123690	27240	150930
U	00.22 IR 75	0.26	55760	8360	64120
U	00.48 US 27 (CENTRAL AVE.)	0.78	98120	11440	109560
U	01.26 US 50 (FT. WASHINGTON WAY)	0.34	52890	9290	62180
U	01.60 6TH. ST.	0.39	63130	9500	72630
U	01.99 IR 471	0.20	89060	10730	99790
U	02.19 US 22 (GILBERT AVE.)	0.15	95970	10840	106810
U	02.34 US 42 (READING RD.)	0.86	89570	10570	100140
U	03.20 MC MILLAN ST.	0.13	102790	10820	113610
U	03.33 WM. H. TAFT RD.	1.94	116550	11130	127680
U	05.27 US 22 (MONTGOMERY RD.)	0.76	105710	10780	116490
U	06.03 DANA AVE.	0.72	120740	11040	131780
U	06.75 SMITH RD. IN NORWOOD	0.21	104220	10580	114800
U	06.96 SR 561 (WILLIAMS AVE.)	0.96	127540	11230	138770
U	07.92 SR 562 (NORWOOD LATERAL) IN CINCINNATI	0.59	111270	12020	123290
	08.51 C-275 (RIDGE AVE.)	0.24	107360	12020	119380
	08.75 C-339 (KENNEDY AVE.)	0.95	114660	12290	126950
	09.70 RED BANK RD.	0.98	123220	12480	135700
U	10.68 STEWART RD. IN SILVERTON	1.13	113880	12320	126200
	11.81 C-269 (KENWOOD RD.)	0.63	98820	12070	110890
	12.44 US 22	1.69	109100	12380	121480

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
IR-71 (Cont'd)					
14.13	SR 126	1.67	118940	13340	132280
U 15.80	PFEIFFER RD. IN MONTGOMERY	1.71	117140	13110	130250
U 17.51	IR 275	2.37	107640	15470	123110
19.88	C-4 (FIELDS-ERTEL RD.)	0.03	60900	13720	74620
19.91	EQUALS STA. 0.00 IN WARREN CO.	0.00			
IR-74					
00.00	INDIANA STATE LINE	1.60	28820	4000	32820
U 01.60	NEW HAVEN RD. IN HARRISON	1.98	34280	4490	38770
U 03.58	DRY FORK RD.	2.79	44080	5490	49570
06.37	IR 275	1.39	58850	7030	65880
07.76	SR 128	1.57	66470	7700	74170
09.33	IR 275	1.83	51890	3730	55620
11.16	C-457 (HARRISON RD.)	3.50	42550	3630	46180
14.66	C-142 (NORTH BEND RD.)	2.78	46580	3620	50200
U 17.44	MONTANA AVE. IN CINCINNATI	1.20	65670	4100	69770
U 18.64	BEEKMAN ST.	0.44	80830	4510	85340
U 19.08	SPRING GROVE ST.	0.14	89920	4870	94790
U 19.22	EB RAMP TO IR 75	0.25	50570	2240	52810
19.47	ROUTE ENDS AT IR 75	0.00			
IR-75					
00.00	KENTUCKY ST. LINE / S. CORP. CINCINNATI	0.22	SEE PREFERRED ROUTE		
U 00.22	IR 71	0.19	67930	18880	86810
U 00.41	US 50 RAMPS	0.09	59620	18420	78040
U 00.50	SR 264 (5TH. ST. CONNECTOR)	0.21	50780	17380	68160
U 00.71	7TH. AND 8TH. ST. CONNECTOR	0.15	76570	18700	95270
U 00.86	9TH. ST.	0.38	99930	19770	119700
U 01.24	FREEMAN AVE.	0.18	111140	21880	133020
U 01.42	EZZARD CHARLES DR.	0.48	116630	22690	139320
U 01.90	FINDLAY ST.	0.61	122540	23460	146000
U 02.51	WESTERN HILLS VIADUCT	0.99	120980	23460	144440
U 03.50	US 52 (HOPPLE ST.)	0.28	118420	23700	142120
U 03.78	US 27 (BATES AVE.)	0.62	126240	23840	150080
U 04.40	IR 74	2.07	78640	19810	98450

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
IR-75 (Cont'd)					
U 06.47	MITCHELL RD.	1.34	85900	20460	106360
U 07.81	SR 562 (NORWOOD LATERAL.)	0.76	94620	21500	116120
U 08.57	TOWNE ST.	0.88	95860	21600	117460
U 09.45	SR 4 (PADDOCK RD.)	0.86	100080	22500	122580
U 10.31	SR 126 (RONALD REAGAN HWY.)	0.71	71630	20670	92300
U 11.02	GALBRAITH RD. IN ARLINGTON HTS.	0.82	77730	21130	98860
U 11.84	DAVIS ST. / COOPER AVE. IN LOCKLAND	1.08	76250	21110	97360
U 12.92	LEAVE LOCKLAND / S. CORP EVENDALE	0.46	65790	19740	85530
U 13.38	INDUSTRIAL DISTRIBUTOR (SOUTH)	0.52	71580	20390	91970
U 13.90	INDUSTRIAL DISTRIBUTOR (NORTH)	0.36	67600	20200	87800
U 14.26	GLENDALE-MILFORD RD.	1.15	84410	22210	106620
U 15.41	S. CORP. SHARONVILLE (SHARON RD.)	1.36	79810	22080	101890
U 16.77	IR 275	0.70	86170	22270	108440
17.47	EQUALS STA. 0.00 IN BUTLER CO.	0.00			
SR-125					
00.00	US 50 (COLUMBIA PKWY.) IN CINCINNATI	1.53	SEE PREFERRED ROUTE		
01.53	SR 32	2.39	22100	1600	23700
U 03.92	BURNEY LN. IN CINCINNATI	1.02	15730	1140	16870
04.94	C-329 (SALEM PK.)	2.07	29650	2150	31800
07.01	C-362 (EIGHT MILE RD.)	0.51	26300	1870	28170
07.52	EQUALS STA. 0.00 IN CLERMONT CO.	0.00			
SR-126					
00.00	BUTLER CO. LINE	6.78	SEE PREFERRED ROUTE		
06.78	US 27 ENTER RAMP	0.83	19050	520	19570
07.61	C-90 (PIPPIN RD.)	1.38	33650	1310	34960
U 08.99	US 127 (HAMILTON AVE.) IN MT. HEALTHY	1.77	46760	1790	48550
10.76	C-239 (WINTON RD.)	0.68	38440	1570	40010
11.44	C-101 (GALBRAITH RD.)	2.24	51500	1630	53130
U 13.68	IR 75 IN CINCINNATI	1.28	44630	2090	46720
U 14.96	US 42 (READING RD.) IN READING	0.29	36530	1570	38100
U 15.25	GALBRAITH RD.	1.00	45330	1840	47170
U 16.25	RIDGE RD. IN AMBERLEY	1.88	48390	1890	50280
U 18.13	PLAINFIELD RD. IN BLUE ASH	0.64	46930	1570	48500

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-126 (Cont'd)					
U 18.77	BLUE ASH RD. / KENWOOD RD.	0.82	47490	1510	49000
19.59	IR 71	0.51	19930	360	20290
U 20.10	SR 126 EB RAMP IN MONTGOMERY	0.34	12250	600	12850
20.44	US 22 (MONTGOMERY RD.)	0.41	SEE PREFERRED ROUTE		
U 20.85	US 22 (MONTGOMERY RD.)	1.58	9920	510	10430
22.43	C-299 (LOVELAND RD.)	0.41	6650	610	7260
22.84	ENTER CLERMONT CO. STA. 0.00	0.00			
22.84	LEAVE CLERMONT CO. STA. 2.16	2.75	4220	250	4470
U 25.59	SHAWNEE RUN RD. IN MILFORD	0.29	7500	440	7940
25.88	ROUTE ENDS AT US 50 IN MILFORD	0.00			
SR-126 INTERCHANGE CONNECTOR					
00.00	ROUTE BEGINS AT RONALD REAGAN HWY	0.27	14600	790	15390
00.27	ROUTE ENDS AT SR 126	0.00			
US-127					
00.00	KY. ST. LN. / S. CORP. CINCINNATI US 42	3.93	SEE PREFERRED ROUTE		
U 03.93	US 27 (BATES AVE.)	0.88	15560	1130	16690
U 04.81	RAMPS FOR IR 74 AND IR 75	0.22	11340	820	12160
U 05.03	CENTRAL PKWY. ENTER LUDLOW AVE. / IR 75	0.39	18300	1330	19630
U 05.42	SPRING GROVE AVE.	1.51	13910	1010	14920
U 06.93	ASHTREE DR.	0.85	17000	1230	18230
U 07.78	BELMONT AVE.	1.90	14190	1030	15220
U 09.68	GALBRAITH RD. IN NORTH COLLEGE HILL	0.54	20570	1490	22060
U 10.22	SR 126 (RONALD REAGAN HWY.)	1.70	22080	1600	23680
11.92	C-228 (MILES RD.)	2.28	14850	340	15190
14.20	WAYCROSS RD.	0.34	19760	910	20670
14.54	IR 275	0.54	19920	920	20840
U 15.08	CREST RD. IN FOREST PARK	0.53	16780	1280	18060
15.61	C-266 (W. KEMPER RD.)	0.56	14390	1030	15420
16.17	EQUALS STA. 0.00 IN BUTLER CO.	0.00			
US-127 DIRECTIONAL ALTERNATE					
00.00	US 27 (CENTRAL PKWY.) IN CINCINNATI	1.01	SEE PREFERRED ROUTE		
01.01	RTE. ENDS US 42 (3RD. ST.) IN CINCY	0.00			

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-128					
00.00	US 50	2.18	6630	1070	7700
02.18	C-16 (MORGAN RD.)	2.77	8010	1320	9330
04.95	IR 74	0.72	9270	680	9950
05.67	C-457 (HARRISON RD.)	7.59	4880	1020	5900
13.26	ENTER BUTLER CO. STA.	0.00			
SR-264					
U 00.00	US 50 (HAMILTON-CLEVES RD.) IN CLEVES	4.96	6170	150	6320
04.96	C-130 (FIDDLERS GREEN RD.)	1.94	10270	360	10630
06.90	C-128 (EBENEZER RD.)	1.10	16000	500	16500
08.00	BRIDGETOWN RD. ENTER GLENWAY AVE.	2.49	22950	570	23520
U 10.49	BOUDINOT AVE. IN CINCINNATI	1.83	13160	950	14110
U 12.32	ROSEMONT AVE.	0.40	18330	1330	19660
U 12.72	QUEBEC RD.	1.57	11050	800	11850
U 14.29	GLENWAY AVE. ENTER STATE AVE.	0.22	5380	220	5600
U 14.51	ACCESS TO MARYLAND AVE.	0.13	3180	130	3310
14.64	US 50 ENTER RIVER RD.	1.62	SEE PREFERRED ROUTE		
U 16.26	US 50 ENTER 5TH. ST. IN CINCINNATI	0.21	1610	40	1650
U 16.47	IR 75	0.11	9160	340	9500
16.58	RTE. ENDS US 22-27 (CENTRAL) IN CINCY	0.00			
SR-264 DIRECTIONAL ALTERNATE					
00.00	US 22 DA (9TH. ST.) IN CINCINNATI	0.27	SEE PREFERRED ROUTE		
U 00.27	US 22-27DA-42 (CENTRAL/6TH. ST. CONN.)	0.24	7260	170	7430
00.51	ROUTE ENDS AT US 50	0.00			
IR-275					
00.00	INDIANA STATE LINE	3.97	46200	6020	52220
03.97	C-13 (KILBY RD.)	3.64	49340	6380	55720
07.61	IR 74	2.96	SEE PREFERRED ROUTE		
10.57	IR 74	2.88	66060	6940	73000
13.45	C-453 (RONALD REAGAN HWY.)	0.44	51000	6330	57330
13.89	C-71 (BLUE ROCK RD.)	2.13	61530	6710	68240
16.02	US 27	2.80	69190	7420	76610
18.82	US 127	2.41	79390	7690	87080

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
IR-275 (Cont'd)					
U 21.23	WINTON RD. IN FOREST PARK	2.15	86130	8110	94240
U 23.38	SR 4 (SPRINGFIELD RD.)	1.00	105210	10180	115390
U 24.38	SR 747 (PRINCETON RD.)	1.34	114030	11820	125850
U 25.72	IR 75 IN SHARONVILLE	0.73	97610	13800	111410
U 26.45	MOSTELLER RD.	1.89	101490	12750	114240
U 28.34	US 42 (LEBANON RD.)	1.45	108190	12970	121160
U 29.79	REED HARTMAN RD.	1.43	103880	12130	116010
U 31.22	IR 71 IN MONTGOMERY	0.98	87780	9190	96970
32.20	US 22	2.64	83880	8760	92640
34.84	C-299 (LOVELAND RD.)	0.23	79200	8470	87670
35.07	ENTER CLERMONT CO. STA. 0.00	0.00			
35.07	LEAVE CLERMONT CO. STA. 13.88	2.21	54260	10850	65110
37.28	C-504 (FIVE MILE RD.)	2.12	53560	10790	64350
39.40	US 52	1.69	61370	10930	72300
U 41.09	US 52 (KELLOGG AVE.) IN CINCINNATI	0.51	67470	10970	78440
41.60	KENTUCKY STATE LINE	0.00			
IR-471					
U 00.00	KENTUCKY ST. LN./US 52	0.20	90210	6790	97000
U 00.20	US 50 (FT. WASHINGTON WAY) IN CINCY	0.11	51140	3980	55120
U 00.31	RAMPS FOR 6TH. ST.	0.37	45070	1490	46560
U 00.68	RAMPS TO IR 71 AND US 42	0.05	25930	1230	27160
00.73	ROUTE ENDS AT IR 71 IN CINCINNATI	0.00			
SR-561					
U 00.00	SR 32 (RAMP FROM US 50) IN CINCINNATI	0.98	16600	790	17390
U 00.98	DELTA AVE.	0.85	17340	640	17980
U 01.83	LINWOOD RD. ENTER OBSERVATORY AVE.	0.20	18200	670	18870
U 02.03	OBSERVATORY AVE. ENTER EDWARDS RD.	0.14	8810	360	9170
U 02.17	ERIE AVE.	0.87	12850	530	13380
U 03.04	S.E. CORP. NORWOOD (IR 71 AT 03.08)	0.20	22780	840	23620
U 03.24	WILLIAMS RD. IN NORWOOD	0.30	7050	290	7340
U 03.54	FOREST AVE.	0.36	6780	280	7060
U 03.90	SHERMAN AVE.	0.16	3260	140	3400
04.06	US 22 (MONTGOMERY RD.)	0.53	SEE PREFERRED ROUTE		

2013 HAMILTON COUNTY
AVERAGE 24-HR TRAFFIC VOLUME

SECT. BEGINS	TRAFFIC SECTION	SECT. LENGTH	PASS & A COM'L	B & C COM'L	TOTAL VEH.
SR-561 (Cont'd)					
U 04.59	US 22 (MONTGOMERY RD.) ENTER ROSS AVE	0.77	5380	330	5710
U 05.36	LEAVE NORWOOD / RE-ENTER CINCINNATI	0.95	11040	460	11500
U 06.31	US 42 (READING RD.)	0.67	14270	590	14860
U 06.98	SR 4 (PADDOCK RD.)	0.31	8720	360	9080
07.29	ROUTE ENDS AT VINE ST. IN CINCINNATI	0.00			
SR-562					
U 00.00	IR 75 IN CINCINNATI	0.65	56220	4160	60380
U 00.65	SR 4 (PADDOCK RD.)	0.56	57970	3990	61960
U 01.21	US 42 (READING RD.)	1.06	55640	3900	59540
U 02.27	WESLEY AVE. IN NORWOOD	0.92	58180	3850	62030
U 03.19	IR 71 ENTER RAMP	0.24	22030	1070	23100
03.43	ROUTE ENDS AT IR 71 IN CINCINNATI	0.00			
SR-747					
U 00.00	SR 4 (SPRINGFIELD RD.) IN WOODLAWN	0.58	9330	310	9640
U 00.58	SHARON AVE. IN GLENDALE	1.03	12300	410	12710
U 01.61	KEMPER RD. IN SPRINGDALE	0.47	32240	1330	33570
U 02.08	IR 275	0.23	29070	3640	32710
U 02.31	PROGRESS PLACE	0.34	26820	3550	30370
02.65	EQUALS STA. 0.00 IN BUTLER CO.	0.00			