

APPENDIX B1. CROSS-REFERENCE GUIDE TO THE OHIO REVISED CODE

The Ohio Revised Code (ORC) contains many laws which apply to the control of traffic on the streets and highways of the State. It is important that officials responsible for the erection and maintenance of traffic control devices be well informed regarding these laws and their application to the operation of vehicles and the movement of pedestrians. A list of references follows, including important laws relative to traffic control and vehicle operation. These references are grouped by subject.

Code sections referenced in this Manual, as well as some others, have been reprinted in Appendix B2 for your convenience. An asterisk (*) next to the code number in the following cross-reference list indicates that a copy of that section is available in Appendix B2. The ORC is available through local libraries, and a searchable version is also available on the web at <http://codes.ohio.gov/>. The Ohio Administrative Code can also be reviewed on-line at the same website, and legislation can be viewed on-line at <http://www.legislature.state.oh.us/laws.cfm>.

PART 1. GENERAL

ORC Section Title / Description

§ 4511.01	Definitions.
§ 4511.07*	Local traffic regulations.
§ 4511.09*	Manual and specifications for uniform system of traffic control devices.
§ 4511.10*	Placement and maintenance of traffic control devices.
§ 4511.11*	Local conformity to manual and specifications for uniform system of traffic control devices.
§ 4511.12*	Obedience to traffic control devices.
§ 4511.16*	Unauthorized sign or signal resembling a traffic control device.
§ 4511.17*	Tampering with traffic control device, freshly applied pavement material, manhole covers.

PART 2. SIGNS

ORC Section Title / Description

§ 3767.32	Littering.
§ 4511.03	Emergency vehicles at red signal or stop sign.
§ 4511.051*	Freeways - prohibited acts.
§ 4511.07*	Local traffic regulations.
§ 4511.09*	Manual and specifications for uniform system of traffic control devices.
§ 4511.091	Arrest or citation based on radar, timing device or radio message from another officer.
§ 4511.10*	Placement and maintenance of traffic control devices.
§ 4511.101*	Placement of business logos on directional signs along interstates.
§ 4511.102*	Tourist-oriented directional sign program definitions.
§ 4511.103*	Administrative rules for placement of tourist-oriented directional signs and trailblazer markers.
§ 4511.104*	Participation in tourist-oriented directional sign program.
§ 4511.105*	Tourist-oriented directional signs to conform to federal manual of uniform traffic control devices.
§ 4511.106*	Local tourist-oriented directional sign programs.
§ 4511.11*	Local conformity to manual and specifications for uniform system of traffic control devices.
§ 4511.12*	Obedience to traffic control devices.
§ 4511.13*	Traffic control signal lights.
§ 4511.16*	Unauthorized sign or signal resembling a traffic control device.
§ 4511.17*	Tampering with traffic control device, freshly applied pavement material, manhole covers.
§ 4511.21*	Speed limits - assured clear distance.
§ 4511.211*	Establishing speed limit on private road or driveway.
§ 4511.212*	Complaint of noncompliance by local authority with school zone sign laws.
§ 4511.213*	Approaching stationary public safety vehicle displaying emergency light.
§ 4511.22*	Slow speed.
§ 4511.23*	Speed limits on bridges.

ORC Section Title / Description

§ 4511.25*	Lanes of travel upon roadways of sufficient width.
§ 4511.28*	Overtaking and passing upon the right of another vehicle.
§ 4511.31*	Establishing hazardous zones.
§ 4511.33*	Driving in marked lanes.
§ 4511.35*	Divided roadways.
§ 4511.36*	Rules for turns at intersections.
§ 4511.37*	Turning in roadway prohibited - exceptions.
§ 4511.43*	Right-of-way rule at through highways, stop signs, yield signs.
§ 4511.432*	Stop signs on private residential road or driveway.
§ 4511.47	Right-of-way of blind person.
§ 4511.50	Pedestrian walking in roadway.
§ 4511.61*	Stop Signs at dangerous highway crossings over railroad tracks.
§ 4511.65*	Designation of through highways.
§ 4511.66*	Prohibition against parking on highways.
§ 4511.68*	Parking – prohibited acts.
§ 4511.69*	Parking requirements..
§ 4511.71	Prohibition against driving upon closed highway.
§ 4511.712*	Obstructing intersection.
§ 4511.75*	Stopping for stopped school bus.
§ 4513.33	Unlawful vehicle weight.
§ 4513.40*	Warning sign before safety device at street crossing.
§ 4519.40*	Prohibited acts.
§ 4519.41	Operation of vehicle on or near highway, street or road.
§ 4955.33*	Crossbuck signs.
§ 5511.01	State highway system established.
§ 5511.02	Limited access highways and freeways.
§ 5511.05	Construction and maintenance of access roads.
§ 5515.04	Attaching guideposts or signs to utility poles.
§ 5516	Advertising on Interstate Highways.
§ 5517.03	Closing highways or bridges.
§ 5529.03	Acquiring land for rest and recreation areas and sanitary and other facilities.
§ 5533	Memorial Highways.
§ 5543.18	Erection of signposts.
§ 5571.01	Road improvements.
§ 5577.05	Prohibition against violation.
§ 5577.07	Reduction of weight and speed during times of thaws and moisture.
§ 5577.09	Rules - signs.
§ 5589.32	Erection of advertising signs resembling those required of railroad companies.
§ 5589.33	Advertising within the right-of-way of public highway.
§ 5591.42*	Carrying capacity of bridges - warning notice.

PART 3. MARKINGS**ORC Section Title / Description**

§ 4511.09*	Manual and specifications for uniform system of traffic control devices.
§ 4511.10*	Placement and maintenance of traffic control devices
§ 4511.11*	Local conformity to manual and specifications for uniform system of traffic control devices.
§ 4511.12*	Obedience to traffic control devices.
§ 4511.17*	Tampering with traffic control device, freshly applied pavement material, manhole covers.
§ 4511.27*	Overtaking and passing of vehicles proceeding in the same direction.
§ 4511.28*	Overtaking and passing upon the right of another vehicle.
§ 4511.29*	Driving to left of center of roadway in overtaking and passing traffic proceeding in same direction.
§ 4511.30*	Driving upon left side of roadway.
§ 4511.31*	Establishing hazardous zones.
§ 4511.33*	Driving in marked lanes.
§ 4511.35*	Divided roadways.
§ 4511.36*	Rules for turns at intersections.
§ 4511.46*	Right-of-way of pedestrian within crosswalk.

ORC Section Title / Description

§ 4511.48*	Right-of-way yielded by pedestrian.
§ 4511.49	Pedestrians on right half of crosswalk.
§ 4511.60	Driving through safety zone.
§ 4511.68*	Parking – prohibited acts.
§ 5521.01	Establishment and improvement of state highways within municipal corporation.

Part 4. HIGHWAY TRAFFIC SIGNALS**ORC Section Title / Description**

§ 4511.03	Emergency vehicles at red signal or stop sign.
§ 4511.09*	Manual and specifications for uniform system of traffic control devices.
§ 4511.11*	Local conformity to manual and specifications for uniform system of traffic control devices.
§ 4511.12*	Obedience to traffic control devices.
§ 4511.13*	Traffic control signal lights.
§ 4511.131*	Lane-use control signals.
§ 4511.132*	Operation at intersections with malfunctioning traffic control signal lights.
§ 4511.14*	Special pedestrian control signals
§ 4511.16*	Unauthorized sign or signal resembling a traffic control device.
§ 4511.17*	Tampering with traffic control device, freshly applied pavement marking material, manhole covers.
§ 4511.68*	Parking- prohibited acts.
§ 5555.02	General powers of board of county commissioners relating to public roads.
§ 5571.01	Road improvements.

PART 6. TEMPORARY TRAFFIC CONTROL**ORC Section Title / Description**

§ 3767.201	Destroying or removing barriers along limited access highways.
§ 4511.04*	Exception to traffic rules.
§ 4511.07*	Local traffic regulations.
§ 4511.09*	Manual and specifications for uniform system of traffic control devices.
§ 4511.10*	Placment and maintainance of traffic control devices.
§ 4511.11*	Local conformity to manual and specifications for uniform system of traffic contol devices.
§ 4511.12*	Obedience to traffic control devices.
§ 4511.17*	Tampering with traffic control device, freshly applied pavement material, manhole covers.
§ 4511.25*	Lanes of travel upon roadways of sufficient width.
§ 4511.68*	Parking - prohibited acts.
§ 4511.69*	Parking requirements.
§ 4511.71	Prohibition against driving upon closed highway.
§ 4511.74	Placing injurious material on highway.
§ 4511.98*	Signs as to increased penalties in construction zones.
§ 5501.27*	Increased penalties for traffic violations in construction zone.
§ 5515.01	Permits granted to use or occupy portions of road or highway.
§ 5515.02	Removal of structures constituting obstructions or interferences.
§ 5515.03	Occupants of land to remove all obstructions.
§ 5515.04	Attaching guideposts or signs to utility poles.
§ 5517.03	Closing highways or bridges.
§ 5517.04	Director to repair damage to county or township roads.
§ 5589.10	Digging, excavating, piling earth, or building fence on highway.
§ 5589.31	Construction of walk or ditch across highway.

PART 7. SCHOOL AREAS**ORC Section Title / Description**

§ 4511.21*	Speed limits – assured clear distance.
§ 4511.212*	Complaint of noncompliance by local authority with school zone sign laws.
§ 4511.75*	Stopping for stopped school bus.
§ 4511.76*	Administrative rules for school bus construction, design, equipment, operation and licensing.

PART 8. RAILROAD AND LIGHT RAIL TRANSIT GRADE CROSSINGS**ORC Section Title / Description**

§ 715.33	Streetcars.
§ 4511.01	Traffic laws – operation of motor vehicles definitions.
§ 4511.07*	Local traffic regulations.
§ 4511.12*	Obedience to traffic control devices.
§ 4511.13*	Traffic control signal lights.
§ 4511.132*	Operation at intersections with malfunctioning traffic control signal lights.
§ 4511.14*	Special pedestrian control signals.
§ 4511.20*	Operation in willful or wanton disregard of the safety of persons or property.
§ 4511.201*	Operation off street or highway in willful or wanton disregard of the safety of persons or property.
§ 4511.202*	Operation without being in reasonable control of vehicle, trolley, or streetcar.
§ 4511.21*	Speed limits – assured clear distance.
§ 4511.23*	Speed limits on bridges.
§ 4511.34*	Space between moving vehicles.
§ 4511.36*	Rules for turns at intersections.
§ 4511.38	Rules for starting and backing vehicles.
§ 4511.41*	Right-of-way rule at intersections.
§ 4511.42*	Right of way rule when turning left.
§ 4511.44*	Right of way at highway from any place other than another roadway.
§ 4511.45	Right-of-way of public safety or coroner's vehicle.
§ 4511.46*	Right-of-way of pedestrian within crosswalk.
§ 4511.48*	Right-of-way yielded by pedestrian.
§ 4511.50	Pedestrian walking in roadway.
§ 4511.57	Passing on left side of streetcar.
§ 4511.58	Vehicle shall not pass streetcar discharging passengers - exception.
§ 4511.59	Driving and turning in front of streetcars.
§ 4511.61*	Stop signs at dangerous highway crossings over railroad tracks.
§ 4511.62	Stopping at railroad grade crossing.
§ 4511.63*	Stopping at grade crossings.
§ 4511.64*	Slow-moving vehicles or equipment crossing railroad tracks.
§ 4511.68*	Parking – prohibited acts.
§ 4511.712*	Obstructing intersection.
§ 4513.40*	Warning sign before safety device at street crossing.
§ 4905.04	Power to regulate public utilities and railroads.
§ 4907.47*	Installing crossing signals.
§ 4907.471*	Surveys determining probability of accident at crossing.
§ 4907.474	Closing crossings to vehicular traffic.
§ 4907.475	Closing rural crossings.
§ 4907.48*	Regulation of crossing signals.
§ 4907.49*	Dangerous crossings.
§ 4907.52*	Safety devices at grade crossings.
§ 4951.02*	Grant of right to construct.
§ 4951.12	Use of public highways.
§ 4951.14*	Crossings.
§ 4951.45	Electric railways or interurban railroads operating cars along third rail required to maintain fences
§ 4955.201*	Abandonment of railroad track.
§ 4955.33*	Crossbuck signs.
§ 5589.32	Erection of advertising signs resembling those required of railroad companies.

PART 9. BICYCLE FACILITIES**ORC Section Title / Description**

§ 4501.01	Motor vehicles definitions.
§ 4511.01	Traffic laws – operation of motor vehicles definitions.
§ 4511.051*	Freeways – prohibited acts.
§ 4511.07*	Local traffic regulations.
§ 4511.512	Operation of electric personal assistive mobility devices.

ORC Section Title / Description

§ 4511.52	Bicycles – issuance of ticket – points not assessed..
§ 4511.521	Operation of motorized bicycles.
§ 4511.53	Operation of bicycles, motorcycles and snowmobiles.
§ 4511.55	Operating bicycles and motorcycles on roadway.
§ 4511.68*	Parking – prohibited acts.
§ 4511.711	Driving on sidewalk.
§ 4511.713	Use of bicycle paths.

HAZARDOUS MATERIALS**ORC Section Title / Description**

§ 4905.80	Uniform registration and uniform permitting of persons engaged in the highway transportation of hazardous materials rules.
§ 4905.81	Highway routing of hazardous materials rules.

MEMORIAL HIGHWAYS**ORC Section Title / Description**

§ 5511.01	State highway system established.
§ 5533	Memorial Highways.
§ 5541.04	Changing name of road.
§ 5543.04	Naming and numbering of roads and bridges - maps.
§ 5511.09	Procedure for naming of highway.
§ 5529.08	Memorial markers listing POWS/MIAS at any improved roadside rest area.
§ 5913.30	Placement of memorial markers listing POWS/MIAS at highway rest areas.

MOTORCYCLES**ORC Section Title / Description**

§ 505.17	Regulations for engine noise and vehicle parking.
§ 4511.01	Traffic laws – operation of motor vehicles definitions.
§ 4511.53	Operation of bicycles, motorcycles and snowmobiles.
§ 4511.55	Operating bicycles and motorcycles on roadway.
§ 4513.221	Local regulation of passenger car and motorcycle noise.
§ 4519.41	Operation of vehicle on or near highway, street or road.

PEDESTRIANS**ORC Section Title / Description**

§ 729.12	New curbs to have ramped curbing for handicapped.
§ 737.022	Authority of director of public safety to promulgate certain traffic regulations.
§ 4511.01	Traffic laws – operation of motor vehicles definitions.
§ 4511.051*	Freeways – prohibited acts.
§ 4511.12*	Obedience to traffic control devices.
§ 4511.13*	Traffic control signal lights.
§ 4511.14*	Special pedestrian control signals.
§ 4511.441	Right-of-way of pedestrian on sidewalk.
§ 4511.452	Right-of-way yielded by pedestrian to public safety vehicle.
§ 4511.46*	Right-of-way of pedestrian within crosswalk.
§ 4511.47	Right-of-way of blind person.
§ 4511.48*	Right-of-way yielded by pedestrian.
§ 4511.481*	Intoxicated or drugged pedestrian on highway.
§ 4511.49	Pedestrians on right half of crosswalk.
§ 4511.50	Pedestrian walking in roadway.
§ 4511.511	Pedestrian on bridge or railroad grade crossing.
§ 4511.512	Operation of electric personal assistive mobility devices.
§ 4907.474	Closing crossings to vehicular traffic.
§ 4907.475	Closing rural crossings.

SPEEDS**ORC Section Title / Description**

- § 4511.07* Local traffic regulations.
- § 4511.091 Arrest or citation based on radar, timing device or radio message from another officer.
- § 4511.21* Speed limits – assured clear distance.
- § 4511.22* Slow speed.
- § 4511.23* Speed limits on bridges.
- § 4511.24* Speed limits not applicable to emergency or public safety.

TRAFFIC REGULATIONS**ORC Section Title / Description**

- § 3767.201 Destroying or removing barriers along limited access highways.
- § 4511.07* Local traffic regulations.
- § 4511.12* Obedience to traffic control devices.
- § 4511.16* Unauthorized sign or signal resembling a traffic control device.
- § 4511.17* Tampering with traffic control device, freshly applied marking material, manhole covers.
- § 4511.202* Operation without being in reasonable control of vehicle, trolley, or streetcar.
- § 4511.213* Approaching stationary public safety vehicle displaying emergency light.
- § 4511.25* Lanes of travel upon roadways of sufficient width.
- § 4511.26* Vehicles traveling in opposite directions.
- § 4511.32* One-way traffic - rotary islands.
- § 4511.34* Space between moving vehicles.
- § 4511.36* Rules for turns at intersections.
- § 4511.37* Turning in roadway prohibited - exception
- § 4511.41* Right-of-way rule at intersections.
- § 4511.42* Right of way rule when turning left.
- § 4511.43* Right-of-way rule at through highways, stop signs, yield signs.
- § 4511.431* Stop prior to driving on sidewalk area.
- § 4511.44* Right-of-way at highway from any place other than another roadway.
- § 4511.47 Right-of-way of blind person.
- § 4511.481* Intoxicated or drugged pedestrian on highway.
- § 4511.50 Pedestrian walking in roadway.
- § 4511.65* Designation of through highways.
- § 4511.66* Prohibition against parking on highways.
- § 4511.68* Parking –prohibited acts.
- § 4511.681* Parking on private property – prohibited acts.
- § 4511.69* Parking requirements.
- § 4511.75* Stopping for stopped school bus.
- § 4513.03 Time for lighted lights on motor vehicles.
- § 4513.17 Limit on number of lights.
- § 4519.40* Prohibited acts.
- § 4519.41 Operation of vehicle on or near highway, street or road.
- § 5516 Advertising on Interstate Highways.
- § 5547.04 Removal of obstructions by landowners - consent and approval - signs and advertising.
- § 5577.07 Reduction of weight and speed during times of thaws and moisture.
- § 5577.09 Rules - signs.
- § 5591.42* Carrying capacity of bridges - warning notice.

MISCELLANEOUS**ORC Section Title / Description**

- § 505.17 Regulations for engine noise and vehicle parking.
- § 723.01 Legislative authority to have car, supervision, and control of public roads, grounds and bridges.
- § 951.02 Animals running at large on public roads - grazing on another's land.
- § 4511.06* Applicability and uniformity of traffic laws.
- § 4511.18* Purchase, possession or sale of traffic control device.
- § 4511.20* Operation in willful or wanton disregard of the safety of persons or property.

ORC Section Title / Description

§ 4511.201*	Operation off street or highway in willful or wanton disregard of the safety of persons or property.
§ 4511.76*	Administrative rules for school bus construction, design, equipment, operation and licensing.
§ 4905.80	Uniform registration and uniform permitting of persons engaged in the highway transportation of hazardous materials rules.
§ 4905.81	Highway routing of hazardous materials rules.
§ 5501.49	Lift bridge inspection.
§ 5511.01	State highway system established.
§ 5515.01	Permits granted to use or occupy portion of road or highway.
§ 5515.02	Removal of structures constituting obstructions or interferences.
§ 5515.03	Occupants of land to remove all obstructions.
§ 5515.07	Use of rest areas - commercial activities prohibited.
§ 5529.03	Aquiring land for rest and recreation areas and sanitary and other facilities.

Intentionally blank.

APPENDIX B2. OHIO REVISED CODE SECTIONS

For your convenience, the Ohio Revised Code (ORC) Sections listed below have been reprinted in this Appendix. Although we have checked for any recent changes in the sections quoted, we cannot guarantee the accuracy of the following copies of ORC text at any particular time. The ORC is available through local libraries, and a searchable version is also available on the web at <http://codes.ohio.gov/>.

R.C. Section	Title/Description	Page in Appendix B2
§ 4511.04	Exception to traffic rules.....	3
§ 4511.051	Freeways – prohibited acts.	3
§ 4511.06	Applicability and uniformity of traffic laws.	3
§ 4511.07	Local traffic regulations	3
§ 4511.09	Manual and specifications for uniform system of traffic control devices	4
§ 4511.10	Placement and maintenance of traffic control devices.....	4
§ 4511.101	Placement of business logos on directional signs along interstates.....	5
§ 4511.102	Tourist-oriented directional sign program definitions	5
§ 4511.103	Administrative rules for placement of tourist-oriented directional signs and trailblazer markers	6
§ 4511.104	Participation in tourist-oriented directional sign program.....	6
§ 4511.105	Tourist-oriented directional signs to conform to federal manual of uniform traffic control devices	7
§ 4511.106	Local tourist-oriented directional sign programs	7
§ 4511.11	Local conformity to manual and specifications for uniform system of traffic control devices..	7
§ 4511.12	Obedience to traffic control devices	8
§ 4511.13	Traffic control signal lights.....	8
§ 4511.131	Lane-use control signals	11
§ 4511.132	Operation at intersections with malfunctioning traffic control signal lights.....	11
§ 4511.14	Special pedestrian control signals.....	11
§ 4511.16	Unauthorized sign or signal resembling a traffic control device.....	12
§ 4511.17	Tampering with traffic control device, freshly applied pavement material, manhole covers .	12
§ 4511.18	Purchase, possession or sale of traffic control device.....	12
§ 4511.20	Operation in willful or wanton disregard of the safety of persons or property.....	13
§ 4511.201	Operation off street or highway in willful or wanton disregard of the safety of persons or property	13
§ 4511.202	Operating vehicle without being in reasonable control of vehicle, trolley, or streetcar	13
§ 4511.21	Speed limits-assured clear distance	14
§ 4511.211	Establishing speed limit on private residential road or driveway	20
§ 4511.212	Complaint of noncompliance by local authority with school zone sign laws	20
§ 4511.213	Approaching stationary public safety vehicle displaying emergency light	21
§ 4511.22	Slow speed.....	21
§ 4511.23	Speed limits on bridges.....	22
§ 4511.24	Speed limits not applicable to emergency or public safety vehicles	22
§ 4511.25	Lanes of travel upon roadways of sufficient width	22
§ 4511.26	Vehicles traveling in opposite directions	23
§ 4511.27	Overtaking and passing of vehicles proceeding in the same direction	23
§ 4511.28	Overtaking and passing upon the right of another vehicle.....	24
§ 4511.29	Driving to left of center of roadway in overtaking and passing traffic proceeding in same direction.....	24
§ 4511.30	Driving upon left side of roadway	24
§ 4511.31	Establishing hazardous zones	25
§ 4511.32	One-way traffic – rotary islands.....	25
§ 4511.33	Driving in marked lanes.....	25
§ 4511.34	Space between moving vehicles.....	26
§ 4511.35	Divided roadways	26
§ 4511.36	Rules for turns at intersections.....	26
§ 4511.37	Turning in roadway prohibited - exceptions	27
§ 4511.41	Right-of-way rule at intersections.....	27
§ 4511.42	Right of way rule when turning left.....	28
§ 4511.43	Right-of-way rule at through highways, stop signs, yield signs	28

R.C. Section	Title/Description	Page in Appendix B2
§ 4511.431	Stop prior to driving on sidewalk area.....	28
§ 4511.432	Stop signs on private residential road or driveway	29
§ 4511.44	Right-of-way at highway from any place other than another roadway.....	29
§ 4511.46	Right-of-way of pedestrian within crosswalk.....	30
§ 4511.48	Right-of-way yielded by pedestrian.....	30
§ 4511.481	Intoxicated or drugged pedestrian on highway	30
§ 4511.61	Stop signs at dangerous highway crossings over railroad tracks	31
§ 4511.62	Stopping at railroad grade crossings	31
§ 4511.63	Stopping at grade crossings	31
§ 4511.64	Slow-moving vehicles or equipment crossing railroad tracks	32
§ 4511.65	Designation of through highways.....	33
§ 4511.66	Prohibition against parking on highways.....	33
§ 4511.661	Unattended motor vehicles	34
§ 4511.67	Police may remove illegally parked vehicle	34
§ 4511.68	Parking – prohibited acts.....	34
§ 4511.681	Parking on private property – prohibited acts	35
§ 4511.69	Parking requirements	35
§ 4511.712	Obstructing intersection	37
§ 4511.75	Stopping for stopped school bus.....	37
§ 4511.76	Administrative rules for school bus construction, design, equipment, operation and licensing	38
§ 4511.98	Signs as to increased penalties in construction zones	39
§ 4513.40	Warning sign before safety device at street crossing	39
§ 4519.40	Prohibited acts	39
§ 4907.47	Installing crossing signals.	40
§ 4907.471	Surveys determining probability of accident at crossing.....	40
§ 4907.48	Regulation of crossing signals	42
§ 4907.49	Dangerous crossings	42
§ 4907.52	Safety devices at grade crossings	42
§ 4951.02	Grant of right to construct.....	42
§ 4951.14	Crossings	43
§ 4955.201	Abandonment of railroad track.....	43
§ 4955.33	Crossbuck signs.....	43
§ 5501.27	Increased penalties for traffic violations in construction zone.....	43
§ 5591.42	Carrying capacity of bridges - warning notice	44

§ 4511.04. Exception to traffic rules.

- (A) Sections 4511.01 to 4511.18, 4511.20 to 4511.78, 4511.99, and 4513.01 to 4513.37 of the Revised Code do not apply to persons, teams, motor vehicles, and other equipment while actually engaged in work upon the surface of a highway within an area designated by traffic control devices, but apply to such persons and vehicles when traveling to or from such work.
- (B) The driver of a highway maintenance vehicle owned by this state or any political subdivision of this state, while the driver is engaged in the performance of official duties upon a street or highway, provided the highway maintenance vehicle is equipped with flashing lights and such other markings as are required by law, and such lights are in operation when the driver and vehicle are so engaged, shall be exempt from criminal prosecution for violations of sections 4511.22, 4511.25, 4511.26, 4511.27, 4511.28, 4511.30, 4511.31, 4511.33, 4511.35, 4511.66, 4513.02, and 5577.01 to 5577.09 of the Revised Code.
- (C) (1) This section does not exempt a driver of a highway maintenance vehicle from civil liability arising from the violation of sections 4511.22, 4511.25, 4511.26, 4511.27, 4511.28, 4511.30, 4511.31, 4511.33, 4511.35, 4511.66, or 4513.02 or sections 5577.01 to 5577.09 of the Revised Code.
- (2) This section does not exempt the driver of a vehicle that is engaged in the transport of highway maintenance equipment from criminal liability for a violation of sections 5577.01 to 5577.09 of the Revised Code.
- (D) As used in this section, "highway maintenance vehicle" means a vehicle used in snow and ice removal or road surface maintenance, including a snow plow, traffic line striper, road sweeper, mowing machine, asphalt distributing vehicle, or other such vehicle designed for use in specific highway maintenance activities.

HISTORY: GC § 6307-4; 119 v 766, § 4; Bureau of Code Revision, 10-1-53; 133 v S 77. Eff 11-17-69; 150 v H 87, § 1, eff.6-30-03.

§ 4511.051. Freeways – prohibited acts.

- (A) No person, unless otherwise directed by a police officer, shall:
- (1) As a pedestrian, occupy any space within the limits of the right-of-way of a freeway, except: in a rest area; on a facility that is separated from the roadway and shoulders of the freeway and is designed and appropriately marked for pedestrian use; in the performance of public works or official duties; as a result of an emergency caused by an accident or breakdown of a motor vehicle; or to obtain assistance;
- (2) Occupy any space within the limits of the right-of-way of a freeway, with: an animal-drawn vehicle; a ridden or led animal; herded animals; a pushcart; a bicycle, except on a facility that is separated from the roadway and shoulders of the freeway and is designed and appropriately marked for bicycle use; a bicycle with motor attached; a motor driven cycle with a motor which produces not to exceed five brake horsepower; an agricultural tractor; farm machinery; except in the performance of public works or official duties.
- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 131 v 1099 (Eff 9-1-65); 132 v H 1 (Eff 2-21-67); 143 v H 258. Eff 11-2-89; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.06. Applicability and uniformity of traffic laws.

Sections 4511.01 to 4511.78, 4511.99, and 4513.01 to 4513.37 of the Revised Code shall be applicable and uniform throughout this state and in all political subdivisions and municipal corporations of this state. No local authority shall enact or enforce any rule in conflict with such sections, except that this section does not prevent local authorities from exercising the rights granted them by Chapter 4521. of the Revised Code and does not limit the effect or application of the provisions of that chapter.

HISTORY: GC § 6307-6; 119 v 766, § 6; Bureau of Code Revision, 10-1-53; 139 v H 707. Eff 1-1-83.

§ 4511.07. Local traffic regulations.

- (A) Sections 4511.01 to 4511.78, 4511.99, and 4513.01 to 4513.37 of the Revised Code do not prevent local authorities from carrying out the following activities with respect to streets and highways under their jurisdiction and within the reasonable exercise of the police power:

January 13, 2012

Appendix B2, Ohio Revised Code Sections

- (1) Regulating the stopping, standing, or parking of vehicles, trackless trolleys, and streetcars;
- (2) Regulating traffic by means of police officers or traffic control devices;
- (3) Regulating or prohibiting processions or assemblages on the highways;
- (4) Designating particular highways as one-way highways and requiring that all vehicles, trackless trolleys, and streetcars on the one-way highways be moved in one specific direction;
- (5) Regulating the speed of vehicles, streetcars, and trackless trolleys in public parks;
- (6) Designating any highway as a through highway and requiring that all vehicles, trackless trolleys, and streetcars stop before entering or crossing a through highway, or designating any intersection as a stop intersection and requiring all vehicles, trackless trolleys, and streetcars to stop at one or more entrances to the intersection;
- (7) Regulating or prohibiting vehicles and trackless trolleys from passing to the left of safety zones;
- (8) Regulating the operation of bicycles; provided that no such regulation shall be fundamentally inconsistent with the uniform rules of the road prescribed by this chapter and that no such regulation shall prohibit the use of bicycles on any public street or highway except as provided in section 4511.051 of the Revised Code;
- (9) Requiring the registration and licensing of bicycles, including the requirement of a registration fee for residents of the local authority;
- (10) Regulating the use of certain streets by vehicles, streetcars, or trackless trolleys.

(B) No ordinance or regulation enacted under division (D), (E), (F), (G), or (I) of this section shall be effective until signs giving notice of the local traffic regulations are posted upon or at the entrance to the highway or part of the highway affected, as may be most appropriate.

Every ordinance, resolution, or regulation enacted under division (A) of this section shall be enforced in compliance with section 4511.071 of the Revised Code, unless the local authority that enacted it also enacted an ordinance, resolution, or regulation pursuant to division (A) of section 4521.02 of the Revised Code that specifies that a violation of it shall not be considered a criminal offense, in which case the ordinance, resolution, or regulation shall be enforced in compliance with Chapter 4521. of the Revised Code.

HISTORY: GC § 6307-7; 119 v 766; Bureau of Code Revision, 10-1-53; 129 v 1037 (Eff 8-11-61); 133 v S 452 (Eff 7-17-70); 135 v H 995 (Eff 1-1-75); 138 v S 257 (Eff 6-25-80); 139 v H 707. Eff 1-1-83; 9-21-06.

§ 4511.09. Manual and specifications for uniform system of traffic control devices.

The department of transportation shall adopt a manual for a uniform system of traffic control devices, including signs denoting names of streets and highways, for use upon any street, highway, bikeway, or private road open to public travel within this state. Such uniform system shall correlate with, and so far as possible conform to, the system approved by the federal highway administration.

HISTORY: GC § 6307-9; 119 v 766, § 9; Bureau of Code Revision, 10-1-53; 135 v H 200 (Eff 9-28-73); 129 v H 349. Eff 4-12-12.

The manual referred to is the "Ohio Manual of Uniform Traffic Control Devices for Streets and Highways" prepared by the Ohio Department of Transportation, Office of Traffic Engineering, and for sale by the Office of Contracts, 1980 W. Broad St., P.O. Box 899, Columbus, Ohio 43216-0899.

§ 4511.10. Placing and maintenance of traffic control devices.

The department of transportation may place and maintain traffic control devices, conforming to its manual and specifications, upon all state highways as are necessary to indicate and to carry out sections 4511.01 to 4511.78 and 4511.99 of the Revised Code, or to regulate, warn, or guide traffic.

No local authority shall place or maintain any traffic control device upon any highway under the jurisdiction of the department except by permission of the director of transportation.

HISTORY: GC § 6307-10; 119 v 766, § 10; Bureau of Code Revision, 10-1-53; 135 H 200. Eff 9-28-73.

The manual referred to is the "Ohio Manual of Uniform Traffic Control Devices for Streets and Highways" prepared by the Ohio Department of Transportation, Office of Traffic Engineering, and for sale by the Office of Contracts, 1980 W. Broad St., P.O. Box 899, Columbus, Ohio 43216-0899.

§ 4511.101. Placement of business logos on directional signs along interstates.

- (A) The director of transportation, in accordance with 23 U.S.C.A. 109(d), 131(f), and 315, as amended, shall establish a program for the placement of business logos for identification purposes on state directional signs within the rights-of-way of divided, multi-lane, limited access highways in both rural and urban areas.
- (B) (1) The director shall establish, and may revise at any time, a fee for participation in the business logo sign program. All direct and indirect costs of the business logo sign program established pursuant to this section shall be fully paid by the businesses applying for participation in the program. All direct and indirect costs of the business logo sign program established pursuant to this section shall be fully paid by the businesses applying for participation in the program. The direct and indirect costs of the program shall include, but not be limited to, the cost of capital, directional signs, blanks, posts, logos, installation, repair, engineering, design, insurance, removal, replacement, and administration.
- (2) Money generated from participating businesses in excess of the direct and indirect costs and any reasonable profit earned by a person awarded a contract under division (C) of this section shall be remitted to the department.
- (3) Nothing in this chapter shall be construed to prohibit the director from establishing such a program. If the department operates such a program and does not contract with a private person to operate it, all money collected from participating businesses shall be deposited and credited as prescribed in division (B)(2) of this section.
- (C) The director, in accordance with rules adopted pursuant to Chapter 119. of the Revised Code, may contract with any private person to operate, maintain, and market the business logo sign program. The contract may allow for a reasonable profit to be earned by the successful applicant. In awarding the contract, the director shall consider the skill, expertise, prior experience, and other qualifications of each applicant.
- (D) As used in this section, "urban area" means an area having a population of fifty thousand or more according to the most recent federal census and designated as such on urban maps prepared by the department.
- (E) In implementing this section, neither the department nor the director shall do either of the following:
- (1) Limit the right of any person to erect, maintain, repair, remove, or utilize any off-premises or on-premises advertising device;
 - (2) Make participation in the business logo sign program conditional upon a business agreeing to limit, discontinue, withdraw, modify, alter, or change any advertising or sign.
- (F) The program shall permit the business logo signs of a seller of motor vehicle fuel to include on the seller's signs a marking or symbol indicating that the seller sells one or more types of alternative fuel so long as the seller in fact sells that fuel.

As used in this division, "alternative fuel" has the same meaning as in section 125.831 of the Revised Code.

HISTORY: 143 v H 356 (Eff 11-2-89); 143 v H 737 (Eff 4-11-91); 145 v H 154 (Eff 6-30-93); 146 v H 107 (Eff 6-30-95); 146 v H 353 (Eff 9-17-96); 146 v H 670 (Eff 12-2-96); 147 v H 210 (Eff 6-30-97); 147 v H 462. Eff 3-18-99. 07-06-2006; 2008 HB562 (vetoed provisions) 09-22-2008

§ 4511.102. Tourist-oriented directional sign program definitions.

As used in sections 4511.102 to 4511.106 of the Revised Code:

- (A) "Tourist-oriented activity" includes any lawful cultural, historical, recreational, educational, or commercial activity a major portion of whose income or visitors are derived during the normal business season from motorists not residing in the immediate area of the activity and attendance at which is no less than two thousand visitors in any consecutive twelve-month period.
- (B) "Eligible attraction" means any tourist-oriented activity that meets all of the following criteria:
- (1) Is not eligible for inclusion in the business logo sign program established under section 4511.101 of the Revised Code at that intersection;
 - (2) If currently advertised by signs adjacent to a highway on the interstate system or state system, those signs are consistent with Chapter 5516. of the Revised Code and the "National Highway Beautification Act of 1965," 79 Stat. 1028, 23 U.S.C. 131, and the national standards, criteria, and rules adopted pursuant to that act;
 - (3) Is within ten miles of the highway for which signing is sought under sections 4511.102 to 4511.105 of the Revised Code;
 - (4) Meets any additional criteria developed by the director of transportation and adopted by the director as rules in accordance with Chapter 119. of the Revised Code.

- (C) "Interstate system" has the same meaning as in section 5516.01 of the Revised Code.
- (D) "Commercial activity" means a farm market, winery, bed and breakfast, lodging that is not a franchise or part of a national chain, antiques shop, craft store, or gift store.

HISTORY: 145 v H 687 (Eff 10-12-94); 146 v H 217 (Eff 11-1-95); 147 v H 210 (Eff 6-30-97); 147 v H 215 (Eff 6-30-97); 129 v H 349. Eff 4-12-12.

§ 4511.103. Administrative rules for placement of tourist-oriented directional signs and trailblazer markers.

- (A) The director of transportation, in accordance with 23 U.S.C. 109(d) and 315, with the provisions of the manual of uniform traffic control devices relating to tourist-oriented directional signs and trailblazer markers, and with Chapter 119. of the Revised Code, shall adopt rules to carry out a program for the placement of tourist-oriented directional signs and trailblazer markers within the rights-of-way of those portions of rural state highways that are not on the interstate system. The rules shall prohibit the placement of tourist-oriented directional signs and trailblazer markers at interchanges on state system expressways and freeways. The rules shall include, but need not be limited to, all of the following:
- (1) The form of the application to participate in the program. The form shall include such necessary information as the director requires to ensure that a tourist-oriented activity for which signing is sought is an eligible attraction.
 - (2) Provisions for covering or otherwise obscuring signs during off-seasons for eligible attractions that operate on a seasonal basis;
 - (3) A determination as to the circumstances that justify including on a sign the hours of operation of an eligible attraction;
 - (4) Criteria for use of the signs at at-grade intersections on expressways.
- (B) The program established pursuant to division (A) of this section may be operated, maintained, and marketed either by the department of transportation or by any private person with whom the director, in accordance with rules adopted by the director pursuant to Chapter 119. of the Revised Code, contracts for the operation, maintenance, and marketing. The rules shall describe the terms of the contract and shall allow for a reasonable profit to be made by the successful applicant. In awarding the contract, the director shall consider the skill, expertise, prior experience, and other qualifications of each applicant.
- (C) All direct and indirect costs of the program shall be fully paid by the eligible attractions that participate in the program. The director shall develop a fee schedule for participation in the program, and shall charge each program participant the appropriate fee. Direct and indirect costs include, but are not limited to, the cost of all of the following:
- (1) Capital;
 - (2) Insurance;
 - (3) Directional signs, sign blanks, and posts, and the design, engineering, installation, repair, replacement, and removal of directional signs and posts;
 - (4) Program administration.
- (D) Money generated from participating businesses in excess of the direct and indirect costs and any reasonable profit earned by a person awarded a contract under division (B) of this section shall be remitted to the department, which shall deposit all such money into the state treasury to the credit of the highway operating fund created by section 5735.291 of the Revised Code
- (E) Nothing in this chapter shall be construed to prohibit the director from establishing such a program. If the department operates such a program and does not contract with a private entity to operate the program, all money collected from participating businesses shall be deposited into the state treasury to the credit of the highway operating fund.

HISTORY: 145 v H 687 (Eff 10-12-94); 146 v H 217 (Eff 11-1-95); 129 v H 349. Eff 4-12-12.

§ 4511.104. Participation in tourist-oriented directional sign program

- (A) The operator of any tourist-oriented activity who wishes to participate in the tourist-oriented directional sign program established under sections 4511.102 to 4511.105 of the Revised Code shall forward a completed application, as provided in section 4511.103 of the Revised Code, to the director of transportation or person holding a contract under division (B) of section 4511.103 of the Revised Code. If the director or person finds the application to be complete and determines that the activity constitutes an eligible attraction, the director or person shall so notify the applicant in writing. Upon receipt of the notice, the applicant shall forward to the director or person, in a manner determined by the director, the amount of the fee due and thereupon shall execute an advertising agreement in a form prescribed by the director.

- (B) The operator of any eligible attraction for which an advertising agreement is in effect under this section immediately shall forward the advertising agreement to the director or person holding a contract under division (B) of section 4511.103 of the Revised Code for cancellation if the eligible attraction ceases to be such an attraction.
- (C) The director, when having reasonable cause to believe that an eligible attraction for which an advertising agreement is in effect has ceased to be such an attraction, immediately and without conducting an adjudication shall issue an order canceling the advertising agreement and forward notice of the cancellation in writing to the operator of the attraction together with information that the cancellation may be appealed in accordance with section 119.12 of the Revised Code. If no appeal is entered within the period specified in that section or if an appeal is entered but cancellation of the advertising agreement subsequently is affirmed, the director shall order the removal of the signs relating to the former eligible attraction.
- (D) Any person holding a contract under division (B) of section 4511.103 of the Revised Code, when having reasonable cause to believe that an eligible attraction for which an advertising agreement is in effect has ceased to be such an attraction, immediately shall notify the director in writing of that fact. Upon receipt of the notice, the director shall proceed in accordance with division (C) of this section.

HISTORY: 145 v H 687 (Eff 10-12-94); 146 v H 217. Eff 11-1-95.

§ 4511.105. Tourist-oriented directional signs to conform to federal manual of uniform traffic control devices.

Tourist-oriented directional signs shall conform to the specifications contained in the manual of uniform traffic control devices.

If more than one eligible attraction requires a sign at the same location, multiple signs may be combined on the same panel in accordance with the manual of uniform traffic control devices.

Advance signing may be installed in those situations where sight distance, intersection vehicle maneuvers, or other vehicle operating characteristics require advance notice of an eligible attraction in order to reduce vehicle conflicts and improve highway safety.

The design, arrangement, size, and location of tourist-oriented directional signs, including advance signs and trailblazer markers, authorized under sections 4511.102 to 4511.105 of the Revised Code shall conform to the applicable specifications contained in the manual of uniform traffic control devices.

HISTORY: 145 v H 687 (Eff 10-12-94); 146 v H 217. Eff 11-1-95.

§ 4511.106. Local tourist-oriented directional sign programs.

The legislative authority of a local authority may adopt a resolution establishing a program for the placement of tourist-oriented directional signs and trailblazer markers within the rights-of-way of streets and highways under its jurisdiction. Any program established under this section shall conform to the rules and specifications contained in the program established by the director of transportation pursuant to sections 4511.102 to 4511.105 of the Revised Code and the applicable provisions of the manual of uniform traffic control devices. If a local authority establishes a program under this section, the local authority may request guidance from the department of transportation in structuring, implementing, and administering its program, but the local authority is solely responsible for the structure and actual implementation and administration of its program, including, but not limited to, the evaluation and review of applications to participate in the local program and the execution of advertising agreements with eligible attractions.

HISTORY: 145 v H 687 (Eff 10-12-94); 146 v H 217 (Eff 11-1-95); 129 v H 349. Eff 4-12-12.

§ 4511.11. Local conformity to manual and specifications for uniform system of traffic control devices..

- (A) Local authorities in their respective jurisdictions shall place and maintain traffic control devices in accordance with the department of transportation manual for a uniform system of traffic control devices, adopted under section 4511.09 of the Revised Code, upon highways under their jurisdiction as are necessary to indicate and to carry out sections 4511.01 to 4511.76 and 4511.99 of the Revised Code, local traffic ordinances, or to regulate, warn, or guide traffic.
- (B) The director of transportation may require to be removed any traffic control device that does not conform to the manual for a uniform system of traffic control devices on the extensions of the state highway system within municipal corporations.
- (C) No village shall place or maintain any traffic control signal upon an extension of the state highway system within the village without first obtaining the permission of the director. The director may revoke the permission and may require to be removed any traffic control signal that has been erected without

the director's permission on an extension of a state highway within a village, or that, if erected under a permit granted by the director, does not conform to the state manual, or that is not operated in accordance with the terms of the permit.

- (D) All traffic control devices erected on any street, highway, alley, bikeway, or private road open to public travel shall conform to the state manual and specifications.
- (E) No person, firm, or corporation shall sell or offer for sale to local authorities any traffic control device that does not conform to the state manual, except by permission of the director.
- (F) No local authority shall purchase or manufacture any traffic control device that does not conform to the state manual, except by permission of the director.
- (G) Whoever violates division (E) of this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-11; 119 v 766, § 11; 121 v 684; Bureau of Code Revision, 10-1-53; 130 v 1081 (Eff 10-14-63); 130 v PtlI, H 5 (Eff 12-16-64); 131 v 1100 (Eff 11-1-65); 135 v H 200 (Eff 9-28-73); 143 v H 258 (Eff 11-2-89); 143 v H 162 (Eff 6-28-90); 149 v S 123, § 1, (Eff 1-1-04); 129 v H 349. Eff 4-12-12.

§ 4511.12. Obedience to traffic control devices.

- (A) No pedestrian, driver of a vehicle, or operator of a streetcar or trackless trolley shall disobey the instructions of any traffic control device placed in accordance with this chapter, unless at the time otherwise directed by a police officer.

No provisions of this chapter for which signs are required shall be enforced against an alleged violator if at the time and place of the alleged violation an official sign is not in proper position and sufficiently legible to be seen by an ordinarily observant person. Whenever a particular section of this chapter does not state that signs are required, that section shall be effective even though no signs are erected or in place.

- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-12; 119 v 766, § 12; 124 v 514; Bureau of Code Revision, 10-1-53; 143 v H 258. Eff 11-2-89; 149 v S123, § 1, eff. 1-1-04.

§ 4511.13. Traffic control signal lights.

Highway traffic signal indications for vehicles and pedestrians shall have the following meanings:

- (A) Steady green signal indication:

- (1) (a) Vehicular traffic, streetcars, and trackless trolleys facing a circular green signal indication are permitted to proceed straight through or turn right or left or make a u-turn movement except as such movement is modified by a lane-use sign, turn prohibition sign, lane marking, roadway design, separate turn signal indication, or other traffic control device. Such vehicular traffic, including vehicles turning right or left or making a u-turn movement, shall yield the right-of-way to both of the following:

- (i) Pedestrians lawfully within an associated crosswalk;
- (ii) Other vehicles lawfully within the intersection.

- (b) In addition, vehicular traffic turning left or making a u-turn movement to the left shall yield the right-of-way to other vehicles approaching from the opposite direction so closely as to constitute an immediate hazard during the time when such turning vehicle is moving across or within intersection.

- (2) Vehicular traffic, streetcars, and trackless trolleys facing a green arrow signal indication, displayed alone or in combination with another signal indication, are permitted to cautiously enter the intersection only to make the movement indicated by such arrow, or such other movement as is permitted by other indications displayed at the same time. Such vehicular traffic, streetcars, and trackless trolleys, including vehicles turning right or left or making a u-turn movement, shall yield the right-of-way to both of the following:

- (a) Pedestrians lawfully within an associated crosswalk;
- (b) Other traffic lawfully using the intersection.

- (3) (a) Unless otherwise directed by a signal indication, as provided in section 4511.14 of the Revised Code, pedestrians facing a circular green signal indication are permitted to proceed across the roadway within any marked or unmarked associated crosswalk. The pedestrian shall yield the

right-of-way to vehicles lawfully within the intersection or so close as to create an immediate hazard at the time that the green signal indication is first displayed.

(b) Pedestrians facing a green arrow signal indication, unless otherwise directed by a pedestrian signal indication or other traffic control device, shall not cross the roadway.

(B) Steady yellow signal indication:

- (1) Vehicular traffic, streetcars, and trackless trolleys facing a steady circular yellow signal indication are thereby warned that the related green movement or the related flashing arrow movement is being terminated or that a steady red signal indication will be exhibited immediately thereafter when vehicular traffic, streetcars, and trackless trolleys shall not enter the intersection. The provisions governing vehicular operation under the movement being terminated shall continue to apply while the steady circular yellow signal indication is displayed.
- (2) Vehicular traffic facing a steady yellow arrow signal indication is thereby warned that the related green arrow movement or the related flashing arrow movement is being terminated. The provisions governing vehicular operation under the movement being terminated shall continue to apply while the steady yellow arrow signal indication is displayed.
- (3) Pedestrians facing a steady circular yellow or yellow arrow signal indication, unless otherwise directed by a pedestrian signal indication as provided in section 4511.14 of the Revised Code or other traffic control device, shall not start to cross the roadway.

(C) Steady red signal indication:

- (1) (a) Vehicular traffic, streetcars, and trackless trolleys facing a steady circular red signal indication, unless entering the intersection to make another movement permitted by another signal indication, shall stop at a clearly marked stop line; but if there is no stop line, traffic shall stop before entering the crosswalk on the near side of the intersection; or if there is no crosswalk, then before entering the intersection; and shall remain stopped until a signal indication to proceed is displayed except as provided in divisions (C)(1), (2), and (3) of this section.
 - (b) Except when a traffic control device is in place prohibiting a turn on red or a steady red arrow signal indication is displayed, vehicular traffic facing a steady circular red signal indication is permitted to enter the intersection to turn right, or to turn left from a one-way street, after stopping. The right to proceed with the turn shall be subject to the provisions that are applicable after making a stop at a stop sign.
- (2) (a) Vehicular traffic, streetcars, and trackless trolleys facing a steady red arrow signal indication shall not enter the intersection to make the movement indicated by the arrow and, unless entering the intersection to make another movement permitted by another signal indication, shall stop at a clearly marked stop line; but if there is no stop line, before entering the crosswalk on the near side of the intersection; or if there is no crosswalk, then before entering the intersection; and shall remain stopped until a signal indication or other traffic control device permitting the movement indicated by such red arrow is displayed.
 - (b) When a traffic control device is in place permitting a turn on a steady red arrow signal indication, vehicular traffic facing a steady red arrow indication is permitted to enter the intersection to make the movement indicated by the arrow signal indication, after stopping. The right to proceed with the turn shall be limited to the direction indicated by the arrow and shall be subject to the provisions that are applicable after making a stop at a stop sign.
- (3) Unless otherwise directed by a pedestrian signal indication as provided in section 4511.14 of the Revised Code or other traffic control device, pedestrians facing a steady circular red or steady red arrow signal indication shall not enter the roadway.
- (4) Local authorities by ordinance, or the director of transportation on state highways, may prohibit a right or a left turn against a steady red signal at any intersection, which shall be effective when signs giving notice thereof are posted at the intersection. (D) In the event an official traffic-control signal is erected and maintained at a place other than an intersection, the provisions of this section shall be applicable except as to those provisions which by their nature can have no application. Any stop required shall be made at a sign or marking on the pavement indicating where the stop shall be made, but in the absence of any such sign or marking the stop shall be made at the signal.

(D) A flashing green signal indication has no meaning and shall not be used.

(E) Flashing yellow signal indication:

- (1) (a) Vehicular traffic, on an approach to an intersection, facing a flashing circular yellow signal indication, is permitted to cautiously enter the intersection to proceed straight through or turn right or left or make a u-turn movement except as such movement is modified by lane-use signs, turn prohibition signs, lane markings, roadway design, separate turn signal indications, or other

traffic control devices. Such vehicular traffic, including vehicles turning right or left or making a u-turn movement, shall yield the right-of-way to both of the following:

- (i) Pedestrians lawfully within an associated crosswalk;
 - (ii) Other vehicles lawfully within the intersection.
 - (b) In addition, vehicular traffic turning left or making a u-turn to the left shall yield the right-of-way to other vehicles approaching from the opposite direction so closely as to constitute an immediate hazard during the time when such turning vehicle is moving across or within the intersection.
- (2) (a) Vehicular traffic, on an approach to an intersection, facing a flashing yellow arrow signal indication, displayed alone or in combination with another signal indication, is permitted to cautiously enter the intersection only to make the movement indicated by such arrow, or other such movement as is permitted by other signal indications displayed at the same time. Such vehicular traffic, including vehicles turning right or left or making a u-turn, shall yield the right-of-way to both of the following:
- (i) Pedestrians lawfully within an associated crosswalk;
 - (ii) Other vehicles lawfully within the intersection.
- (b) In addition, vehicular traffic turning left or making a u-turn to the left shall yield the right-of-way to other vehicles approaching from the opposite direction so closely as to constitute an immediate hazard during the time when such turning vehicle is moving across or within the intersection.
- (3) Pedestrians facing any flashing yellow signal indication at an intersection, unless otherwise directed by a pedestrian signal indication or other traffic control device, are permitted to proceed across the roadway within any marked or unmarked associated crosswalk. Pedestrians shall yield the right-of-way to vehicles lawfully within the intersection at the time that the flashing yellow signal indication is first displayed.
- (4) When a flashing circular yellow signal indication is displayed as a beacon to supplement another traffic control device, road users are notified that there is a need to pay additional attention to the message contained thereon or that the regulatory or warning requirements of the other traffic control device, which might not be applicable at all times, are currently applicable.
- (F) Flashing red signal indication:
- (1) Vehicular traffic, on an approach to an intersection, facing a flashing circular red signal indication, shall stop at a clearly marked stop line; but if there is no stop line, before entering the crosswalk on the near side of the intersection; or if there is no crosswalk, at the point nearest the intersecting roadway where the driver has a view of approaching traffic on the intersecting roadway before entering the intersection. The right to proceed shall be subject to the provisions that are applicable after making a stop at a stop sign.
 - (2) Pedestrians facing any flashing red signal indication at an intersection, unless otherwise directed by a pedestrian signal indication or other traffic control device, are permitted to proceed across the roadway within any marked or unmarked associated crosswalk. Pedestrians shall yield the right-of-way to vehicles lawfully within the intersection at the time that the flashing red signal indication is first displayed.
 - (3) When a flashing circular red signal indication is displayed as a beacon to supplement another traffic control device, road users are notified that there is a need to pay additional attention to the message contained thereon or that the regulatory requirements of the other traffic control device, which might not be applicable at all times, are currently applicable. Use of this signal indication shall be limited to supplementing stop, do not enter, or wrong way signs, and to applications where compliance with the supplemented traffic control device requires a stop at a designated point.
- (G) In the event an official traffic-control signal is erected and maintained at a place other than an intersection, the provisions of this section shall be applicable except as to those provisions which by their nature can have no application. Any stop required shall be made at a sign or marking on the pavement indicating where the stop shall be made, but in the absence of any such sign or marking the stop shall be made at the signal.
- (H) This section does not apply at railroad grade crossings. Conduct of drivers of vehicles, trackless trolleys, and streetcars approaching railroad grade crossings shall be governed by sections 4511.61 and 4511.62 of the Revised Code.

HISTORY: GC § 6307-13; 119 v 766, § 13; 124 v 514; Bureau of Code Revision, 10-1-53; 130 v 1081 (Eff 8-

9-63); 135 v S 263 (Eff 7-3-74); 135 v H 99 (Eff 7-1-75); 137 v H 171 (Eff 8-26-77); 140 v H 703 (Eff 3-28-85); 129 v H 349. Eff 4-12-12.

§ 4511.131. Lane-use control signals.

The meanings of lane-use control signal indications are as follows:

(A) A steady downward green arrow:

A road user is permitted to drive in the lane over which the arrow signal indication is located.

(B) A steady yellow "X":

A road user is to prepare to vacate the lane over which the signal indication is located because a lane control change is being made to a steady red "X" signal indication.

(C) A steady white two-way left-turn arrow:

A road user is permitted to use a lane over which the signal indication is located for a left turn, but not for through travel, with the understanding that common use of the lane by oncoming road users for left turns also is permitted.

(D) A steady white one-way left-turn arrow:

A road user is permitted to use a lane over which the signal indication is located for a left turn, without opposing turns in the same lane, but not for through travel.

(E) A steady red "X":

A road user is not permitted to use the lane over which the signal indication is located and that this signal indication shall modify accordingly the meaning of other traffic controls present.

HISTORY: 130 v 1083 (Eff 8-9-63); 135 v S 263 (Eff 7-3-74); 129 v H 349. Eff 4-12-12.

§ 4511.132. Operation at intersections with malfunctioning traffic control signal lights.

(A) The driver of a vehicle, streetcar, or trackless trolley who approaches an intersection where traffic is controlled by traffic control signals shall do all of the following, if the signal facing the driver either exhibits no colored lights or colored lighted arrows or exhibits a combination of such lights or arrows that fails to clearly indicate the assignment of right-of-way:

(1) Stop at a clearly marked stop line, but if none, stop before entering the crosswalk on the near side of the intersection, or, if none, stop before entering the intersection;

(2) Yield the right-of-way to all vehicles, streetcars, or trackless trolleys in the intersection or approaching on an intersecting road, if the vehicles, streetcars, or trackless trolleys will constitute an immediate hazard during the time the driver is moving across or within the intersection or junction of roadways;

(3) Exercise ordinary care while proceeding through the intersection.

() Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 143 v S 44. Eff 7-25-89; 149 v S123, § 1, eff. 1-1-04.

§ 4511.14. Special pedestrian control signals.

Whenever special pedestrian control signals exhibiting the words "walk" or "don't walk," or the symbol of a walking person or an upraised palm are in place, such signals shall indicate the following instructions:

(A) A steady walking person signal indication, which symbolizes "walk," means that a pedestrian facing the signal indication is permitted to start to cross the roadway in the direction of the signal indication, possibly in conflict with turning vehicles. The pedestrian shall yield the right-of-way to vehicles lawfully within the intersection at the time that the walking person signal indication is first shown.

(B) A flashing upraised hand signal indication, which symbolizes "don't walk," means that a pedestrian shall not start to cross the roadway in the direction of the signal indication, but that any pedestrian who has already started to cross on a steady walking person signal indication shall proceed to the far side of the traveled way of the street or highway, unless otherwise directed by a traffic control device to proceed only to the median of a divided highway or only to some other island or pedestrian refuge area.

(C) A steady upraised hand signal indication means that a pedestrian shall not enter the roadway in the direction of the signal indication.

(D) Nothing in this section shall be construed to invalidate the continued use of pedestrian control signals utilizing the word "wait" if those signals were installed prior to March 28, 1985.

(E) A flashing walking person signal indication has no meaning and shall not be used.

HISTORY: GC § 6307-14; 119 v 766, § 14; 124 v 514; Bureau of Code Revision, 10-1-53; 140 v H 703 (Eff 3-28-85); 129 v H 349. Eff 4-12-12.

§ 4511.16. Unauthorized sign or signal resembling a traffic control device.

(A) No person shall place, maintain, or display upon or in view of any highway any unauthorized sign, signal, marking, or device which purports to be, is an imitation of, or resembles a traffic control device or railroad sign or signal, or which attempts to direct the movement of traffic or hides from view or interferes with the effectiveness of any traffic control device or any railroad sign or signal, and no person shall place or maintain, nor shall any public authority permit, upon any highway any traffic sign or signal bearing thereon any commercial advertising. This section does not prohibit either the erection upon private property adjacent to highways of signs giving useful directional information and of a type that cannot be mistaken for traffic control devices or the erection upon private property of traffic control devices by the owner of real property in accordance with sections 4511.211 and 4511.432 of the Revised Code.

Every such prohibited sign, signal, marking, or device is a public nuisance, and the authority having jurisdiction over the highway may remove it or cause it to be removed.

(B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-16; 119 v 766, § 16; Bureau of Code Revision, 10-1-53; 143 v H 171. Eff 5-31-90; 149 v S123, § 1, eff. 1-1-04.

§ 4511.17. Tampering with traffic control device, freshly applied pavement material, manhole covers.

(A) No person, without lawful authority, shall do any of the following:

- (1) Knowingly move, deface, damage, destroy, or otherwise improperly tamper with any traffic control device, any railroad sign or signal, or any inscription, shield, or insignia on the device, sign, or signal, or any part of the device, sign, or signal;
- (2) Knowingly drive upon or over any freshly applied pavement marking material on the surface of a roadway while the marking material is in an undried condition and is marked by flags, markers, signs, or other devices intended to protect it;
- (3) Knowingly move, damage, destroy, or otherwise improperly tamper with a manhole cover.

(B) (1) Except as otherwise provided in this division, whoever violates division (A)(1) or (3) of this section is guilty of a misdemeanor of the third degree. If a violation of division (A)(1) or (3) of this section creates a risk of physical harm to any person, the offender is guilty of a misdemeanor of the first degree. If a violation of division (A)(1) or (3) of this section causes serious physical harm to property that is owned, leased, or controlled by a state or local authority, the offender is guilty of a felony of the fifth degree.

(2) Except as otherwise provided in this division, whoever violates division (A)(2) of this section is guilty of a minor misdemeanor. If within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates division (A)(2) of this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates division (A)(2) of this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-17; 119 v 766, § 17; 121 v 684; Bureau of Code Revision, 10-1-53; 143 v H 162. Eff 6-28-90; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.18. Purchase, possession or sale of traffic control device.

(A) As used in this section, "traffic control device" means any sign, traffic control signal, or other device conforming to and placed or erected in accordance with the manual adopted under section 4511.09 of the Revised Code by authority of a public body or official having jurisdiction, for the purpose of regulating, warning, or guiding traffic, including signs denoting the names of streets and highways, but does not mean any pavement marking.

- (B) No individual shall buy or otherwise possess, or sell, a traffic control device, except when one of the following applies:
- (1) In the course of the individual's employment by the state or a local authority for the express or implied purpose of manufacturing, providing, erecting, moving, or removing such a traffic control device;
 - (2) In the course of the individual's employment by any manufacturer of traffic control devices other than a state or local authority;
 - (3) For the purpose of demonstrating the design and function of a traffic control device to state or local officials;
 - (4) When the traffic control device has been purchased from the state or a local authority at a sale of property that is no longer needed or is unfit for use;
 - (5) The traffic control device has been properly purchased from a manufacturer for use on private property and the person possessing the device has a sales receipt for the device or other acknowledgment of sale issued by the manufacturer.
- (C) This section does not preclude, and shall not be construed as precluding, prosecution for theft in violation of section 2913.02 of the Revised Code or a municipal ordinance relating to theft, or for receiving stolen property in violation of section 2913.51 of the Revised Code or a municipal ordinance relating to receiving stolen property.
- (D) Whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 143 v H 162. Eff 6-28-90; 149 v S 123, § 1, eff.1-1-04.

§ 4511.20. Operation in willful or wanton disregard of the safety of persons or property.

- (A) No person shall operate a vehicle, trackless trolley, or streetcar on any street or highway in willful or wanton disregard of the safety of persons or property.
- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-20; 119 v 766, § 20; Bureau of Code Revision, 10-1-53; 132 v S 179 (Eff 12-13-67); 139 v S 432. Eff 3-16-83; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.201. Operation off street or highway in willful or wanton disregard of the safety of persons or property.

- (A) No person shall operate a vehicle, trackless trolley, or streetcar on any public or private property other than streets or highways, in willful or wanton disregard of the safety of persons or property.
- This section does not apply to the competitive operation of vehicles on public or private property when the owner of such property knowingly permits such operation thereon.
- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 129 v 1637 (Eff 10-2-61); 132 v S 179 (Eff 12-13-67); 139 v S 432. Eff 3-16-83; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.202. Operation without being in reasonable control of vehicle, trolley, or streetcar.

- (A) No person shall operate a motor vehicle, trackless trolley, streetcar, agricultural tractor, or agricultural tractor that is towing, pulling, or otherwise drawing a unit of farm machinery on any street, highway, or property open to the public for vehicular traffic without being in reasonable control of the vehicle, trolley, streetcar, agricultural tractor, or unit of farm machinery.
- (B) Whoever violates this section is guilty of operating a motor vehicle or agricultural tractor without being in control of it, a minor misdemeanor.

HISTORY: 139 v S 432. Eff 3-16-83; 149 v S 123, § 1, eff. 1-1-04. 2007 HB9 10-18-2007

§ 4511.21. Speed Limits-assured clear distance.

(A) No person shall operate a motor vehicle, trackless trolley, or streetcar at a speed greater or less than is reasonable or proper, having due regard to the traffic, surface, and width of the street or highway and any other conditions, and no person shall drive any motor vehicle, trackless trolley, or streetcar in and upon any street or highway at a greater speed than will permit the person to bring it to a stop within the assured clear distance ahead.

(B) It is prima-facie lawful, in the absence of a lower limit declared pursuant to this section by the director of transportation or local authorities, for the operator of a motor vehicle, trackless trolley, or streetcar to operate the same at a speed not exceeding the following:

(1) (a) Twenty miles per hour in school zones during school recess and while children are going to or leaving school during the opening or closing hours, and when twenty miles per hour school speed limit signs are erected; except, that, on controlled-access highways and expressways, if the right-of-way line fence has been erected without pedestrian opening, the speed shall be governed by division (B)(4) of this section and on freeways, if the right-of-way line fence has been erected without pedestrian opening, the speed shall be governed by divisions (B)(9) and (10) of this section. The end of every school zone may be marked by a sign indicating the end of the zone. Nothing in this section or in the manual and specifications for a uniform system of traffic control devices shall be construed to require school zones to be indicated by signs equipped with flashing or other lights, or giving other special notice of the hours in which the school zone speed limit is in effect.

(b) As used in this section and in section 4511.212 of the Revised Code, "school" means any school chartered under section 3301.16 of the Revised Code and any nonchartered school that during the preceding year filed with the department of education in compliance with rule 3301-35-08 of the Ohio Administrative Code, a copy of the school's report for the parents of the school's pupils certifying that the school meets Ohio minimum standards for non chartered, non tax-supported schools and presents evidence of this filing to the jurisdiction from which it is requesting the establishment of a school zone.

(c) As used in this section, "school zone" means that portion of a street or highway passing a school fronting upon the street or highway that is encompassed by projecting the school property lines to the fronting street or highway, and also includes that portion of a state highway. Upon request from local authorities for streets and highways under their jurisdiction and that portion of a state highway under the jurisdiction of the director of transportation, the director may extend the traditional school zone boundaries. The distances in divisions (B)(1)(c)(i) (ii), and (iii) of this section shall not exceed three hundred feet per approach per direction and are bounded by whichever of the following distances or combinations thereof the director approves as most appropriate:

- (i) The distance encompassed by projecting the school building lines normal to the fronting highway and extending a distance of three hundred feet on each approach direction;
- (ii) The distance encompassed by projecting the school property lines intersecting the fronting highway and extending a distance of three hundred feet on each approach direction;
- (iii) The distance encompassed by the special marking of the pavement for a principal school pupil crosswalk plus a distance of three hundred feet on each approach direction of the highway.

Nothing in this section shall be construed to invalidate the director's initial action on August 9, 1976, establishing all school zones at the traditional school zone boundaries defined by projecting school property lines, except when those boundaries are extended as provided in divisions (B)(1)(a) and (c) of this section.

(d) As used in this division, "crosswalk" has the meaning given that, term in division (LL)(2) of section 4511.01 of the Revised Code.

The director may, upon request by resolution of the legislative authority of a municipal corporation, the board of trustees of a township, or a county board of mental retardation and developmental disabilities created pursuant to Chapter 5126. of the Revised Code, and upon submission by the municipal corporation, township, or county board of such engineering, traffic, and other information as the director considers necessary, designate a school zone on any portion of a state route lying within the municipal corporation, lying within the unincorporated territory of the township, or lying adjacent to the property of a school that is operated by such county board, that includes a crosswalk customarily used by children going to or leaving a school during recess and opening and closing hours, whenever the distance, as measured in a straight line, from the school property line nearest

the crosswalk to the nearest point of the crosswalk is no more than one thousand three hundred twenty feet. Such a school zone shall include the distance encompassed by the crosswalk and extending three hundred feet on each approach direction of the state route.

- (e) As used in this section, "special elementary school" means a school that meets all of the following criteria:
- (i) It is not chartered and does not receive tax revenue from any source.
 - (ii) It does not educate children beyond the eighth grade.
 - (iii) It is located outside the limits of a municipal corporation.
 - (iv) A majority of the total number of students enrolled at the school are not related by blood.
 - (v) The principal or other person in charge of the special elementary school annually sends a report to the superintendent of the school district in which the special elementary school is located indicating the total number of students enrolled at the school, but otherwise the principal or other person in charge does not report any other information or data to the superintendent.
- (2) Twenty-five miles per hour in all other portions of a municipal corporation, except on state routes outside business districts, through highways outside business districts, and alleys;
 - (3) Thirty-five miles per hour on all state routes or through highways within municipal corporations outside business districts, except as provided in divisions (B)(4) and (6) of this section;
 - (4) Fifty miles per hour on controlled-access highways and expressways within municipal corporations;
 - (5) Fifty-five miles per hour on highways outside municipal corporations, other than highways within island jurisdictions as provided in division (B)(8) of this section and freeways as provided in divisions (B)(13) and (14) of this section;
 - (6) Fifty miles per hour on state routes within municipal corporations outside urban districts unless a lower prima-facie speed is established as further provided in this section;
 - (7) Fifteen miles per hour on all alleys within the municipal corporation;
 - (8) Thirty-five miles per hour on highways outside municipal corporations that are within an island jurisdiction;
 - (9) Fifty-five miles per hour at all times on freeways with paved shoulders inside municipal corporations, other than freeways as provided in divisions (B)(13) and (14) of this section;
 - (10) Fifty-five miles per hour at all times on freeways outside municipal corporations, other than freeways as provided in division (B)(13) and (14) of this section;
 - (11) Fifty-five miles per hour at all times on all portions of freeways that are part of the interstate system and on all portions of freeways not part of the interstate system, but are built to the standards and specifications that are applicable to freeways that are part of the interstate system for operators of any motor vehicle weighing in excess of eight thousand pounds empty weight and any noncommercial bus, except as provided in division (B)(14) of this section;
 - (12) Fifty-five miles per hour for operators of any motor vehicle weighing eight thousand pounds or less empty weight and any commercial bus at all times on all portions of freeways that are part of the interstate system and that had such a speed limit established prior to October 1, 1995, and freeways that are not part of the interstate system, but are built to the standards and specifications that are applicable to freeways that are part of the interstate system and that had such a speed limit established prior to October 1, 1995, unless a higher speed limit is established under division (L) of this section;
 - (13) Sixty-five miles per hour for operators of any motor vehicle weighing eight thousand pounds or less empty weight and any commercial bus at all times on all portions of the following:
 - (a) Freeways that are part of the interstate system and that had such a speed limit established prior to October 1, 1995, and freeways that are not part of the interstate system, but are built to the standards and specifications that are applicable to freeways that are part of the interstate system and that had such a speed limit established prior to October 1, 1995;
 - (b) Freeways that are part of the interstate system and freeways that are not part of the interstate system but are built to the standards and specifications that are applicable to freeways that are part of the interstate system, and that had such a speed limit established under division (L) of this section;
 - (c) Rural, divided, multi-lane highways that are designated as part of the national highway system under the "National Highway System Designation Act of 1995," 109 Stat. 568, 23 U.S.C.A. 103, and that had such a speed limit established under division (M) of this section.
- (C) It is prima-facie unlawful for any person to exceed any of the speed limitations in divisions (B)(1)(a), (2), (3), (4), (6), (7) and (8) of this section, or any declared or established pursuant to this section by the director or local authorities and it is unlawful for any person to exceed any of the speed limitations in division (D) of this section. No person shall be convicted of more than one violation of this section for the

same conduct, although violations of more than one provision of this section may be charged in the alternative in a single affidavit.

- (D) No person shall operate a motor vehicle, trackless trolley, or streetcar upon a street or highway as follows:
- (1) At a speed exceeding fifty-five miles per hour, except upon a freeway as provided in divisions (B)(13) and (14) of this section;
 - (2) At a speed exceeding sixty-five miles per hour upon a freeway as provided in divisions (B)(13) and (14) of this section;
 - (3) If a motor vehicle weighing in excess of eight thousand pounds empty weight or a noncommercial bus as prescribed in division (B)(11) of this section, at a speed exceeding fifty-five miles per hour upon a freeway as provided in that division;
 - (4) At a speed exceeding the posted speed limit upon a freeway for which the director has determined and declared a speed limit of not more than sixty-five miles per hour pursuant to division (L)(2) or (M) of this section;
 - (5) At a speed exceeding sixty-five miles per hour upon a freeway for which such a speed limit has been established through the operation of division (L)(3) of this section;
 - (6) At a speed exceeding the posted speed limit upon a freeway for which the director has determined and declared a speed limit pursuant to division (I)(2) of this section.
- (E) In every charge of violation of this section the affidavit and warrant shall specify the time, place, and speed at which the defendant is alleged to have driven, and in charges made in reliance upon division (C) of this section also the speed which division (B)(1)(a), (2), (3), (4), (6), (7) or (8) of, or a limit declared pursuant to, this section declares is prima-facie lawful at the time and place of such alleged violation, except that in affidavits where a person is alleged to have driven at a greater speed than will permit the person to bring the vehicle to a stop within the assured clear distance ahead the affidavit and warrant need not specify the speed at which the defendant is alleged to have driven.
- (F) When a speed in excess of both a prima-facie limitation and a limitation in division (D)(1), (2), (3), (4), (5), or (6) of this section is alleged, the defendant shall be charged in a single affidavit, alleging a single act, with a violation indicated of both division (B)(1)(a), (2), (3), (4), (6), (7), or (8) of this section, or of a limit declared pursuant to this section by the director or local authorities, and of the limitation in division (D)(1), (2), (3), (4), (5), or (6) of this section. If the court finds a violation of division (B)(1)(a), (2), (3), (4), (6), (7) or (8) of, or a limit declared or established pursuant to, this section has occurred, it shall enter a judgment of conviction under such division and dismiss the charge under division (D)(1), (2), (3), (4), (5), or (6) of this section. If it finds no violation of division (B)(1)(a), (2), (3), (4), (6), (7), or (8) of, or a limit declared pursuant to, this section, it shall then consider whether the evidence supports a conviction under division (D)(1), (2), (3), (4), (5), or (6) of this section.
- (G) Points shall be assessed for violation of a limitation under division (D) of this section in accordance with section 4510.036 of the Revised Code.
- (H) Whenever the director determines upon the basis of a geometric and traffic characteristic study that any speed limit set forth in divisions (B)(1)(a) to (D) of this section is greater or less than is reasonable or safe under the conditions found to exist at any portion of a street or highway under the jurisdiction of the director, the director shall determine and declare a reasonable and safe prima-facie speed limit, which shall be effective when appropriate signs giving notice of it are erected at the location.
- (I) (1) Except as provided in divisions (I)(2) and (K) of this section, whenever local authorities determine upon the basis of an engineering and traffic investigation that the speed permitted by divisions (B)(1)(a) to (D) of this section, on any part of a highway under their jurisdiction, is greater than is reasonable and safe under the conditions found to exist at such location, the local authorities may by resolution request the director to determine and declare a reasonable and safe prima-facie speed limit. Upon receipt of such request the director may determine and declare a reasonable and safe prima-facie speed limit at such location, and if the director does so, then such declared speed limit shall become effective only when appropriate signs giving notice thereof are erected at such location by the local authorities. The director may withdraw the declaration of a prima-facie speed limit whenever in the director's opinion the altered prima-facie speed becomes unreasonable. Upon such withdrawal, the declared prima-facie speed shall become ineffective and the signs relating thereto shall be immediately removed by the local authorities.
- (2) A local authority may determine on the basis of a geometric and traffic characteristic study that the speed limit of sixty-five miles per hour on a portion of a freeway under its jurisdiction that was established through the operation of division (L)(3) of this section is greater than is reasonable or safe under the conditions found to exist at that portion of the freeway. If the local authority makes such a determination, the local authority by resolution may request the director to determine and

declare a reasonable and safe speed limit of not less than fifty-five miles per hour for that portion of the freeway. If the director takes such action, the declared speed limit becomes effective only when appropriate signs giving notice of it are erected at such location by the local authority.

- (J) Local authorities in their respective jurisdictions may authorize by ordinance higher prima-facie speeds than those stated in this section upon through highways, or upon highways or portions thereof where there are no intersections, or between widely spaced intersections, provided signs are erected giving notice of the authorized speed, but local authorities shall not modify or alter the basic rule set forth in division (A) of this section or in any event authorize by ordinance a speed in excess of fifty miles per hour.

Alteration of prima-facie limits on state routes by local authorities shall not be effective until the alteration has been approved by the director. The director may withdraw approval of any altered prima-facie speed limits whenever in the director's opinion any altered prima-facie speed becomes unreasonable, and upon such withdrawal, the altered prima-facie speed shall become ineffective and the signs relating thereto shall be immediately removed by the local authorities.

- (K) (1) As used in divisions (K)(1), (2), (3), and (4) of this section, "unimproved highway" means a highway consisting of any of the following:
- (a) Unimproved earth;
 - (b) Unimproved graded and drained earth;
 - (c) Gravel.
- (2) Except as otherwise provided in divisions (K)(4) and (5) of this section, whenever a board of township trustees determines upon the basis of an engineering and traffic investigation that the speed permitted by division (B)(5) of this section on any part of an unimproved highway under its jurisdiction and in the unincorporated territory of the township is greater than is reasonable or safe under the conditions found to exist at the location, the board may by resolution declare a reasonable and safe prima-facie speed limit of fifty-five but not less than twenty-five miles per hour. An altered speed limit adopted by a board of township trustees under this division becomes effective when appropriate traffic control devices, as prescribed in section 4511.11 of the Revised Code, giving notice thereof are erected at the location, which shall be no sooner than sixty days after adoption of the resolution.
- (3) (a) Whenever, in the opinion of a board of township trustees, any altered prima-facie speed limit established by the board under this division becomes unreasonable, the board may adopt a resolution withdrawing the altered prima-facie speed limit. Upon the adoption of such a resolution, the altered prima-facie speed limit becomes ineffective and the traffic control devices relating thereto shall be immediately removed.
- (b) Whenever a highway ceases to be an unimproved highway and the board has adopted an altered prima-facie speed limit pursuant to division (K)(2) of this section, the board shall, by resolution, withdraw the altered prima-facie speed limit as soon as the highway ceases to be unimproved. Upon the adoption of such a resolution, the altered prima-facie speed limit becomes ineffective and the traffic control devices relating hereto shall be immediately removed.
- (4) (a) If the boundary of two townships rests on the centerline of an unimproved highway in unincorporated territory and both townships have jurisdiction over the highway, neither of the boards of township trustees of such townships may declare an altered prima-facie speed limit pursuant to division (K)(2) of this section on the part of the highway under their joint jurisdiction unless the boards of township trustees of both of the townships determine, upon the basis of an engineering and traffic investigation, that the speed permitted by division (B)(5) of this section is greater than is reasonable or safe under the conditions found to exist at the location and both boards agree upon a reasonable and safe prima-facie speed limit of less than fifty-five but not less than twenty-five miles per hour for that location. If both boards so agree, each shall follow the procedure specified in division (K)(2) of this section for altering the prima-facie speed limit on the highway. Except as otherwise provided in division (K)(4)(b) of this section, no speed limit altered pursuant to division (K)(4)(a) of this section may be withdrawn unless the boards of township trustees of both townships determine that the altered prima-facie speed limit previously adopted becomes unreasonable and each board adopts a resolution withdrawing the altered prima-facie speed limit pursuant to the procedure specified in division (K)(3)(a) of this section.
- (b) Whenever a highway described in division (K)(4)(a) of this section ceases to be an unimproved highway and two boards of township trustees have adopted an altered prima-facie speed limit pursuant to division (K)(4)(a) of this section, both boards shall, by resolution, withdraw the altered prima-facie speed limit as soon as the highway ceases to be unimproved. Upon the adoption of the resolution, the altered prima-facie speed limit becomes ineffective and the traffic control devices relating thereto shall be immediately removed.

(5) As used in division (K)(5) of this section:

- (a) "Commercial subdivision" means any platted territory outside the limits of a municipal corporation and fronting a highway where, for a distance of three hundred feet or more, the frontage is improved with buildings in use for commercial purposes, or where the entire length of the highway is less than three hundred feet long and the frontage is improved with buildings in use for commercial purposes.
- (b) "Residential subdivision" means any platted territory outside the limits of a municipal corporation and fronting a highway, where, for a distance of three hundred feet or more, the frontage is improved with residences or residences and buildings in use for business, or where the entire length of the highway is less than three hundred feet long and the frontage is improved with residences or residences and buildings in use for business.

Whenever a board of township trustees finds upon the basis of an engineering and traffic investigation that the prima-facie speed permitted by division (B)(5) of this section on any part of a highway under its jurisdiction that is located in a commercial or residential subdivision, except on highways or portions thereof at the entrances to which vehicular traffic from the majority of intersecting highways is required to yield the right-of-way to vehicles on such highways in obedience to stop or yield signs or traffic control signals, is greater than is reasonable and safe under the conditions found to exist at the location, the board may by resolution declare a reasonable and safe prima-facie speed limit of less than fifty-five but not less than twenty-five miles per hour at the location. An altered speed limit adopted by a board of township trustees under this division shall become effective when appropriate signs giving notice thereof are erected at the location by the township. Whenever, in the opinion of a board of township trustees, any altered prima-facie speed limit established by it under this division becomes unreasonable, it may adopt a resolution withdrawing the altered prima-facie speed, and upon such withdrawal, the altered prima-facie speed shall become ineffective, and the signs relating thereto shall be immediately removed by the township.

- (L) (1) Within one hundred twenty days of February 29, 1996, the director of transportation, based upon a geometric and traffic characteristic study of a freeway that is part of the interstate system or that is not part of the interstate system, but is built to the standards and specifications that are applicable to freeways that are part of the interstate system, in consultation with the director of public safety and, if applicable, the local authority having jurisdiction over a portion of such freeway, may determine and declare that the speed limit of less than sixty-five miles per hour established on such freeway or portion of freeway either is reasonable and safe or is less than that which is reasonable and safe.
- (2) If the established speed limit for such a freeway or portion of freeway is determined to be less than that which is reasonable and safe, the director of transportation, in consultation with the director of public safety and, if applicable, the local authority having jurisdiction over the portion of freeway, shall determine and declare a reasonable and safe speed limit of not more than sixty-five miles per hour for that freeway or portion of freeway.
The director of transportation or local authority having jurisdiction over the freeway or portion of freeway shall erect appropriate signs giving notice of the speed limit at such location within one hundred fifty days of February 29, 1996. Such speed limit becomes effective only when such signs are erected at the location.
- (3) If, within one hundred twenty days of February 29, 1996, the director of transportation does not make a determination and declaration of a reasonable and safe speed limit for a freeway or portion of freeway that is part of the interstate system or that is not part of the interstate system, but is built to the standards and specifications that are applicable to freeways that are part of the interstate system and that has a speed limit of less than sixty-five miles per hour, the speed limit on that freeway or portion of a freeway shall be sixty-five miles per hour. The director of transportation or local authority having jurisdiction over the freeway or portion of the freeway shall erect appropriate signs giving notice of the speed limit of sixty-five miles per hour at such location within one hundred fifty days of February 29, 1996. Such speed limit becomes effective only when such signs are erected at the location. A speed limit established through the operation of division (L)(3) of this section is subject to reduction under division (I)(2) of this section.
- (M) Within three hundred sixty days after February 29, 1996, the director of transportation, based upon a geometric and traffic characteristic study of a rural, divided, multi-lane highway that has been designated as part of the national highway system under the "National Highway System Designation Act of 1995," 109 Stat. 568, 23 U.S.C.A. 103, in consultation with the director of public safety and, if applicable, the local authority having jurisdiction over a portion of the highway, may determine and declare that the speed limit of less than sixty-five miles per hour established on the highway or portion of highway either is reasonable and safe or is less than that which is reasonable and safe. If the established speed limit for the highway or portion of highway is determined to be less than that which is reasonable and safe, the

director of transportation, in consultation with the director of public safety and, if applicable, the local authority having jurisdiction over the portion of highway, shall determine and declare a reasonable and safe speed limit of not more than sixty-five miles per hour for that highway or portion of highway. The director of transportation or local authority having jurisdiction over the highway or portion of highway shall erect appropriate signs giving notice of the speed limit at such location within three hundred ninety days after February 29, 1996. The speed limit becomes effective only when such signs are erected at the location.

- (N) (1) (a) If the boundary of two local authorities rests on the centerline of a highway and both authorities have jurisdiction over the highway, the speed limit for the part of the highway within their joint jurisdiction shall be either one of the following as agreed to by both authorities:
- (i) Either prima-facie speed limit permitted by division (B) of this section;
 - (ii) An altered speed limit determined and posted in accordance with this section.
- (b) If the local authorities are unable to reach an agreement, the speed limit shall remain as established and posted under this section.
- (2) Neither local authority may declare an altered prima-facie speed limit pursuant to this section on the part of the highway under their joint jurisdiction unless both of the local authorities determine, upon the basis of an engineering and traffic investigation, that the speed permitted by this section is greater than is reasonable or safe under the conditions found to exist at the location and both authorities agree upon a uniform reasonable and safe prima-facie speed limit of less than fifty-five but not less than twenty-five miles per hour for that location. If both authorities so agree, each shall follow the procedure specified in this section for altering the prima-facie speed limit on the highway, and the speed limit for the part of the highway within their joint jurisdiction shall be uniformly altered. No altered speed limit may be withdrawn unless both local authorities determine that the altered prima-facie speed limit previously adopted becomes unreasonable and each adopts a resolution withdrawing the altered prima-facie speed limit pursuant to the procedure specified in this section.
- (O) As used in this section:
- (1) "Interstate system" has the same meaning as in 23 U.S.C.A. 101.
 - (2) "Commercial bus" means a motor vehicle designed for carrying more than nine passengers and used for the transportation of persons for compensation.
 - (3) "Noncommercial bus" includes but is not limited to a school bus or a motor vehicle operated solely for the transportation of persons associated with a charitable or nonprofit organization.
- (P) (1) A violation of any provision of this section is one of the following:
- (a) Except as otherwise provided in divisions (P)(1)(b), (1)(c), (2), and (3) of this section, a minor misdemeanor;
 - (b) If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to two violations of any provision of this section or of any provision of a municipal ordinance that is substantially similar to any provision of this section, a misdemeanor of the fourth degree;
 - (c) If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to three or more violations of any provision of this section or of any provision of a municipal ordinance that is substantially similar to any provision of this section, a misdemeanor of the third degree.
- (2) If the offender has not previously been convicted of or pleaded guilty to a violation of any provision of this section or of any provision of a municipal ordinance that is substantially similar to this section and operated a motor vehicle faster than thirty-five miles an hour in a business district of a municipal corporation, faster than fifty miles an hour in other portions of a municipal corporation, or faster than thirty-five miles an hour in a school zone during recess or while children are going to or leaving school during the school's opening or closing hours, a misdemeanor of the fourth degree.
- (3) Notwithstanding division (P)(1) of this section, if the offender operated a motor vehicle in a construction zone where a sign was then posted in accordance with section 4511.98 of the Revised Code, the court, in addition to all other penalties provided by law, shall impose upon the offender a fine of two times the usual amount imposed for the violation. No court shall impose a fine of two times the usual amount imposed for the violation upon an offender if the offender alleges, in an affidavit filed with the court prior to the offender's sentencing, that the offender is indigent and is unable to pay the fine imposed pursuant to this division and if the court determines that the offender is an indigent person and unable to pay the fine.

HISTORY: GC § 6307-21; 119 v 766, § 21; 124 v 514; Bureau of Code Revision, 10-1-53; 126 v 115 (Eff 10-1-56); 127 v 931 (Eff 9-14-57); 128 v 1270 (Eff 11-4-59); 130 v 1083 (Eff 9-30-63); 130 v Ptil, H 5 (Eff 12-16-64); 131 v 1101 (Eff 11-4-65); 132 v H 1 (Eff 2-21-67); 135 v H 200 (Eff 9-28-73); 136 v H 632 (Eff 6-27-75); 136 v H 1166 (Eff 8-9-76); 137 v H 587 (Eff 11-3-77); 138 v H 20 (Eff 8-29-79); 138 v H 32 (Eff 8-29-79); 138

v S 14 (Eff 10-25-79); 140 v S 37 (Eff 9-7-83); 141 v H 795 (Eff 8-29-86); 141 v S 356 (Eff 9-24-86); 141 v H 428 (Eff 12-23-86); 141 v H 666 (Eff 3-25-87); 142 v H 43 (Eff 7-31-87); 142 v H 493 (Eff 7-15-87); 143 v H 381 (Eff 7-1-89); 144 v H 96 (Eff 6-18-91); 144 v S 201 (Eff 8-19-92); 144 v S 301 (Eff 3-15-93); 146 v H 565. Eff 2-29-96; 149 v S 123, § 1, eff. 1-1-04; 151 v H 68, § 101.01, eff. 6-29-05. 06-15-2006; 2007 HB67 07-03-2007; 2009 HB2 07-01-2009

§ 4511.211. Establishing speed limit on private residential road or driveway.

- (A) The owner of a private road or driveway located in a private residential area containing twenty or more dwelling units may establish a speed limit on the road or driveway by complying with all of the following requirements:
- (1) The speed limit is not less than twenty-five miles per hour and is indicated by a sign that is in a proper position, is sufficiently legible to be seen by an ordinarily observant person, and meets the specifications for the basic speed limit sign included in the manual adopted by the department of transportation pursuant to section 4511.09 of the Revised Code;
 - (2) The owner has posted a sign at the entrance of the private road or driveway that is in plain view and clearly informs persons entering the road or driveway that they are entering private property, a speed limit has been established for the road or driveway, and the speed limit is enforceable by law enforcement officers under state law.
- (B) No person shall operate a vehicle upon a private road or driveway as provided in division (A) of this section at a speed exceeding any speed limit established and posted pursuant to that division.
- (C) When a speed limit is established and posted in accordance with division (A) of this section, any law enforcement officer may apprehend a person violating the speed limit of the residential area by utilizing any of the means described in section 4511.091 of the Revised Code or by any other accepted method of determining the speed of a motor vehicle and may stop and charge the person with exceeding the speed limit.
- (D) Points shall be assessed for violation of a speed limit established and posted in accordance with division (A) of this section in accordance with section 4510.036 of the Revised Code..
- (E) As used in this section:
- (1) "Owner" includes but is not limited to a person who holds title to the real property in fee simple, a condominium owners' association, a property owners' association, the board of directors or trustees of a private community, and a nonprofit corporation governing a private community.
 - (2) "Private residential area containing twenty or more dwelling units" does not include a Chautauqua assembly as defined in section 4511.90 of the Revised Code.
- (F) A violation of division (B) of this section is one of the following:
- (1) Except as otherwise provided in divisions (F)(2) and (3) of this section, a minor misdemeanor;
 - (2) If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to two violations of division (B) of this section or of any municipal ordinance that is substantially similar to division (B) of this section, a misdemeanor of the fourth degree;
 - (3) If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to three or more violations of division (B) of this section or of any municipal ordinance that is substantially similar to division (B) of this section, a misdemeanor of the third degree.

HISTORY: 143 v H 171. Eff 5-31-90; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.212. Complaint of noncompliance by local authority with school zone sign laws.

- (A) As used in this section, "local authority" means the legislative authority of a municipal corporation, the board of trustees of a township, or the board of county commissioners of a county.
- (B) The board of education or the chief administrative officer operating or in charge of any school may submit a written complaint to the director of transportation alleging that a local authority is not complying with section 4511.11 or divisions (B)(1)(a) to (d) of section 4511.21 of the Revised Code with regard to school zones. Upon receipt of such a complaint, the director shall review or investigate the facts of the complaint and discuss the complaint with the local authority and the board of education or chief administrative officer submitting the complaint. If the director finds that the local authority is not complying with section 4511.11 or divisions (B)(1)(a) to (d) of section 4511.21 of the Revised Code with regard to school zones, the director shall issue a written order requiring the local authority to comply by a specified date and the local authority shall comply with the order. If the local authority fails to comply with the order, the director shall implement the order and charge the local authority for the cost of the implementation. Any local authority being so charged shall pay to the state the amount charged. Any amounts received under this section shall be deposited into the state treasury to the credit of the highway operating fund created by section 5735.291 of the Revised Code.

§ 4511.213. Approaching stationary public safety vehicle displaying emergency light.

- (A) The driver of a motor vehicle, upon approaching a stationary public safety vehicle, or a road service vehicle that is displaying the appropriate visual signals by means of flashing, oscillating, or rotating lights, as prescribed in section 4513.17 of the Revised Code, shall do either of the following:
 - (1) If the driver of the motor vehicle is traveling on a highway that consists of at least two lanes that carry traffic in the same direction of travel as that of the driver's motor vehicle, the driver shall proceed with due caution and, if possible and with due regard to the road, weather, and traffic conditions, shall change lanes into a lane that is not adjacent to that of the stationary public safety vehicle.
 - (2) If the driver is not traveling on a highway of a type described in division (A)(1) of this section, or if the driver is traveling on a highway of that type but it is not possible to change lanes or if to do so would be unsafe, the driver shall proceed with due caution, reduce the speed of the motor vehicle, and maintain a safe speed for the road, weather, and traffic conditions.
- (B) This section does not relieve the driver of a public safety vehicle from the duty to drive with due regard for the safety of all persons and property upon the highway.
- (C) No person shall fail to drive a motor vehicle in compliance with division (A)(1) or (2) of this section when so required by division (A) of this section.
- (D) (1) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.
 - (2) Notwithstanding section 2929.28 of the Revised Code, upon a finding that a person operated a motor vehicle in violation of division (C) of this section, the court, in addition to all other penalties provided by law, shall impose a fine of two times the usual amount imposed for the violation.
- (E) As used in this section, "public safety vehicle" has the same meaning as in section 4511.01 of the Revised Code.

HISTORY: 148 v H 86. Eff 9-28-99; 149 v S 123, § 1, eff. 1-1-04; 149 v H 490, § 1, eff. 1-1-04. 2009 HB2 07-01-2009.

§ 4511.22. Slow speed

- (A) No person shall stop or operate a vehicle, trackless trolley, or streetcar at such slow speed as to impede or block the normal and reasonable movement of traffic, except when stopping or reduced speed is necessary for safe operation or to comply with law.
- (B) Whenever the director of transportation or local authorities determine on the basis of an engineering and traffic investigation that slow speeds on any part of a controlled-access highway, expressway, or freeway consistently impede the normal and reasonable movement of traffic, the director or such local authority may declare a minimum speed limit below which no person shall operate a motor vehicle, trackless trolley, or street car except when necessary for safe operation or in compliance with law. No minimum speed limit established hereunder shall be less than thirty miles per hour, greater than fifty miles per hour, nor effective until the provisions of section 4511.21 of the Revised Code, relating to appropriate signs, have been fulfilled and local authorities have obtained the approval of the director.
- (C) In a case involving a violation of this section, the trier of fact, in determining whether the vehicle was being operated at an unreasonably slow speed, shall consider the capabilities of the vehicle and its operator.
- (D) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-22; 119 v 766, § 22; Bureau of Code Revision, 10-1-53; 127 v 51 (Eff 8-23-57); 135 v H 200 (Eff 9-28-73); 136 v H 632 (Eff 6-27-75); 144 v H 96. Eff 6-18-91; 149 v S 123, § 1, eff. 1-1-04. 09-21-2006

§ 4511.23. Speed limits on bridges.

- (A) No person shall operate a vehicle, trackless trolley, or streetcar over any bridge or other elevated structure constituting a part of a highway at a speed which is greater than the maximum speed that can

be maintained with safety to such bridge or structure, when such structure is posted with signs as provided in this section.

The department of transportation upon request from any local authority shall, or upon its own initiative may, conduct an investigation of any bridge or other elevated structure constituting a part of a highway, and if it finds that such structure cannot with safety withstand traffic traveling at the speed otherwise permissible under sections 4511.01 to 4511.85 and 4511.98 of the Revised Code, the department shall determine and declare the maximum speed of traffic which such structure can withstand, and shall cause or permit suitable signs stating such maximum speed to be erected and maintained at a distance of at least one hundred feet before each end of such structure.

Upon the trial of any person charged with a violation of this section, proof of said determination of the maximum speed by the department and the existence of said signs shall constitute prima-facie evidence of the maximum speed which can be maintained with safety to such bridge or structure.

- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-23; 119 v 766, § 23; Bureau of Code Revision, 10-1-53; 135 v H 200. Eff 9-28-73; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.24. Speed limits not applicable to emergency or public safety vehicles.

The prima-facie speed limitations set forth in section 4511.21 of the Revised Code do not apply to emergency vehicles or public safety vehicles when they are responding to emergency calls and are equipped with and displaying at least one flashing, rotating, or oscillating light visible under normal atmospheric conditions from a distance of five hundred feet to the front of the vehicle and when the drivers thereof sound audible signals by bell, siren, or exhaust whistle. This section does not relieve the driver of an emergency vehicle or public safety vehicle from the duty to drive with due regard for the safety of all persons using the street or highway.

HISTORY: GC § 6307-24; 119 v 766, § 24; Bureau of Code Revision, 10-1-53; 132 v H 378 (Eff 12-14-67); 135 v H 995. Eff 1-1-75.

§ 4511.25. Lanes of travel upon roadways of sufficient width.

- (A) Upon all roadways of sufficient width, a vehicle or trackless trolley shall be driven upon the right half of the roadway, except as follows:
- (1) When overtaking and passing another vehicle proceeding in the same direction, or when making a left turn under the rules governing such movements;
 - (2) When an obstruction exists making it necessary to drive to the left of the center of the highway; provided, any person so doing shall yield the right of way to all vehicles traveling in the proper direction upon the unobstructed portion of the highway within such distance as to constitute an immediate hazard;
 - (3) When driving upon a roadway divided into three or more marked lanes for traffic under the rules applicable thereon;
 - (4) When driving upon a roadway designated and posted with signs for one-way traffic;
 - (5) When otherwise directed by a police officer or traffic control device
- (B) (1) Upon all roadways any vehicle or trackless trolley proceeding at less than the prevailing and lawful speed of traffic at the time and place and under the conditions then existing shall be driven in the righthand lane then available for traffic, and far enough to the right to allow passing by faster vehicles if such passing is safe and reasonable, except under any of the following circumstances:
- (a) When overtaking and passing another vehicle or trackless trolley proceeding in the same direction;
 - (b) When preparing for a left turn;
 - (c) When the driver must necessarily drive in a lane other than the right-hand lane to continue on the driver's intended route.
- (2) Nothing in division (B)(1) of this section requires a driver of a slower vehicle to compromise the driver's safety to allow overtaking by a faster vehicle.
- (C) Upon any roadway having four or more lanes for moving traffic and providing for two-way movement of traffic, no vehicle or trackless trolley shall be driven to the left of the center line of the roadway, except when authorized by official traffic control devices designating certain lanes to the left of the center of the

roadway for use by traffic not otherwise permitted to use the lanes, or except as permitted under division (A)(2) of this section.

This division shall not be construed as prohibiting the crossing of the center line in making a left turn into or from an alley, private road, or driveway.

- (D) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-25; 119 v 766, § 25; Bureau of Code Revision, 10-1-53; 129 v 1032 (Eff 9-9-61); 130 v 1086 (Eff 6-10-63); 135 v H 995. Eff 1-1-75. The effective date is set by section 3 of HB 995; 149 v S 123, § 1, eff. 1-1-04. 09-21-2006

§ 4511.26. Vehicles traveling in opposite directions.

- (A) Operators of vehicles and trackless trolleys proceeding in opposite directions shall pass each other to the right, and upon roadways having width for not more than one line of traffic in each direction, each operator shall give to the other one-half of the main traveled portion of the roadway or as nearly one-half as is reasonably possible.
- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-26; 119 v 766(778), § 26; Bureau of Code Revision. Eff 10-1-53; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.27. Overtaking and passing of vehicles proceeding in the same direction.

- (A) The following rules govern the overtaking and passing of vehicles or trackless trolleys proceeding in the same direction:
- (1) The operator of a vehicle or trackless trolley overtaking another vehicle or trackless trolley proceeding in the same direction shall, except as provided in division (A)(3) of this section, signal to the vehicle or trackless trolley to be overtaken, shall pass to the left thereof at a safe distance, and shall not again drive to the right side of the roadway until safely clear of the overtaken vehicle or trackless trolley.
 - (2) Except when overtaking and passing on the right is permitted, the operator of an overtaken vehicle shall give way to the right in favor of the overtaking vehicle at the latter's audible signal, and the operator shall not increase the speed of the operator's vehicle until completely passed by the overtaking vehicle.
 - (3) The operator of a vehicle or trackless trolley overtaking and passing another vehicle or trackless trolley proceeding in the same direction on a divided highway as defined in section 4511.35 of the Revised Code, a limited access highway as defined in section 5511.02 of the Revised Code, or a highway with four or more traffic lanes, is not required to signal audibly to the vehicle or trackless trolley being overtaken and passed.
- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-27; 119 v 766(778), § 27; Bureau of Code Revision, 10-1-53; 133 v S 289. Eff 11-6-69; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.28. Overtaking and passing upon the right of another vehicle.

- (A) The driver of a vehicle or trackless trolley may overtake and pass upon the right of another vehicle or trackless trolley only under the following conditions:
- (1) When the vehicle or trackless trolley overtaken is making or about to make a left turn;

- (2) Upon a roadway with unobstructed pavement of sufficient width for two or more lines of vehicles moving lawfully in the direction being traveled by the overtaking vehicle.
- (B) The driver of a vehicle or trackless trolley may overtake and pass another vehicle or trackless trolley only under conditions permitting such movement in safety. The movement shall not be made by driving off the roadway.
- (C) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-28; 119 v 766(778), § 28; Bureau of Code Revision, 10-1-53; 135 v H 995. Eff 1-1-75; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.29. Driving to left of center of roadway in overtaking and passing traffic proceeding in same direction.

- (A) No vehicle or trackless trolley shall be driven to the left of the center of the roadway in overtaking and passing traffic proceeding in the same direction, unless such left side is clearly visible and is free of oncoming traffic for a sufficient distance ahead to permit such overtaking and passing to be completely made, without interfering with the safe operation of any traffic approaching from the opposite direction or any traffic overtaken. In every event the overtaking vehicle or trackless trolley must return to an authorized lane of travel as soon as practicable and in the event the passing movement involves the use of a lane authorized for traffic approaching from the opposite direction, before coming within two hundred feet of any approaching vehicle.
- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-29; 119 v 766(778), § 29; Bureau of Code Revision, 10-1-53; 135 v H 995. Eff 1-1-75; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.30. Driving upon left side of roadway.

- (A) No vehicle or trackless trolley shall be driven upon the left side of the roadway under the following conditions:
- (1) When approaching the crest of a grade or upon a curve in the highway, where the operator's view is obstructed within such a distance as to create a hazard in the event traffic might approach from the opposite direction;
 - (2) When the view is obstructed upon approaching within one hundred feet of any bridge, viaduct, or tunnel;
 - (3) When approaching within one hundred feet of or traversing any intersection or railroad grade crossing.
- (B) This section does not apply to vehicles or trackless trolleys upon a one-way roadway, upon a roadway where traffic is lawfully directed to be driven to the left side, or under the conditions described in division (A)(2) of section 4511.25 of the Revised Code.
- (C) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-30; 119 v 766(779), § 30; 120 v 221; Bureau of Code Revision, 10-1-53; 135 v H 995. Eff 1-1-75; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.31. Establishing hazardous zones.

- (A) The department of transportation may determine those portions of any state highway where overtaking and passing other traffic or driving to the left of the center or center line of the roadway would be especially hazardous, and may, by appropriate signs or markings on the highway, indicate the beginning

and end of such zones. When such signs or markings are in place and clearly visible, every operator of a vehicle or trackless trolley shall obey the directions of the signs or markings, notwithstanding the distances set out in section 4511.30 of the Revised Code.

(B) Division (A) of this section does not apply when all of the following apply:

- (1) The slower vehicle is proceeding at less than half the speed of the speed limit applicable to that location.
- (2) The faster vehicle is capable of overtaking and passing the slower vehicle without exceeding the speed limit.
- (3) This is sufficient clear sight distance to the left of the center of center line of the roadway to meet the overtaking and passing provisions of section 4511.29 of the revised code, considering the speed of the slower vehicle.

(C) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-31; 119 v 766(779), § 31; 124 v 514; Bureau of Code Revision, 10-1-53; 135 v H 200. Eff 9-28-73; 149 v S 123, § 1, eff. 1-1-04. 09-21-2006

§ 4511.32. One-way traffic - rotary islands.

(A) The department of transportation may designate any highway or any separate roadway under its jurisdiction for one-way traffic and shall erect appropriate signs giving notice thereof.

Upon a roadway designated and posted with signs for one-way traffic a vehicle shall be driven only in the direction designated.

A vehicle passing around a rotary traffic island shall be driven only to the right of the rotary traffic island.

(B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-32; 119 v 766(779), § 32; Bureau of Code Revision, 10-1-53; 135 v H 200. Eff 9-28-73; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.33. Driving in marked lanes.

(A) Whenever any roadway has been divided into two or more clearly marked lanes for traffic, or wherever within municipal corporations traffic is lawfully moving in two or more substantially continuous lines in the same direction, the following rules apply:

- (1) A vehicle or trackless trolley shall be driven, as nearly as is practicable, entirely within a single lane or line of traffic and shall not be moved from such lane or line until the driver has first ascertained that such movement can be made with safety.
- (2) Upon a roadway which is divided into three lanes and provides for two-way movement of traffic, a vehicle or trackless trolley shall not be driven in the center lane except when overtaking and passing another vehicle or trackless trolley where the roadway is clearly visible and such center lane is clear of traffic within a safe distance, or when preparing for a left turn, or where such center lane is at the time allocated exclusively to traffic moving in the direction the vehicle or trackless trolley is proceeding and is posted with signs to give notice of such allocation.
- (3) Official signs may be erected directing specified traffic to use a designated lane or designating those lanes to be used by traffic moving in a particular direction regardless of the center of the roadway, or restricting the use of a particular lane to only buses during certain hours or during all hours, and drivers of vehicles and trackless trolleys shall obey the directions of such signs.
- (4) Official traffic control devices may be installed prohibiting the changing of lanes on sections of roadway and drivers of vehicles shall obey the directions of every such device.

(B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been

convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-33; 119 v 766(779), § 33; Bureau of Code Revision, 10-1-53; 135 v H 995. Eff 1-1-75; 149 v S 123, § 1, eff. 1-1-04; 150 v H 95, § 1, eff. 9-26-03; 150 v H 95, § 3.13, eff. 1-1-04.

§ 4511.34. Space between moving vehicles.

(A) The operator of a motor vehicle, streetcar, or trackless trolley shall not follow another vehicle, streetcar, or trackless trolley more closely than is reasonable and prudent, having due regard for the speed of such vehicle, streetcar, or trackless trolley, and the traffic upon and the condition of the highway.

The driver of any truck, or motor vehicle drawing another vehicle, when traveling upon a roadway outside a business or residence district shall maintain a sufficient space, whenever conditions permit, between such vehicle and another vehicle ahead so an overtaking motor vehicle may enter and occupy such space without danger. This paragraph does not prevent overtaking and passing nor does it apply to any lane specially designated for use by trucks.

Outside a municipal corporation, the driver of any truck, or motor vehicle when drawing another vehicle, while ascending to the crest of a grade beyond which the driver's view of the roadway is obstructed, shall not follow within three hundred feet of another truck, or motor vehicle drawing another vehicle. This paragraph shall not apply to any lane specially designated for use by trucks.

Motor vehicles being driven upon any roadway outside of a business or residence district in a caravan or motorcade, shall maintain a sufficient space between such vehicles so an overtaking vehicle may enter and occupy such space without danger. This paragraph shall not apply to funeral processions.

(B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-34; 119 v 766(789), § 34; Bureau of Code Revision, 10-1-53; 126 v 113. Eff 9-30-55; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.35. Divided roadways.

(A) Whenever any highway has been divided into two roadways by an intervening space, or by a physical barrier, or clearly indicated dividing section so constructed as to impede vehicular traffic, every vehicle shall be driven only upon the right-hand roadway, and no vehicle shall be driven over, across, or within any such dividing space, barrier, or section, except through an opening, crossover, or intersection established by public authority. This section does not prohibit the occupancy of such dividing space, barrier, or section for the purpose of an emergency stop or in compliance with an order of a police officer.

(B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-34a; 124 v 514; Bureau of Code Revision. Eff 10-1-53; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.36. Rules for turns at intersections.

(A) The driver of a vehicle intending to turn at an intersection shall be governed by the following rules:

- (1) Approach for a right turn and a right turn shall be made as close as practicable to the right-hand curb or edge of the roadway.
- (2) At any intersection where traffic is permitted to move in both directions on each roadway entering the intersection, an approach for a left turn shall be made in that portion of the right half of the roadway nearest the center line thereof and by passing to the right of such center line where it enters the intersection and after entering the intersection the left turn shall be made so as to leave the intersection to the right of the center line of the roadway being entered. Whenever practicable the left turn shall be made in that portion of the intersection to the left of the center of the intersection.
- (3) At any intersection where traffic is restricted to one direction on one or more of the roadways, the driver of a vehicle intending to turn left at any such intersection shall approach the intersection in the extreme left-hand lane lawfully available to traffic moving in the direction of travel of such vehicle, and after entering the intersection the left turn shall be made so as to leave the intersection, as

nearly as practicable, in the left-hand lane of the roadway being entered lawfully available to traffic moving in that lane.

- (B) The operator of a trackless trolley shall comply with divisions (A)(1), (2), and (3) of this section wherever practicable.
- (C) The department of transportation and local authorities in their respective jurisdictions may cause markers, buttons, or signs to be placed within or adjacent to intersections and thereby require and direct that a different course from that specified in this section be traveled by vehicles, streetcars, or trackless trolleys, turning at an intersection, and when markers, buttons, or signs are so placed, no operator of a vehicle, streetcar, or trackless trolley shall turn such vehicle, streetcar, or trackless trolley at an intersection other than as directed and required by such markers, buttons, or signs.
- (D) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-35; 119 v 766(780), § 35; 124 v 514; Bureau of Code Revision, 10-1-53; 135 v H 200. Eff 9-28-73; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.37. Turning in roadway prohibited - exceptions.

- (A) Except as provided in section 4511.13 and division (B) of this section, no vehicle shall be turned so as to proceed in the opposite direction upon any curve, or upon the approach to or near the crest of a grade, if the vehicle cannot be seen within five hundred feet by the driver of any other vehicle approaching from either direction.
- (B) The driver of an emergency vehicle or public safety vehicle, when responding to an emergency call, may turn the vehicle so as to proceed in the opposite direction. This division applies only when the emergency vehicle or public safety vehicle is responding to an emergency call, is equipped with and displaying at least one flashing, rotating, or oscillating light visible under normal atmospheric conditions from a distance of five hundred feet to the front of the vehicle, and when the driver of the vehicle is giving an audible signal by siren, exhaust whistle, or bell. This division does not relieve the driver of an emergency vehicle or public safety vehicle from the duty to drive with due regard for the safety of all persons and property upon the highway.
- (C) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-36; 119 v 766(781), § 36; Bureau of Code Revision, 10-1-53; 145 v H 149. Eff 5-20-93; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.41. Right-of-way rule at intersections.

- (A) When two vehicles, including any trackless trolley or streetcar, approach or enter an intersection from different streets or highways at approximately the same time, the driver of the vehicle on the left shall yield the right-of-way to the vehicle on the right.
- (B) The right-of-way rule declared in division (A) of this section is modified at through highways and otherwise as stated in Chapter 4511 of the Revised Code.
- (C) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 135 v H 995 (Eff 1-1-75); 136 v H 1. Eff 6-13-75; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.42. Right of way rule when turning left.

- (A) The operator of a vehicle, streetcar, or trackless trolley intending to turn to the left within an intersection or into an alley, private road, or driveway shall yield the right of way to any vehicle, streetcar, or trackless trolley approaching from the opposite direction, whenever the approaching vehicle, streetcar, or trackless

trolley is within the intersection or so close to the intersection, alley, private road, or driveway as to constitute an immediate hazard.

- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-41; 119 v 766(782), § 41; Bureau of Code Revision, 10-1-53; 130 v 1087 (Eff 6-27-63); 135 v H 995 (Eff 1-1-75); 137 v S 62. Eff 7-8-77; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.43. Right-of-way rule at through highways, stop signs, yield signs.

- (A) Except when directed to proceed by a law enforcement officer, every driver of a vehicle or trackless trolley approaching a stop sign shall stop at a clearly marked stop line, but if none, before entering the crosswalk on the near side of the intersection, or, if none, then at the point nearest the intersecting roadway where the driver has a view of approaching traffic on the intersecting roadway before entering it. After having stopped, the driver shall yield the right-of-way to any vehicle in the intersection or approaching on another roadway so closely as to constitute an immediate hazard during the time the driver is moving across or within the intersection or junction of roadways.
- (B) The driver of a vehicle or trackless trolley approaching a yield sign shall slow down to a speed reasonable for the existing conditions and, if required for safety to stop, shall stop at a clearly marked stop line, but if none, before entering the crosswalk on the near side of the intersection, or, if none, then at the point nearest the intersecting roadway where the driver has a view of approaching traffic on the intersecting roadway before entering it. After slowing or stopping, the driver shall yield the right-of-way to any vehicle or trackless trolley in the intersection or approaching on another roadway so closely as to constitute an immediate hazard during the time the driver is moving across or within the intersection or junction of roadways. Whenever a driver is involved in a collision with a vehicle or trackless trolley in the intersection or junction of roadways, after driving past a yield sign without stopping, the collision shall be prima-facie evidence of the driver's failure to yield the right-of-way.
- (C) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 135 v H 995 Eff 1-1-75; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.431. Stop prior to driving on sidewalk sidewalk area.

- (A) The driver of a vehicle or trackless trolley emerging from an alley, building, private road, or driveway within a business or residence district shall stop the vehicle or trackless trolley immediately prior to driving onto a sidewalk or onto the sidewalk area extending across the alley, building entrance, road, or driveway, or in the event there is no sidewalk area, shall stop at the point nearest the street to be entered where the driver has a view of approaching traffic thereon.
- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 135 v H 995. Eff 1-1-75; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.432. Stop signs on private residential road or driveway.

- (A) The owner of a private road or driveway located in a private residential area containing twenty or more dwelling units may erect stop signs at places where the road or driveway intersects with another private road or driveway in the residential area, in compliance with all of the following requirements:
- (1) The stop sign is sufficiently legible to be seen by an ordinarily observant person and meets the specifications of and is placed in accordance with the manual adopted by the department of transportation pursuant to section 4511.09 of the Revised Code;

- (2) The owner has posted a sign at the entrance of the private road or driveway that is in plain view and clearly informs persons entering the road or driveway that they are entering private property, stop signs have been posted and must be obeyed, and the signs are enforceable by law enforcement officers under state law. The sign required by division (A)(2) of this section, where appropriate, may be incorporated with the sign required by division (A)(2) of section 4511.211 of the Revised Code.
- (B) Division (A) of section 4511.43 and section 4511.46 of the Revised Code shall be deemed to apply to the driver of a vehicle on a private road or driveway where a stop sign is placed in accordance with division (A) of this section and to a pedestrian crossing such a road or driveway at an intersection where a stop sign is in place.
- (C) When a stop sign is placed in accordance with division (A) of this section, any law enforcement officer may apprehend a person found violating the stop sign and may stop and charge the person with violating the stop sign.
- (D) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.
- (E) As used in this section, and for the purpose of applying division (A) of section 4511.43 and section 4511.46 of the Revised Code to conduct under this section:
- (1) "Intersection" means:
 - (a) The area embraced within the prolongation or connection of the lateral curb lines, or, if none, then the lateral boundary lines of the roadways of two private roads or driveways which join one another at, or approximately at, right angles, or the area within which vehicles traveling upon different private roads or driveways joining at any other angle may come in conflict.
 - (b) Where a private road or driveway includes two roadways thirty feet or more apart, then every crossing of two roadways of such private roads or driveways shall be regarded as a separate intersection.
 - (2) "Roadway" means that portion of a private road or driveway improved, designed, or ordinarily used for vehicular travel, except the berm or shoulder. If a private road or driveway includes two or more separate roadways, the term "roadway" means any such roadway separately but not all such roadways collectively.
 - (3) "Owner" and "private residential area containing twenty or more dwelling units" have the same meanings as in section 4511.211 of the Revised Code.

HISTORY: 143 v H 171. Eff 5-31-90; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.44. Right-of-way at highway from any place other than another roadway.

- (A) The operator of a vehicle, streetcar, or trackless trolley about to enter or cross a highway from any place other than another roadway shall yield the right of way to all traffic approaching on the roadway to be entered or crossed.
- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-43; 119 v 766(782), § 43; Bureau of Code Revision, 10-1-53; 135 v H 995. Eff 1-1-75; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.46. Right-of-way of pedestrian within crosswalk.

- (A) When traffic control signals are not in place, not in operation, or are not clearly assigning the right-of-way, the driver of a vehicle, trackless trolley, or streetcar shall yield the right-of-way, slowing down or stopping if need be to so yield or if required by section 4511.132 of the Revised Code, to a pedestrian crossing the roadway within a crosswalk when the pedestrian is upon the half of the roadway upon which the vehicle is traveling, or when the pedestrian is approaching so closely from the opposite half of the roadway as to be in danger.

- (B) No pedestrian shall suddenly leave a curb or other place of safety and walk or run into the path of a vehicle, trackless trolley, or streetcar which is so close as to constitute an immediate hazard.
- (C) Division (A) of this section does not apply under the conditions stated in division (B) of section 4511.48 of the Revised Code.
- (D) Whenever any vehicle, trackless trolley, or streetcar is stopped at a marked crosswalk or at any unmarked crosswalk at an intersection to permit a pedestrian to cross the roadway, the driver of any other vehicle, trackless trolley, or streetcar approaching from the rear shall not overtake and pass the stopped vehicle.
- (E) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 135 v H 995 (Eff 1-1-75); 143 v S 44. Eff 7-25-89; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.48. Right of way yielded by pedestrian.

- (A) Every pedestrian crossing a roadway at any point other than within a marked crosswalk or within an unmarked crosswalk at an intersection shall yield the right of way to all vehicles, trackless trolleys, or streetcars upon the roadway.
- (B) Any pedestrian crossing a roadway at a point where a pedestrian tunnel or overhead pedestrian crossing has been provided shall yield the right of way to all traffic upon the roadway.
- (C) Between adjacent intersections at which traffic control signals are in operation, pedestrians shall not cross at any place except in a marked crosswalk.
- (D) No pedestrian shall cross a roadway intersection diagonally unless authorized by official traffic control devices; and, when authorized to cross diagonally, pedestrians shall cross only in accordance with the official traffic control devices pertaining to such crossing movements.
- (E) This section does not relieve the operator of a vehicle, streetcar, or trackless trolley from exercising due care to avoid colliding with any pedestrian upon any roadway.
- (F) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-46; 119 v 766(783), § 46; Bureau of Code Revision, 10-1-53; 135 v H 995. Eff 1-1-75; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.481. Intoxicated or drugged pedestrian on highway.

- (A) A pedestrian who is under the influence of alcohol, any drug of abuse, or any combination of them to a degree that renders the pedestrian a hazard shall not walk or be upon a highway.
- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 135 v H 995. Eff 1-1-75; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.61. Stop signs at dangerous highway crossings over railroad tracks.

- (A) The department of transportation and local authorities in their respective jurisdictions, with the approval of the department, may designate dangerous highway crossings over railroad tracks whether on state, county, or township highways or on streets or ways within municipal corporations, and erect stop signs thereat. When such stop signs are erected, the operator of any vehicle, streetcar, or trackless trolley shall stop within fifty, but not less than fifteen, feet from the nearest rail of the railroad tracks and shall exercise due care before proceeding across such grade crossing.

(B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-59; 119 v 766(786), § 59; Bureau of Code Revision, 10-1-53; 127 v 887 (Eff 9-16-57); 135 v H 200 (Eff 9-28-73); 135 v S 171. Eff 10-31-73; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.62. Stopping at railroad grade crossings.

- (A) (1) Whenever any person driving a vehicle or trackless trolley approaches a railroad grade crossing, the person shall stop within fifty feet, but not less than fifteen feet from the nearest rail of the railroad if any of the following circumstances exist at the crossing:
- (a) A clearly visible electric or mechanical signal device gives warning of the immediate approach of a train.
 - (b) A crossing gate is lowered.
 - (c) A flagperson gives or continues to give a signal of the approach or passage of a train.
 - (d) There is insufficient space on the other side of the railroad grade crossing to accommodate the vehicle or trackless trolley the person is operating without obstructing the passage of other vehicles, trackless trolleys, pedestrians, or railroad trains, notwithstanding any traffic control signal indication to proceed.
 - (e) An approaching train is emitting an audible signal or is plainly visible and is in hazardous proximity to the crossing.
 - (f) There is insufficient undercarriage clearance to safely negotiate the crossing.
- (2) A person who is driving a vehicle or trackless trolley and who approaches a railroad grade crossing shall not proceed as long as any of the circumstances described in divisions (A)(1)(a) to (f) of this section exist at the crossing.
- (B) No person shall drive any vehicle through, around, or under any crossing gate or barrier at a railroad crossing while the gate or barrier is closed or is being opened or closed unless the person is signaled by a law enforcement officer or flagperson that it is permissible to do so.
- (C) Whoever violates this section is guilty of a misdemeanor of the fourth degree.

HISTORY: GC § 6307-60; 119 v 766(786), § 60; Bureau of Code Revision, 10-1-53; 135 v H 995 (Eff 1-1-75); 147 v S 60. Eff 10-21-97; 149 v S 123, § 1, eff. 1-1-04; 150 v H 95, § 1, eff. 9-26-03; 150 v H 95, § 3.13, eff. 1-1-04.

§ 4511.63. Stopping at grade crossings.

- (A) Except as provided in division (B) of this section, the operator of any bus, any school vehicle, or any vehicle transporting a material or materials required to be placarded under 49 C.F.R. Parts 100-185, before crossing at grade any track of a railroad, shall stop the vehicle and, while so stopped, shall listen through an open door or open window and look in both directions along the track for any approaching train, and for signals indicating the approach of a train, and shall proceed only upon exercising due care after stopping, looking, and listening as required by this section. Upon proceeding, the operator of such a vehicle shall cross only in a gear that will ensure there will be no necessity for changing gears while traversing the crossing and shall not shift gears while crossing the tracks.
- (B) This section does not apply at grade crossings when the public utilities commission has authorized and approved an exempt crossing as provided in this division.
- (1) Any local authority may file an application with the commission requesting the approval of an exempt crossing. Upon receipt of such a request, the commission shall authorize a limited period for the filing of comments by any party regarding the application and then shall conduct a public hearing in the community seeking the exempt crossing designation. The commission shall provide appropriate prior public notice of the comment period and the public hearing. By registered mail, the commission shall notify each railroad operating over the crossing of the comment period.
- (2) After considering any comments or other information received, the commission may approve or reject the application. By order, the commission may establish conditions for the exempt crossing designation, including compliance with division (b) of 49 C.F.R. Part 392.10, when applicable. An exempt crossing designation becomes effective only when appropriate signs giving notice of the exempt designation are erected at the crossing as ordered by the commission and any other conditions ordered by the commission are satisfied.

(3) By order, the commission may rescind any exempt crossing designation made under this section if the commission finds that a condition at the exempt crossing has changed to such an extent that the continuation of the exempt crossing designation compromises public safety. The commission may conduct a public hearing to investigate and determine whether to rescind the exempt crossing designation. If the commission rescinds the designation, it shall order the removal of any exempt crossing signs and may make any other necessary order.

(C) As used in this section:

- (1) "School vehicle" means any vehicle used for the transportation of pupils to and from a school or school-related function if the vehicle is owned or operated by, or operated under contract with, a public or nonpublic school.
- (2) "Bus" means any vehicle originally designed by its manufacturer to transport sixteen or more passengers, including the driver, or carries sixteen or more passengers, including the driver.
- (3) "Exempt crossing" means a highway rail grade crossing authorized and approved by the public utilities commission under division (B) of this section at which vehicles may cross without making the stop otherwise required by this section.

(D) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If the offender previously has been convicted of or pleaded guilty to one or more violations of this section or section 4511.76, 4511.761 [4511.76.1], 4511.762 [4511.76.2], 4511.764 [4511.76.4], 4511.77, or 4511.79 of the Revised Code or a municipal ordinance that is substantially similar to any of those sections, whoever violates this section is guilty of a misdemeanor of the fourth degree.

HISTORY: GC § 6307-61; 119 v 766(786), § 61; 124 v 514; Bureau of Code Revision, 10-1-53; 125 v 903(1025) (Eff 10-1-53); 145 v H 154. Eff 6-30-93; 149 v S 123, § 1, eff. 1-1-04; 150 v H 95, § 1, eff. 9-26-03; 150 v H 95, § 3.13, eff. 1-1-04; 150 v S 156, § 1, eff. 5-18-05.

§ 4511.64. Slow-moving vehicles or equipment crossing railroad tracks.

(A) No person shall operate or move any crawler-type tractor, steam shovel, derrick, roller, or any equipment or structure having a normal operating speed of six or less miles per hour or a vertical body or load clearance of less than nine inches above the level surface of a roadway, upon or across any tracks at a railroad grade crossing without first complying with divisions (A)(1) and (2) of this section.

- (1) Before making any such crossing, the person operating or moving any such vehicle or equipment shall first stop the same, and while stopped the person shall listen and look in both directions along such track for any approaching train and for signals indicating the approach of a train, and shall proceed only upon exercising due care.
- (2) No such crossing shall be made when warning is given by automatic signal or crossing gates or a flagperson or otherwise of the immediate approach of a railroad train or car.

(B) If the normal sustained speed of such vehicle, equipment, or structure is not more than three miles per hour, the person owning, operating, or moving the same shall also give notice of such intended crossing to a station agent or superintendent of the railroad, and a reasonable time shall be given to such railroad to provide proper protection for such crossing. Where such vehicles or equipment are being used in constructing or repairing a section of highway lying on both sides of a railroad grade crossing, and in such construction or repair it is necessary to repeatedly move such vehicles or equipment over such crossing, one daily notice specifying when such work will start and stating the hours during which it will be prosecuted is sufficient.

(C) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-62; 119 v 766(786), § 62; Bureau of Code Revision. Eff 10-1-53; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.65. Designation of through highways.

(A) All state routes are hereby designated as through highways, provided that stop signs, yield signs, or traffic control signals shall be erected at all intersections with such through highways by the department of transportation as to highways under its jurisdiction and by local authorities as to highways under their jurisdiction, except as otherwise provided in this section. Where two or more state routes that are through highways intersect and no traffic control signal is in operation, stop signs or yield signs shall be

erected at one or more entrances thereto by the department, except as otherwise provided in this section.

Whenever the director of transportation determines on the basis of an engineering and traffic investigation that stop signs are necessary to stop traffic on a through highway for safe and efficient operation, nothing in this section shall be construed to prevent such installations. When circumstances warrant, the director also may omit stop signs on roadways intersecting through highways under his jurisdiction. Before the director either installs or removes a stop sign under this division, he shall give notice, in writing, of that proposed action to the affected local authority at least thirty days before installing or removing the stop sign.

- (B) Other streets or highways, or portions thereof, are hereby designated through highways if they are within a municipal corporation, if they have a continuous length of more than one mile between the limits of said street or highway or portion thereof, and if they have "stop" or "yield" signs or traffic control signals at the entrances of the majority of intersecting streets or highways. For purposes of this section, the limits of said street or highway or portion thereof shall be a municipal corporation line, the physical terminus of the street or highway, or any point on said street or highway at which vehicular traffic thereon is required by regulatory signs to stop or yield to traffic on the intersecting street, provided that in residence districts a municipal corporation may by ordinance designate said street or highway, or portion thereof, not to be a through highway and thereafter the affected residence district shall be indicated by official traffic control devices. Where two or more through highways designated under this division intersect and no traffic control signal is in operation, stop signs or yield signs shall be erected at one or more entrances thereto by the department or by local authorities having jurisdiction, except as otherwise provided in this section.
- (C) The department or local authorities having jurisdiction need not erect stop signs at intersections they find to be so constructed as to permit traffic to safely enter a through highway without coming to a stop. Signs shall be erected at such intersections indicating that the operator of a vehicle shall yield the right-of-way to or merge with all traffic proceeding on the through highway.
- (D) Local authorities with reference to highways under their jurisdiction may designate additional through highways and shall erect stop signs, yield signs, or traffic control signals at all streets and highways intersecting such through highways, or may designate any intersection as a stop or yield intersection and shall erect like signs at one or more entrances to such intersection.

HISTORY: GC § 6307-63; 119 v 766(787), § 63; Bureau of Code Revision, 10-1-53; 128 v 1270 (Eff 11-4-59); 131 v 1103 (Eff 10-15-65); 135 v H 200 (Eff 9-28-73); 136 v H 21 (Eff 12-30-75); 138 v H 290 (Eff 1-10-80); 143 v H 258. Eff 11-2-89.

§ 4511.66. Prohibition against parking on highways.

- (A) Upon any highway outside a business or residence district, no person shall stop, park, or leave standing any vehicle, whether attended or unattended, upon the paved or main traveled part of the highway if it is practicable to stop, park, or so leave such vehicle off the paved or main traveled part of said highway. In every event a clear and unobstructed portion of the highway opposite such standing vehicle shall be left for the free passage of other vehicles, and a clear view of such stopped vehicle shall be available from a distance of two hundred feet in each direction upon such highway.

This section does not apply to the driver of any vehicle which is disabled while on the paved or improved or main traveled portion of a highway in such manner and to such extent that it is impossible to avoid stopping and temporarily leaving the disabled vehicle in such position.

- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-64; 119 v 766(788), § 64; Bureau of Code Revision. Eff 10-1-53; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.661. Unattended motor vehicles.

- (A) No person driving or in charge of a motor vehicle shall permit it to stand unattended without first stopping the engine, locking the ignition, removing the key from the ignition, effectively setting the parking brake, and, when the motor vehicle is standing upon any grade, turning the front wheels to the curb or side of the highway.

The requirements of this section relating to the stopping of the engine, locking of the ignition, and removing the key from the ignition of a motor vehicle shall not apply to an emergency vehicle or a public safety vehicle.

- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 135 v H 995 (Eff 1-1-75); 136 v H 763. Eff 8-6-76; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.67. Police may remove illegally parked vehicle.

Whenever any police officer finds a vehicle standing upon a highway in violation of section 4511.66 of the Revised Code, such officer may move such vehicle, or require the driver or other person in charge of the vehicle to move the same, to a position off the paved or improved or main traveled part of such highway.

Whenever any police officer finds a vehicle unattended upon any highway, bridge, or causeway, or in any tunnel, where such vehicle constitutes an obstruction to traffic, such officer may provide for the removal of such vehicle to the nearest garage or other place of safety.

HISTORY: GC § 6307-65; 119 v 766(788), § 65; 121 v 684; Bureau of Code Revision. Eff 10-1-53.

§ 4511.68. Parking – prohibited acts.

- (A) No person shall stand or park a trackless trolley or vehicle, except when necessary to avoid conflict with other traffic or to comply with sections 4511.01 to 4511.78, 4511.99, and 4513.01 to 4513.37 of the Revised Code, or while obeying the directions of a police officer or a traffic control device, in any of the following places:

- (1) On a sidewalk, except a bicycle;
- (2) In front of a public or private driveway;
- (3) Within an intersection;
- (4) Within ten feet of a fire hydrant;
- (5) On a crosswalk;
- (6) Within twenty feet of a crosswalk at an Intersection;
- (7) Within thirty feet of, and upon the approach to, any flashing beacon, stop sign, or traffic control device;
- (8) Between a safety zone and the adjacent curb or within thirty feet of points on the curb immediately opposite the ends of a safety zone, unless a different length is indicated by a traffic control device;
- (9) Within fifty feet of the nearest rail of a railroad crossing;
- (10) Within twenty feet of a driveway entrance to any fire station and, on the side of the street opposite the entrance to any fire station, within seventy-five feet of the entrance when it is properly posted with signs;
- (11) Alongside or opposite any street excavation or obstruction when such standing or parking would obstruct traffic;
- (12) Alongside any vehicle stopped or parked at the edge or curb of a street;
- (13) Upon any bridge or elevated structure upon a highway, or within a highway tunnel;
- (14) At any place where signs prohibit stopping,
- (15) Within one foot of another parked vehicle;
- (16) On the roadway portion of a freeway, expressway, or thruway.

- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-66; 119 v 766(788), § 66; 124 v 514; Bureau of Code Revision, 10-1-53; 130 v 1087. Eff 8-5-63; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.681. Parking on private property – prohibited acts.

- (A) If an owner of private property posts on the property, in a conspicuous manner, a prohibition against parking on the property or conditions and regulations under which parking is permitted, no person shall do either of the following:

- (1) Park a vehicle on the property without the owner's consent;
 - (2) Park a vehicle on the property in violation of any condition or regulation posted by the owner.
- (B) Whoever violates this section is guilty of a minor misdemeanor.

HISTORY: 139 v H 707 (Eff 1-1-83); 140 v H 112. Eff 10-4-84; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.69. Parking requirements.

- (A) Every vehicle stopped or parked upon a roadway where there is an adjacent curb shall be stopped or parked with the right-hand wheels of the vehicle parallel with and not more than twelve inches from the right-hand curb, unless it is impossible to approach so close to the curb; in such case the stop shall be made as close to the curb as possible and only for the time necessary to discharge and receive passengers or to load or unload merchandise. Local authorities by ordinance may permit angle parking on any roadway under their jurisdiction, except that angle parking shall not be permitted on a state route within a municipal corporation unless an unoccupied roadway width of not less than twenty-five feet is available for free-moving traffic.
- (B) Local authorities by ordinance may permit parking of vehicles with the left-hand wheels adjacent to and within twelve inches of the left-hand curb of a one-way roadway.
- (C)
 - (1) Except as provided in division (C)(2) of this section, no vehicle or trackless trolley shall be stopped or parked on a road or highway with the vehicle or trackless trolley facing in a direction other than the direction of travel on that side of the road or highway.
 - (2) The operator of a motorcycle may back the motorcycle into an angled parking space so that when the motorcycle is parked it is facing in a direction other than the direction of travel on the side of the road or highway.
- (D) Notwithstanding any statute or any rule, resolution, or ordinance adopted by any local authority, air compressors, tractors, trucks, and other equipment, while being used in the construction, reconstruction, installation, repair, or removal of facilities near, on, over, or under a street or highway, may stop, stand, or park where necessary in order to perform such work, provided a flagperson is on duty or warning signs or lights are displayed as may be prescribed by the director of transportation.
- (E) Special parking locations and privileges for persons with disabilities that limit or impair the ability to walk, also known as handicapped parking spaces or disability parking spaces, shall be provided and designated by all political subdivisions and by the state and all agencies and instrumentalities thereof at all offices and facilities, where parking is provided, whether owned, rented, or leased, and at all publicly owned parking garages. The locations shall be designated through the posting of an elevated sign, whether permanently affixed or movable, imprinted with the international symbol of access and shall be reasonably close to exits, entrances, elevators, and ramps. All elevated signs posted in accordance with this division and division (C) of section 3781.111 of the Revised Code shall be mounted on a fixed or movable post, and the distance from the ground to the bottom edge of the sign shall measure not less than five feet. If a new sign or a replacement sign designating a special parking location is posted on or after October 14, 1999, there also shall be affixed upon the surface of that sign or affixed next to the designating sign a notice that states the fine applicable for the offense of parking a motor vehicle in the special designated parking location if the motor vehicle is not legally entitled to be parked in that location.
- (F)
 - (1) No person shall stop, stand, or park any motor vehicle at special parking locations provided under division (E) of this section or at special clearly marked parking locations provided in or on privately owned parking lots, parking garages, or other parking areas and designated in accordance with that division, unless one of the following applies:
 - (a) The motor vehicle is being operated by or for the transport of a person with a disability that limits or impairs the ability to walk and is displaying a valid removable windshield placard or special license plates;
 - (b) The motor vehicle is being operated by or for the transport of a handicapped person and is displaying a parking card or special handicapped license plates.
 - (2) Any motor vehicle that is parked in a special marked parking location in violation of division (F)(1)(a) or (b) of this section may be towed or otherwise removed from the parking location by the law enforcement agency of the political subdivision in which the parking location is located. A motor vehicle that is so towed or removed shall not be released to its owner until the owner presents proof of ownership of the motor vehicle and pays all towing and storage fees normally imposed by that political subdivision for towing and storing motor vehicles. If the motor vehicle is a leased vehicle, it shall not be released to the lessee until the lessee presents proof that that person is the lessee of the motor vehicle and pays all towing and storage fees normally imposed by that political subdivision for towing and storing motor vehicles.

- (3) If a person is charged with a violation of division (F)(1)(a) or (b) of this section, it is an affirmative defense to the charge that the person suffered an injury not more than seventy-two hours prior to the time the person was issued the ticket or citation and that, because of the injury, the person meets at least one of the criteria contained in division (A)(1) of section 4503.44 of the Revised Code.

(G) When a motor vehicle is being operated by or for the transport of a person with a disability that limits or impairs the ability to walk and is displaying a removable windshield placard or a temporary removable windshield placard or special license plates, or when a motor vehicle is being operated by or for the transport of a handicapped person and is displaying a parking card or special handicapped license plates, the motor vehicle is permitted to park for a period of two hours in excess of the legal parking period permitted by local authorities, except where local ordinances or police rules provide otherwise or where the vehicle is parked in such a manner as to be clearly a traffic hazard

(H) No owner of an office, facility, or parking garage where special parking locations are required to be designated in accordance with division (E) of this section shall fail to properly mark the special parking locations in accordance with that division or fail to maintain the markings of the special locations, including the erection and maintenance of the fixed or movable signs

(I) Nothing in this section shall be construed to require a person or organization to apply for a removable windshield placard or special license plates if the parking card or special license plates issued to the person or organization under prior law have not expired or been surrendered or revoked

(J)

(1) Whoever violates division (A) or (C) of this section is guilty of a minor misdemeanor.

(2)(a) Whoever violates division (F)(1)(a) or (b) of this section is guilty of a misdemeanor and shall be punished as provided in division (J)(2)(a) and (b) of this section. Except as otherwise provided in division (J)(2)(a) of this section, an offender who violates division (F)(1)(a) or (b) of this section shall be fined not less than two hundred fifty nor more than five hundred dollars. An offender who violates division (F)(1)(a) or (b) of this section shall be fined not more than one hundred dollars if the offender, prior to sentencing, proves either of the following to the satisfaction of the court:

(i) At the time of the violation of division (F)(1)(a) of this section, the offender or the person for whose transport the motor vehicle was being operated had been issued a removable windshield placard that then was valid or special license plates that then were valid but the offender or the person neglected to display the placard or license plates as described in division (F)(1)(a) of this section.

(ii) At the time of the violation of division (F)(1)(b) of this section, the offender or the person for whose transport the motor vehicle was being operated had been issued a parking card that then was valid or special handicapped license plates that then were valid but the offender or the person neglected to display the card or license plates as described in division (F)(1)(b) of this section.

(b) In no case shall an offender who violates division (F)(1)(a) or (b) of this section be sentenced to any term of imprisonment.

An arrest or conviction for a violation of division (F)(1)(a) or (b) of this section does not constitute a criminal record and need not be reported by the person so arrested or convicted in response to any inquiries contained in any application for employment, license, or other right or privilege, or made in connection with the person's appearance as a witness.

The clerk of the court shall pay every fine collected under division (J)(2) of this section to the political subdivision in which the violation occurred. Except as provided in division (J)(2) of this section, the political subdivision shall use the fine moneys it receives under division (J)(2) of this section to pay the expenses it incurs in complying with the signage and notice requirements contained in division (E) of this section. The political subdivision may use up to fifty per cent of each fine it receives under division (J)(2) of this section to pay the costs of educational, advocacy, support, and assistive technology programs for persons with disabilities, and for public improvements within the political subdivision that benefit or assist persons with disabilities, if governmental agencies or nonprofit organizations offer the programs.

(3) Whoever violates division (H) of this section shall be punished as follows:

(a) Except as otherwise provided in division (J)(3) of this section, the offender shall be issued a warning.

(b) If the offender previously has been convicted of or pleaded guilty to a violation of division (H) of this section or of a municipal ordinance that is substantially similar to that division, the offender shall not be issued a warning but shall be fined not more than twenty-five

dollars for each parking location that is not properly marked or whose markings are not properly maintained.

(K) As used in this section:

- (1) "Handicapped person" means any person who has lost the use of one or both legs or one or both arms, who is blind, deaf, or so severely handicapped as to be unable to move without the aid of crutches or a wheelchair, or whose mobility is restricted by a permanent cardiovascular, pulmonary, or other handicapping condition.
- (2) "Person with a disability that limits or impairs the ability to walk" has the same meaning as in section 4503.44 of the Revised Code.
- (3) "Special license plates" and "removable windshield placard" mean any license plates or removable windshield placard or temporary removable windshield placard issued under section 4503.41 or 4503.44 of the Revised Code, and also mean any substantially similar license plates or removable windshield placard or temporary removable windshield placard issued by a state, district, country, or sovereignty.

HISTORY: GC §§ 6307-67; 119 v 766(789), §§ 67; 121 v 684; 124 v 514; Bureau of Code Revision, 10-1-53; 135 v H 200 (Eff 9-28-v H 48 (Eff 1-1-83); 139 v H 116 (Eff 7-5-82); 140 v H 174 (Eff 9-30-83); 142 v H 111 (Eff 4-27-88); 144 v H 73 (Eff 9-25-91); 144 v S 98 (Eff 11-12-92); 145 v H 687 (Eff 1-1-95); 148 v H 148. Eff 10-14-99; 149 v S 123, § 1, eff. 1-1-04; 149 v H 490, § 1, eff. 1-1-04. Amended by 128th General Assembly File No. 9, HB 1, (Vetoed Provisions) §101.01, eff. 10/16/2009. Amended by 129th General Assembly File No. 7, HB 114, § 101.01, Eff (6-29-2011); 129 v H 349. Eff 4-12-12.

§ 4511.712. Obstructing intersection.

- (A) No driver shall enter an intersection or marked crosswalk or drive onto any railroad grade crossing unless there is sufficient space on the other side of the intersection, crosswalk, or grade crossing to accommodate the vehicle, streetcar, or trackless trolley the driver is operating without obstructing the passage of other vehicles, streetcars, trackless trolleys, pedestrians, or railroad trains, notwithstanding any traffic control signal indication to proceed.
- (B) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If, within one year of the offense, the offender previously has been convicted of or pleaded guilty to one predicate motor vehicle or traffic offense, whoever violates this section is guilty of a misdemeanor of the fourth degree. If, within one year of the offense, the offender previously has been convicted of two or more predicate motor vehicle or traffic offenses, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: 135 v H 995. Eff 1-1-75; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.75. Stopping for stopped school bus.

- (A) The driver of a vehicle, streetcar, or trackless trolley upon meeting or overtaking from either direction any school bus stopped for the purpose of receiving or discharging any school child, person attending programs offered by community boards of mental health and county boards of mental retardation and developmental disabilities, or child attending a program offered by a head start agency, shall stop at least ten feet from the front or rear of the school bus and shall not proceed until such school bus resumes motion, or until signaled by the school bus driver to proceed.

It is no defense to a charge under this division that the school bus involved failed to display or be equipped with an automatically extended stop warning sign as required by division (B) of this section.

- (B) Every school bus shall be equipped with amber and red visual signals meeting the requirements of section 4511.771 of the Revised Code, and an automatically extended stop warning sign of a type approved by the state board of education, which shall be actuated by the driver of the bus whenever but only whenever the bus is stopped or stopping on the roadway for the purpose of receiving or discharging school children, persons attending programs offered by community boards of mental health and county boards of mental retardation and developmental disabilities, or children attending programs offered by head start agencies. A school bus driver shall not actuate the visual signals or the stop warning sign in designated school bus loading areas where the bus is entirely off the roadway or at school buildings when children or persons attending programs offered by community boards of mental health and county boards of mental retardation and developmental disabilities are loading or unloading at curbside or at buildings when children attending programs offered by head start agencies are loading or unloading at curbside. The visual signals and stop warning sign shall be synchronized or otherwise operated as required by rule of the board.

- (C) Where a highway has been divided into four or more traffic lanes, a driver of a vehicle, streetcar, or trackless trolley need not stop for a school bus approaching from the opposite direction which has stopped for the purpose of receiving or discharging any school child, persons attending programs offered by community boards of mental health and county boards of mental retardation and developmental disabilities, or children attending programs offered by head start agencies. The driver of any vehicle, streetcar, or trackless trolley overtaking the school bus shall comply with division (A) of this section.
- (D) School buses operating on divided highways or on highways with four or more traffic lanes shall receive and discharge all school children, persons attending programs offered by community boards of mental health and county boards of mental retardation and developmental disabilities, and children attending programs offered by head start agencies on their residence side of the highway.
- (E) No school bus driver shall start the driver's bus until after any child, person attending programs offered by community boards of mental health and county boards of mental retardation and developmental disabilities, or child attending a program offered by a head start agency who may have alighted therefrom has reached a place of safety on the child's or person's residence side of the road.
- (F) (1) Whoever violates division (A) of this section may be fined an amount not to exceed five hundred dollars. A person who is issued a citation for a violation of division (A) of this section is not permitted to enter a written plea of guilty and waive the person's right to contest the citation in a trial but instead must appear in person in the proper court to answer the charge.
- (2) In addition to and independent of any other penalty provided by law, the court or mayor may impose upon an offender who violates this section a class seven suspension of the offender's driver's license, commercial driver's license, temporary instruction permit, probationary license, or nonresident operating privilege from the range specified in division (A)(7) of section 4510.02 of the Revised Code. When a license is suspended under this section, the court or mayor shall cause the offender to deliver the license to the court, and the court or clerk of the court immediately shall forward the license to the registrar of motor vehicles, together with notice of the court's action
- (G) As used in this section:
- (1) "Head start agency" has the same meaning as in section 3301.31 of the Revised Code.
- (2) "School bus," as used in relation to children who attend a program offered by a head start agency, means a bus that is owned and operated by a head start agency, is equipped with an automatically extended stop warning sign of a type approved by the state board of education, is painted the color and displays the markings described in section 4511.77 of the Revised Code, and is equipped with amber and red visual signals meeting the requirements of section 4511.771 of the Revised Code, irrespective of whether or not the bus has fifteen or more children aboard at any time. "School bus" does not include a van owned and operated by a head start agency, irrespective of its color, lights, or markings.

HISTORY: GC § 6307-73; 119 v 766(790), § 73; 123 v 614; Bureau of Code Revision, 10-1-53; 125 v 167 (Eff 10-2-53); 135 v H 995 (Eff 1-1-75); 136 v H 369 (Eff 8-29-75); 137 v S 389 (Eff 3-15-79); 138 v S 160 (Eff 10-31-80); 140 v H 478 (Eff 3-28-85); 147 v H 618. Eff 3-22-99; 149 v S 123, § 1, eff. 1-1-04; 150 v H 95, § 3.13, eff. 7-1-04. 06-30-2005

§ 4511.76. Administrative rules for school bus construction, design, equipment, operation and licensing.

- (A) The department of public safety, by and with the advice of the superintendent of public instruction, shall adopt and enforce rules relating to the construction, design, and equipment, including lighting equipment required by section 4511.771 of the Revised Code, of all school buses both publicly and privately owned and operated in this state.
- (B) The department of education, by and with the advice of the director of public safety, shall adopt and enforce rules relating to the operation of all vehicles used for pupil transportation.
- (C) No person shall operate a vehicle used for pupil transportation within this state in violation of the rules of the department of education or the department of public safety. No person, being the owner thereof or having the supervisory responsibility therefor, shall permit the operation of a vehicle used for pupil transportation within this state in violation of the rules of the department of education or the department of public safety.
- (D) The department of public safety shall adopt and enforce rules relating to the issuance of a license under section 4511.763 of the Revised Code. The rules may relate to the moral character of the applicant; the condition of the equipment to be operated; the liability and property damage insurance carried by the applicant; the posting of satisfactory and sufficient bond; and such other rules as the director of public safety determines reasonably necessary for the safety of the pupils to be transported.

(E) As used in this section, "vehicle used for pupil transportation" means any vehicle that is identified as such by the department of education by rule and that is subject to Chapter 3301-83 of the Administrative Code.

(F) Except as otherwise provided in this division, whoever violates this section is guilty of a minor misdemeanor. If the offender previously has been convicted of or pleaded guilty to one or more violations of this section or section 4511.63, 4511.761, 4511.762, 4511.764, 4511.77, or 4511.79 of the Revised Code or a municipal ordinance that is substantially similar to any of those sections, whoever violates this section is guilty of a misdemeanor of the third degree.

HISTORY: GC § 6307-74; 119 v 766(790), § 74; 122 v 284; Bureau of Code Revision, 10-1-53; 126 v 392(412) (Eff 3-17-55); 129 v 1273 (Eff 10-26-61); 131 v 1105 (Eff 9-1-65); 132 v H 1 (Eff 2-21-67); 135 v H 995 (Eff 1-1-75); 144 v S 98 (Eff 11-12-92); 147 v S 60 (Eff 10-21-97); 149 v H 73. Eff 6-29-2001; 149 v S 123, § 1, eff. 1-1-04.

§ 4511.98. Signs as to increased penalties in construction zones.

The director of transportation, board of county commissioners, or board of township trustees shall cause signs to be erected advising motorists that increased penalties apply for certain traffic violations occurring on streets or highways in a construction zone. The increased penalties shall be effective only when signs are erected in accordance with the guidelines and design specifications established by the director under section 5501.27 of the Revised Code, and when a violation occurs during hours of actual work within the construction zone.

HISTORY: 145 v H 247. Eff 5-1-95; 150 v H 52, § 1, eff. 6-1-04.

§ 4513.40. Warning sign before safety device at street crossing.

When a safety device has been installed in the traveled portion of a street at a railroad grade crossing for the protection of the traveling public, the municipal corporation shall place a warning sign not less than two hundred feet from the crossing. The driver of any vehicle shall place his vehicle under control at the location of said warning signs so as to be able to bring said vehicle to a complete stop at said safety device. Colliding with such safety device at the crossing is prima-facie evidence that the driver is a reckless driver.

HISTORY: GC § 591-1; 117 v 655; Bureau of Code Revision, 10-1-53; 125 v 903(1026). Eff 10-1-53.

§ 4519.40. Prohibited acts.

(A) The applicable provisions of Chapters 4511. and 4549. of the Revised Code shall be applied to the operation of snowmobiles, off-highway motorcycles, and all purpose vehicles, except that no snowmobile, off-highway motorcycle, or all-purpose vehicle shall be operated as follows:

- (1) On any limited access highway or freeway or the right-of-way thereof, except for emergency travel only during such time and in such manner as the director of public safety shall designate;
- (2) On any private property, or in any nursery or planting area, without the permission of the owner or other person having the right to possession of the property;
- (3) On any land or waters controlled by the state, except at those locations where a sign has been posted permitting such operation;
- (4) On the tracks or right-of-way of any operating railroad;
- (5) While transporting any firearm, bow, or other implement for hunting, that is not unloaded and securely encased;
- (6) For the purpose of chasing, pursuing, capturing, or killing any animal or wildfowl;
- (7) During the time from sunset to sunrise, unless displaying lighted lights as required by section 4519.20 of the Revised Code.

(B) Whoever violates this section shall be fined not less than fifty nor more than five hundred dollars, imprisoned not less than three nor more than thirty days, or both.

HISTORY: 134 v H 214 (Eff 3-7-72); 138 v H 450 (Eff 5-29-80); 144 v S 98 (Eff 11-12-92); 147 v H 611 (Eff 7-1-99); 148 v H 484. Eff 10-5-2000; 149 v S 123, § 1, eff. 1-1-04.

§ 4907.47. Installing crossing signals.

(A) If, after public hearing as to the necessity for installing protective devices at a public railroad highway grade crossing, written notice of which is published once a week for three consecutive weeks in a newspaper of general circulation in the county in which the crossing is located and is given the railroad and public authority involved at least thirty days in advance of such hearing, it is the opinion of the public utilities commission that the public safety requires a gate, automatic alarm bell, or other mechanical device to be erected and maintained at any place where a public road or street is crossed at the same level by a railroad, and the crossing has been declared by the commission to be so dangerous and hazardous as to require additional protective devices, or the public safety requires that a flagman be

stationed and maintained at such crossing, the commission shall give the superintendent, manager, or other officer in charge of such railroad a written order of what is required, and shall assign the cost of installing any such device between the railroad and the public in any proportion it determines proper that is consistent with any applicable federal requirements, after giving due consideration to the factors listed in division (B) of this section.

- (B) In assigning the cost of any such device the commission shall consider factors of volume of vehicular traffic, volume of train traffic, train type and speed, limitations of view and the causes thereof, savings, if any, which will inure to the railroad as the result of the installation, benefits to the public resulting from the reduction of hazard at the crossing, the probable cost of the installation, the future cost to the railroad of maintaining any such device, and any other special factors and conditions that the commission considers relevant. The commission may accept a railroad's agreement to maintain the installation as being its share of the cost for the protection. If any part of the cost is assigned to the public, it shall be apportioned to the state agency or political subdivision having jurisdiction over such crossing, and may be paid from any funds levied and made available for highway or street purposes; provided, that funds from the grade crossing protection fund created by section 4907.472 of the Revised Code may be used to pay the public's share of the cost. After the commission has issued an appropriate order requiring that additional protective devices be installed by a specific date, which shall be a reasonable time from the date of the order, the railroad concerned shall erect or install the additional protective devices or station the flagman within the time prescribed by the order. If the additional protective devices are not erected or installed within that time, the commission may reduce or eliminate the amount of any funds in the grade crossing protection fund obligated to pay the public's share of the costs relating to the erection, installation, and maintenance of the additional protective devices and, consistent with any applicable federal requirements, may assign to the railroad concerned any amount, up to one hundred per cent, of the total amount of the costs of erecting, installing, and maintaining the additional protective devices.

Any person owning or operating a railroad and neglecting or refusing to erect or maintain such gate, automatic alarm bell, or other mechanical device, or to maintain such flagman, when required by the commission pursuant to this section or section 4907.471 of the Revised Code, and after the commission has issued an appropriate order finding that the public funds will be made available with respect to any protective device it has ordered installed, shall forfeit to the state, for every such neglect or refusal, one thousand dollars, and in addition, shall forfeit one thousand dollars for each day such neglect or refusal continues.

HISTORY: RS § 247a; 86 v 367; 91 v 353; GC §§ 588, 589; Bureau of Code Revision, 10-1-53; 129 v 313 (Eff 9-21-61); 135 v H 111 (Eff 7-26-73); 137 v S 221 (Eff 11-23-77); 141 v H 201 (Eff 7-1-85); 143 v H 111. Eff 10-29-89.

§ 4907.471. Surveys determining probability of accident at crossing.

- (A) The public utilities commission shall survey all public crossings of railroads at grade, whether on state, county, or township highways or on streets or ways within municipal corporations. The commission shall devise a formula according to sound highway engineering practice for determining the probability of accident at each such crossing and may include in the formula factors representing volume of vehicular traffic, volume of train traffic, history of previous accidents, train type and speed, limitations of view, intersection angle, number of tracks, highway alignment, and such other special factors and conditions as are in its opinion relevant. The commission shall submit the formula to the director of transportation, who shall review it to ensure that it is consistent with applicable federal requirements.

The commission shall classify all such public crossings according to that formula and shall prepare a priority list for the protection of such crossings, giving highest priority to the crossings at which the commission finds the highest probability of accident, and lowest priority to the ones at which it finds the least probability of accident, provided that for the purposes of this section the commission shall place first on the list any crossing that meets all of the following criteria:

- (1) The crossing is at a section of railroad track that is being reactivated on or after May 1, 1990, and that has not been used for at least three years prior to the reactivation as determined by the commission;
- (2) The territory abutting the railroad's right-of-way for a distance of three hundred feet or more has been improved with residences during the period of time the track was not being used;
- (3) The commission has designated the crossing as dangerous and hazardous under division (A) of this section.

The priority list shall be for the use of the commission in carrying out this section and sections 4907.47, 4907.474, and 4907.475 of the Revised Code and shall not be admissible in evidence in any action to recover damages for negligence arising out of the use of such grade crossings. The list

shall be made available to the department of transportation for use in carrying out sections 4511.61 and 4955.33 of the Revised Code.

The survey shall be continuous, and after the original list is prepared, the commission may change the respective priority ratings as it may from time to time determine. When new crossings at grade are opened, the commission shall survey them and place them on the priority list at such places as in its opinion the probability of accident at those crossings warrants.

The commission may, pursuant to the priority ratings established as provided in this section, designate as dangerous and hazardous any railroad highway grade crossing it determines to be in need of additional protective devices. With respect to a high priority crossing so designated, the commission may negotiate with the railroad concerned, and with the state agency or political subdivision having jurisdiction over the crossing, an agreement providing for the installation at the crossing of appropriate luminous reflecting warning signs, luminous flashing signals, crossing gates illuminated at night, or other protective devices. The number, type, and location of the signs, signals, gates, or other protective devices, which shall conform with generally recognized national standards, shall be determined by agreement among the commission, the railroad concerned, and the state agency or political subdivision. The assignment of any part or all of the cost of the installation and subsequent maintenance of such signs, signals, gates, or other protective devices to the railroad and to the state or the political subdivisions shall be by the commission in any proportion it determines proper that is consistent with any applicable federal requirements, after giving due consideration to the factors listed in division (C) of this section.

- (B) In cases where the railroad does not agree that the installation of additional protective devices is necessary, or where no agreement can be reached with the railroad as to the number, type, or location of such devices or the proportion of cost to be assigned to the railroad, the commission shall hold a public hearing as to the necessity for installing additional protective devices at the crossing at issue. Written notice of the hearing shall be given to the railroad at least thirty days in advance of the hearing, and notice of the hearing shall be published once a week for three consecutive weeks in a newspaper of general circulation in the county in which the crossing at issue is located. If, after the hearing, it is the opinion of the commission that the public safety requires additional protective devices to be erected and maintained at the crossing, the commission shall give the superintendent, manager, or other officer in charge of the railroad a written order of the protective devices required and the date by which any action shall be completed, and shall assign to the parties the cost of installing and maintaining the protective devices in any proportion it determines proper that is consistent with any applicable federal requirements, after giving due consideration to the factors listed in division (C) of this section.
- (C) In assigning the cost of additional protective devices, the commission shall consider factors of volume of vehicular traffic, volume of train traffic, train type and speed, limitations of view and the causes thereof, savings, if any, which will inure to the railroad as the result of the installation, benefits to the public resulting from the reduction of hazard at the crossing, the probable cost of the installation, the future cost to the railroad of maintaining the devices, and any other special factors and conditions that the commission considers relevant. The commission may accept a railroad's agreement to maintain the additional protective devices as being its share of the cost for the protection. If any part of the cost of installation is assigned by the commission to the state agency or political subdivision having jurisdiction over the crossing, that cost may be paid from any funds levied and made available for highway or street purposes, provided that funds from the grade crossing protection fund created by section 4907.472 of the Revised Code may be used to pay the public's share of the cost. After the commission has issued an appropriate order requiring that additional protective devices be installed by a specific date, which shall be a reasonable time from the date of the order, the railroad concerned shall erect or install the additional protective devices within the time prescribed by the order. If the additional protective devices are not erected or installed within that time, the commission may reduce or eliminate the amount of any funds in the grade crossing protection fund obligated to pay the public's share of the costs relating to the erection, installation, and maintenance of the additional protective devices and, consistent with any applicable federal requirements, may assign to the railroad concerned any amount, up to one hundred per cent, of the total amount of the costs of erecting, installing, and maintaining the additional protective devices.

HISTORY: RC § 5523.31, 129 v 582(945) (Eff 1-10-61); 135 v H 111 (Eff 7-26-73); 135 v H 200 (Eff 9-28-73); 137 v S 221 (Eff 11-23-77); 141 v H 201 (Eff 7-1-85); RC § 4907.47.1, 143 v H 111 (Eff 10-29-89); 144 v S 8 (Eff 5-21-91); 144 v H 248. Eff 11-28-91.

§ 4907.48. Regulation of crossing signals.

All gates, bells, or devices erected under the direction of the public utilities commission shall be built within the time, in the manner, and of materials approved by the commission. Such devices so authorized shall be

located in the highway or street on one or both sides of the railroad tracks, as the commission deems the public safety requires. Such gates shall be so constructed that when closed they obstruct or prevent passage across such railroad from the side on which a gate is located. Such bell must be so constructed that it will ring before the approach of every train of cars or locomotive within three hundred feet or more of such crossing, and continue to ring until such train or locomotive has reached the crossing. A person shall be in charge of such gate who shall close it at the approach of each train or locomotive and keep it open at all other times. If an automatic bell or other mechanical device is required at such crossing, the railroad shall keep such bell or device in good working order. For every neglect of duty imposed by this section such railroad shall forfeit twenty-five dollars.

HISTORY: RS § 247b; 86 v 367; 91 v 353; GC § 590; 113 v 83; Bureau of Code Revision. Eff 10-1-53.

§ 4907.49. Dangerous crossings.

When two or more railroads cross a public highway or street at a dangerous crossing, the expenses incurred in the erection and maintenance of gates, bells, or other devices, and of necessary gatekeepers or flagmen, and apportioned by the public utilities commission as railroad expense, shall be shared equally by the railroads.

Chapters 4901., 4903., 4905., 4907., 4909., 4921., and 4923. of the Revised Code do not prevent the use of automatic bells or other mechanical devices by a railroad at a public crossing not declared dangerous by the public utilities commission, nor do they prevent state, county, township, or municipal officials from entering into an agreement with a railroad to pay all or part of the expense of erecting a warning device. Any funds levied and made available for highways or street purposes may be used to pay the public share of the cost under such an agreement. If a gate is erected or a flagman is stationed and maintained by a railroad, either alone or pursuant to such an agreement, the gate or flagman shall not be abandoned nor an automatic bell or other mechanical device substituted for the gate or flagman, unless the commission consents to the abandonment or substitution.

HISTORY: 145 v S 75. Eff 10-20-94.

§ 4907.52. Safety devices at grade crossings.

When two railroads, a railroad and an interurban railroad or electric or street railway, two interurban railroads, or a railroad or electric railway and a street or highway cross at grade, if, in the opinion of the public utilities commission, public safety requires protection, the commission, upon its own motion or upon complaint, after notice to the railroads interested and full investigation, may make an order requiring the railroads so intersecting and crossing to install such devices as in the opinion of the commission will properly protect such crossing.

The commission may make any other orders regulating the speed and running of trains or of cars and the switching of cars over such crossing or street, and it shall apportion the expense of installation or maintenance of such devices between the railroad companies whose tracks are thus protected.

HISTORY: RS § 247e; 92 v 315; 99 v 390, § 2; GC §§ 594, 595; Bureau of Code Revision. Eff 10-1-53.

§ 4951.02. Grant of right to construct.

The right to construct or extend a street railway within or beyond the limits of a municipal corporation may be granted only by its legislative authority by ordinance. The right to construct such street railway without the limits of a municipal corporation may be granted only by the board of county commissioners by an order entered on its journal.

The legislative authority or the board may fix the conditions upon which such street railways may be constructed, operated, extended, and consolidated.

HISTORY: RS § 3443; RS Bates § 1536-183; 66 v 140; 67 v 10; 96 v 31, § 29; GC §§ 9101, 9113; Bureau of Code Revision. Eff 10-1-53.

§ 4951.14. Crossings.

Whenever it is deemed necessary by a majority of the board of directors of a street railway company to cross the streets, avenues, alleys, ways, or any part thereof, of any municipal corporation or any public highway outside of a municipal corporation, the legislative authority of such municipal corporation, or the public officers owning or having charge of such highways outside of municipal corporations, may agree with such company as to the manner and mode of such crossing and the compensation to be paid for it. If the parties fail to agree, such company may proceed in accordance with sections 163.01 to 163.22, inclusive, of the Revised Code. In its final order the court shall fix the manner and mode of such crossing. Upon compliance with such decree, the company may construct and maintain such crossing in accordance with the order in said cause.

HISTORY: GC § 9118-1; 101 v 375; Bureau of Code Revision, 10-1-53; 131 v 1201. Eff 1-1-66.

§ 4955.201. Abandonment of railroad track.

- (A) If the interstate commerce commission approves the abandonment of a railroad track that crosses a road or highway at grade, the railroad that owned the track immediately after the approval of the abandonment shall remove the track at the crossing and fill the space previously occupied by the rails with the same material that comprises the road or highway at the crossing. Upon completion of the work, the surface of the crossing where the rails previously were located shall be the same height as the surface of the road or highway abutting the crossing. The restored portion of the road or highway shall meet the construction standards applicable to the road or highway of which the restored portion is a part.
- (B) No railroad shall fail to remove from a crossing the rails that comprise a track whose abandonment has been approved or fail to fill the space previously occupied by the rails as required by division (A) of this section.

HISTORY: 145 v H154. Eff 6-30-93.

§ 4955.33. Crossbuck signs.

At all points where its railroad crosses a public road at a common grade, each company shall erect crossbuck signing at positions at each such crossing that are in accordance with the department of transportation manual for uniform traffic control devices, adopted under section [4511.09](#) of the Revised Code, to give notice of the proximity of the railroad and warn persons to be on the lookout for the locomotive. Any such signing that has been or is erected in accordance with this section may lawfully be continued in use until it is replaced. A company that neglects or refuses to comply with this section is liable in damages for all injuries that occur to persons or property from such neglect or refusal. HISTORY: RS § 3323; S&C 279; 50 v 274, §18; GC § 8852; 113 v 27; Bureau of Code Revision, 10-1-53; 127 v 887 (Eff 9-16-57); 135 v H 200 (Eff 9-28-73); 135 v S 567 (Eff 6-29-74); 143 v H 258 (Eff 11-2-89); 144 v H 648 (Eff 1-1-95); 129 v H 349. Eff 4-12-12.

§ 5501.27. Increased penalties for traffic violations in construction zone.

- (A) The director of transportation shall adopt rules that do the following:
- (1) Rules governing the posting of signs advising motorists that increased penalties apply for certain traffic violations occurring on streets or highways in a construction zone;
 - (2) Rules governing the posting of signs to be used pursuant to section 2903.081 [2903.08.1] of the Revised Code giving notice to motorists of the prohibitions set forth in sections 2903.06 and 2903.08 of the Revised Code regarding the death of or injury to any person in a construction zone as a proximate result of a reckless operation offense or speeding offense.
- (B) The rules required under divisions (A)(1) and (2) of this section shall include guidelines to determine which areas are appropriate to the posting of such signs. The guidelines may include consideration of the following: the duration of the work on the street or highway, the proximity of workers to moving traffic, the existence of any unusual or hazardous conditions, the volume of traffic on the street or highway, and any other appropriate factors. The director shall formulate design specifications for the signs described in division (A)(1) of this section advising motorists of the increased penalties and the signs described in division (A)(2) of this section notifying motorists of the prohibitions set forth in sections 2903.06 and 2903.08 of the Revised Code regarding the death of or injury to any person in a construction zone as a proximate result of a reckless operation offense or speeding offense as described in that division. For purposes of traffic violation penalties, nothing in this section is intended to conflict with any standard set forth in the federal manual of uniform traffic control devices for streets and highways.
- (C) As used in this section and in section 4511.98 of the Revised Code, "construction zone" means that lane or portion of street or highway open to vehicular traffic and adjacent to a lane, berm, or shoulder of a street or highway within which lane, berm, or shoulder construction, reconstruction, resurfacing, or any other work of a repair or maintenance nature, including public utility work, is being conducted, commencing with the point where the first worker or piece of equipment is located and ending where the last worker or piece of equipment is located.

HISTORY: 145 v H 247. Eff 11-1-94; 150 v H 52, § 1, eff. 6-1-04.

§ 5591.42. Carrying capacity of bridges - warning notice.

The board of county commissioners together with the county engineer or an engineer to be selected by the board, or the director of transportation, may ascertain the safe carrying capacity of the bridges on roads or highways under their jurisdiction. Where the safe carrying capacity of any such bridge is ascertained and found to be less than the load limit prescribed by sections 5577.01 to 5577.12 of the Revised Code, warning

notice shall be conspicuously posted near each end of the bridge. The notice shall caution all persons against driving on the bridge a loaded conveyance of greater weight than the bridge's carrying capacity.

HISTORY: RS § 4944; S&C 193; 66 v 90; GC § 7572; 101 v 220; 119 v 182; Bureau of Code Revision, 10-1-53; 135 v H 200 (Eff 9-28-73); 139 v S 114 (Eff 10-27-81); 143 v H 258. Eff 11-2-89.